

	<p>304.73 Combinations Of Opioid Type Drug With Any Other Drug Dependence, In Remission</p> <ol style="list-style-type: none"> 2. Patient must be 16 years of age or older. 3. The prescriber’s UIN number must be written on the PA form. 4. There must be evidence of active substance abuse counseling. 5. After 8 months of therapy, patient shows no evidence of drug dependence on alcohol or illicit drugs. 6. Prescriber must perform monthly KASPER report. 7. Prescriber must perform monthly drug screens and must submit that report with each PA request. 8. Request must come from prescriber. <p>Additionally any claim for Suboxone[®]/Subutex[®] will require prior approval if there is a claim for any opioid in the past 30 days of history. Prescribers will be made aware of the narcotic in history and overrides will be granted if:</p> <ul style="list-style-type: none"> • Prescriber verifies knowledge of patient’s relapse, and agrees to increase psychosocial counseling; OR • Narcotic analgesic is being used short-term (30 days or less) for an acute injury leading to acute pain. <p style="text-align: center;">Proposed Quantity Limits:</p> <ul style="list-style-type: none"> • Subutex[®] <ul style="list-style-type: none"> ○ 2 mg: 3 tablets/day ○ 8 mg: 3 tablets/day • Suboxone[®] <ul style="list-style-type: none"> ○ 2 mg/0.5 mg: 3 tablets/day ○ 8 mg/2 mg: 3 tablets/day <p style="text-align: center;">Tapering Criteria:</p> <p>After the initial 8 months of therapy, recipients will be required to taper therapy to a level that holds the patient in treatment and suppresses opioid withdrawal effects.</p>	
2	<p><u>Branded Products with Generic Components</u> Require prior authorization for the following products:</p> <ul style="list-style-type: none"> • Clobeta + Plus[®] • Ketocon + Plus[®] • Cocet Plus[®] • Atuss DS[®] 	<p>Passed 9 For 0 Against</p>
3	<p><u>New Products to Market: Xeomin</u> Allow this product to pay if one of the following is true:</p> <ul style="list-style-type: none"> ▪ Diagnosis of cervical dystonia; OR ▪ Diagnosis of blepharospasm after trial and failure of onabotulinumtoxinA (Botox[®]). 	<p>Passed 9 For 0 Against</p>

	Description of Recommendation	P & T Vote
4	<p><u>New Products to Market: Gilenya[®]</u> Prior to approval of fingolimod, require trial and failure of one of the following:</p> <ul style="list-style-type: none"> • Interferon beta-1a; OR • Interferon beta-1b; OR • Glatiramer acetate. 	<p>Passed 9 For 0 Against</p>
5	<p><u>New Products to Market: Xerese[®]</u> Place this product non preferred in the PDL class titled Dermatologics: Anti-virals.</p>	<p>Passed 9 For 0 Against</p>
6	<p><u>New Products to Market: Tribenzor[®]</u> Place this product non preferred with similar approval criteria in the PDL class titled Angiotensin Receptor Blockers + CCB (DHP).</p>	<p>Passed 8 For 0 Against 1 Abstention</p>
7	<p><u>New Products to Market: Tekamlo[®]</u> Place this product non preferred, unless cost parity to Tekturna[®], with similar approval criteria in the PDL class titled Direct Renin Inhibitors.</p>	<p>Passed 9 For 0 Against</p>
8	<p><u>Typical Antipsychotics</u></p> <ol style="list-style-type: none"> 1. DMS to select preferred agent(s) based on economic evaluation; however, at least four unique chemical entities, at least one representing an agent from each of the potency groups, should be preferred. 2. Agents not selected as preferred will be considered non preferred and require prior authorization 3. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. 4. For any new chemical entity in the Antipsychotics: Typical class, require a PA until reviewed by the P&T Advisory Committee. 	<p>Passed 8 For 0 Against 1 Abstention</p>
9	<p><u>Atypical Antipsychotics</u></p> <ol style="list-style-type: none"> 1. DMS to select preferred agent(s) based on economic evaluation; however, at least five unique chemical entities should be preferred. 2. Require appropriate ICD-9 on all prescriptions for agents within this class. 3. Place quantity limits on all agents in the class. 4. Allow only two agents at a time unless switching agents due to therapeutic failure or the patient is refractory to dual therapy. 5. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. 6. All products in the category should have a tier 1 copay regardless of preferred or non preferred status. 7. For any new chemical entity in the Antipsychotics: Atypical class, require a PA until reviewed by the P&T Advisory Committee. 	<p>Passed 7 For 2 Against</p>

	Description of Recommendation	P & T Vote																														
10	Preferred Atypical Antipsychotics will be allowed for the following diagnoses only.	Passed 8 For 0 Against																														
	<table border="1"> <thead> <tr> <th data-bbox="305 373 597 415">Approvable ICD-9</th> <th data-bbox="605 373 1222 415">Approvable Diagnosis Description</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="305 415 1222 457">Schizophrenic disorders</td> </tr> <tr> <td data-bbox="305 457 597 531">295.00</td> <td data-bbox="605 457 1222 531">Simple Type Schizophrenia, Unspecified State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="305 531 597 604">295.01</td> <td data-bbox="605 531 1222 604">Simple Type Schizophrenia, Subchronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="305 604 597 678">295.02</td> <td data-bbox="605 604 1222 678">Simple Type Schizophrenia, Chronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="305 678 597 793">295.03</td> <td data-bbox="605 678 1222 793">Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="305 793 597 909">295.04</td> <td data-bbox="605 793 1222 909">Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="305 909 597 982">295.05</td> <td data-bbox="605 909 1222 982">Simple Type Schizophrenia, In Remission Schizophrenia simplex</td> </tr> <tr> <td data-bbox="305 982 597 1077">295.10</td> <td data-bbox="605 982 1222 1077">Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="305 1077 597 1192">295.11</td> <td data-bbox="605 1077 1222 1192">Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="305 1192 597 1308">295.12</td> <td data-bbox="605 1192 1222 1308">Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="305 1308 597 1423">295.13</td> <td data-bbox="605 1308 1222 1423">Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="305 1423 597 1539">295.14</td> <td data-bbox="605 1423 1222 1539">Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="305 1539 597 1654">295.15</td> <td data-bbox="605 1539 1222 1654">Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="305 1654 597 1892">295.20</td> <td data-bbox="605 1654 1222 1892">Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea</td> </tr> </tbody> </table>		Approvable ICD-9	Approvable Diagnosis Description	Schizophrenic disorders		295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex	295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex	295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex	295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex	295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex	295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex	295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia	295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia	295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia	295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia	295.14	Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia	295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia	295.20	Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
	Approvable ICD-9		Approvable Diagnosis Description																													
	Schizophrenic disorders																															
	295.00		Simple Type Schizophrenia, Unspecified State Schizophrenia simplex																													
	295.01		Simple Type Schizophrenia, Subchronic State Schizophrenia simplex																													
	295.02		Simple Type Schizophrenia, Chronic State Schizophrenia simplex																													
	295.03		Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex																													
	295.04		Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex																													
	295.05		Simple Type Schizophrenia, In Remission Schizophrenia simplex																													
	295.10		Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia																													
	295.11		Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia																													
	295.12		Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia																													
	295.13		Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																													
	295.14		Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																													
295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia																															
295.20	Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea																															

295.21	Catatonic Type Schizophrenia, Subchronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.22	Catatonic Type Schizophrenia, Chronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.23	Catatonic Type Schizophrenia, Subchronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.24	Catatonic Type Schizophrenia, Chronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.25	Catatonic Type Schizophrenia, In Remission Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.30	Paranoid Type Schizophrenia, Unspecified State Paraphrenic schizophrenia
295.31	Paranoid Type Schizophrenia, Subchronic State Paraphrenic schizophrenia
295.32	Paranoid Type Schizophrenia, Chronic State Paraphrenic schizophrenia
295.33	Paranoid Type Schizophrenia, Subchronic State With Acute Exacerbation Paraphrenic schizophrenia
295.34	Paranoid Type Schizophrenia, Chronic State With Acute Exacerbation Paraphrenic schizophrenia
295.35	Paranoid Type Schizophrenia, In Remission Paraphrenic schizophrenia

295.40	Schizophreniform Disorder, Unspecified State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.41	Schizophreniform Disorder, Subchronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.42	Schizophreniform Disorder, Chronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.43	Schizophreniform Disorder, Subchronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.44	Schizophreniform Disorder, Chronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.45	Schizophreniform Disorder, In Remission Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.50	Latent Schizophrenia, Unspecified State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.51	Latent Schizophrenia, Subchronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.52	Latent Schizophrenia, Chronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.53	Latent Schizophrenia, Subchronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.54	Latent Schizophrenia, Chronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.55	Latent Schizophrenia, In Remission Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic

295.60	Residual Schizophrenia, Unspecified State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.61	Residual Schizophrenia, Subchronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.62	Residual Schizophrenia, Chronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.63	Residual Schizophrenia, Subchronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.64	Residual Schizophrenia, Chronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.65	Residual Schizophrenia, In Remission Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.70	Schizoaffective Disorder, Unspecified State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.71	Schizoaffective Disorder, Subchronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.72	Schizoaffective Disorder, Chronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type

295.73	Schizoaffective Disorder, Subchronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type	
295.74	Schizoaffective Disorder, Chronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type	
295.75	Schizoaffective Disorder, In Remission Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type	
295.80	Other Specified Types Of Schizophrenia, Unspecified State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.81	Other Specified Types Of Schizophrenia, Subchronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.82	Other Specified Types Of Schizophrenia, Chronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.83	Other Specified Types Of Schizophrenia, Subchronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.84	Other Specified Types Of Schizophrenia, Chronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	

295.85	Other Specified Types Of Schizophrenia, In Remission Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.90	Unspecified Schizophrenia, Unspecified State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.91	Unspecified Schizophrenia, Subchronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.92	Unspecified Schizophrenia, Chronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.93	Unspecified Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.94	Unspecified Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.95	Unspecified Schizophrenia, In Remission Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
Episodic Mood Disorders	
296.00	Bipolar I Disorder, Single Manic Episode, Unspecified Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.01	Bipolar I Disorder, Single Manic Episode, Mild Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified

296.02	Bipolar I Disorder, Single Manic Episode, Moderate Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.03	Bipolar I Disorder, Single Manic Episode Severe Degree, Without Mention Of Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.04	Bipolar I Disorder, Single Manic Episode, Severe Degree, Specified As With Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.05	Bipolar I Disorder, Single Manic Episode, In Partial Or Unspecified Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.06	Bipolar I Disorder, Single Manic Episode, In Full Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.10	Manic Disorder, Recurrent Episode, Unspecified Degree Any condition classifiable to 296.0, stated to be recurrent	
296.11	Manic Disorder, Recurrent Episode, Mild Degree Any condition classifiable to 296.0, stated to be recurrent	

296.12	Manic Disorder, Recurrent Episode, Moderate Degree Any condition classifiable to 296.0, stated to be recurrent
296.13	Manic Disorder, Recurrent Episode, Severe Degree, Without Mention Of Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.14	Manic Disorder, Recurrent Episode, Severe Degree, Specified As With Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.15	Manic Disorder, Recurrent Episode, In Partial Or Unspecified Remission Any condition classifiable to 296.0, stated to be recurrent
296.16	Manic Disorder, Recurrent Episode, In Full Remission Any condition classifiable to 296.0, stated to be recurrent
296.40	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Unspecified Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.41	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Mild Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.42	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Moderate Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.43	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic

296.44	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Specified As With Psychotic Behavior</p> <p>Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic</p>	
296.45	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Partial Or Unspecified Remission</p> <p>Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic</p>	
296.46	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Full Remission</p> <p>Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic</p>	
296.50	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Unspecified Degree</p> <p>Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.51	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Mild Degree</p> <p>Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.52	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Moderate Degree</p> <p>Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.53	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Without Mention Of Psychotic Behavior</p> <p>Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.54	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Specified As With Psychotic Behavior</p> <p>Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	

296.55	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Partial Or Unspecified Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.56	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.60	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Unspecified Degree Manic-depressive psychosis, circular type, mixed
296.61	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Mild Degree Manic-depressive psychosis, circular type, mixed
296.62	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Moderate Degree Manic-depressive psychosis, circular type, mixed
296.63	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Without Mention Of Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.64	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Specified As With Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.65	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Partial Or Unspecified Remission Manic-depressive psychosis, circular type, mixed
296.66	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Full Remission Manic-depressive psychosis, circular type, mixed
296.7	Bipolar I disorder, most recent episode 9or current unspecified

296.80	Bipolar Disorder, Unspecified Bipolar disorder NOS; Manic-depressive: reaction NOS, syndrome NOS
296.81	Atypical Manic Disorder
296.82	Atypical Depressive Disorder
296.89	Other Manic-depressive Psychosis Bipolar II Disorder; Manic-depressive psychosis, mixed type
296.90	Unspecified Episodic Mood Disorder Affective psychosis NOS; Melancholia NOS; Mood disorder NOS
296.99	Other Specified Episodic Mood Disorder Mood swings: brief compensatory, rebound
Delusional disorders	
297.0	Paranoid State, Simple
297.1	Delusional Disorder Chronic paranoid psychosis; Sander's disease; Systematized delusions
297.2	Paraphrenia Involuntal paranoid state; Late paraphrenia; Paraphrenia (involuntal)
297.3	Shared Psychotic Disorder Folie a deux; Induced psychosis or paranoid disorder
297.8	Other Specified Paranoid States Paranoia querulans; Sensitiver Beziehungswahn
297.9	Unspecified Paranoid State Paranoid: disorder NOS, psychosis NOS, reaction NOS, state NOS
298.0	Depressive Type Psychosis Psychogenic depressive psychosis; Psychotic reactive depression; Reactive depressive psychosis
298.1	Excitative Type Psychosis Acute hysterical psychosis; Psychogenic excitation; Reactive excitation
298.2	Reactive Confusion Psychogenic confusion; Psychogenic twilight state
298.3	Acute Paranoid Reaction Acute psychogenic paranoid psychosis; Bouffee delirante
298.4	Psychogenic Paranoid Psychosis Protracted reactive paranoid psychosis

298.8	Other And Unspecified Reactive Psychosis Brief psychotic disorder; Brief reactive psychosis NOS; Hysterical psychosis; Psychogenic psychosis NOS; Psychogenic stupor
298.9	Unspecified Psychosis Atypical psychosis; Psychosis NOS; Psychotic disorder NOS
301.20	Schizoid Personality Disorder, Unspecified
301.21	Introverted Personality
301.22	Schizotypal Personality Disorder
Autism	
299.00	Autistic Disorder Childhood autism; Infantile psychosis; Kanner's syndrome
299.01	Autistic Disorder, Residual State Childhood autism; Infantile psychosis; Kanner's syndrome
299.10	Childhood Disintegrative Disorder, Current Or Active State Heller's syndrome
299.11	Childhood Disintegrative Disorder, Residual State Heller's syndrome
299.80	Other Specified Pervasive Developmental Disorders, Current Or Active State Atypical childhood psychosis; Borderline psychosis of childhood
299.81	Other Specified Pervasive Developmental Disorders, Residual State Atypical childhood psychosis; Borderline psychosis of childhood
299.90	Unspecified Pervasive developmental disorder, Current Or Active State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
299.91	Unspecified Pervasive developmental disorder, Residual State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
Dementias	
290.0	Senile Dementia, Uncomplicated Senile dementia: NOS, simple type

290.10	<p>Presenile Dementia, Uncomplicated Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia: NOS, simple type</p>
290.11	<p>Presenile Dementia, With Delirium Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia with acute confusional state</p>
290.12	<p>Presenile Dementia, With Delusional Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, paranoid type</p>
290.13	<p>Presenile Dementia, With Depressive Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, depressed type</p>
290.20	<p>Senile Dementia With Delusional Features Senile dementia, paranoid type; Senile psychosis NOS</p>
290.21	<p>Senile Dementia With Depressive Features</p>
290.3	<p>Senile Dementia With Delirium Senile dementia with acute confusional state</p>
290.40	<p>Vascular Dementia, Uncomplicated Arteriosclerotic dementia: NOS, simple type; Multi-infarct dementia or psychosis</p>
290.41	<p>Vascular Dementia, With Delirium Arteriosclerotic dementia with acute confusional state; Multi-infarct dementia or psychosis</p>
290.42	<p>Vascular Dementia, With Delusions Arteriosclerotic dementia, paranoid type; Multi-infarct dementia or psychosis</p>
290.43	<p>Vascular Dementia, With Depressed Mood Arteriosclerotic dementia, depressed type; Multi-infarct dementia or psychosis</p>
290.8	<p>Other Specified Senile Psychotic Conditions Presbyophrenic psychosis</p>
290.9	<p>Unspecified Senile Psychotic Condition</p>

Dissociative, Conversion And Factitious Disorders	
300.10	Hysteria, Unspecified
300.11	Conversion Disorder Astasia-abasia, hysterical; Conversion hysteria or reaction; Hysterical: blindness, deafness, paralysis
300.12	Dissociative Amnesia Hysterical amnesia
300.13	Dissociative Fugue Hysterical fugue
300.14	Dissociative Identity Disorder
300.15	Dissociative Disorder Or Reaction, Unspecified
300.16	Factitious Disorder With Predominantly Psychological Signs And Symptoms Compensation neurosis; Ganser's syndrome, hysterical
300.19	Other And Unspecified Factitious Illness Factitious Disorder (with combined psychological and physical signs and symptoms) (with predominantly physical signs and symptoms) NOS
Other	
292.11	Drug-Induced Psychotic Disorder With Delusions Paranoid state induced by drugs
292.12	Drug-Induced Psychotic Disorder With Hallucinations Hallucinatory state induced by drugs
293.81	Psychotic Disorder With Delusions In Conditions Classified Elsewhere Transient organic psychotic condition, paranoid type
293.82	Psychotic Disorder With Hallucinations In Conditions Classified Elsewhere Transient organic psychotic condition, hallucinatory type
307.20	Tic Disorder, Unspecified Tic disorder NOS
307.21	Transient Tic Disorder
307.22	Chronic Motor Or Vocal Tic Disorder
307.23	Tourette's Disorder Motor-verbal tic disorder
313.81	Oppositional Defiant Disorder Of Childhood Or Adolescence
333.4	Huntington's Chorea

*Non preferred Atypical Antipsychotics will be approved after a 2-week trial of ONE preferred Atypical Antipsychotic at an appropriate dose. If Invega® is selected as non preferred, approval will be granted if one of the following is true:

- Trial and failure of risperidone ; OR
- Patient has hepatic impairment evident by elevated liver enzymes or a diagnosis suggestive of hepatic impairment

**For a diagnosis not specifically mentioned above, an atypical may be approved if the prescriber can provide documented clinical evidence (peer reviewed literature or multiple case studies) supporting the use of the requested medication for the requested indication.

Major Depressive Disorder (MDD) Criteria:

Atypical Antipsychotics will be approved for MDD as adjunct therapy ONLY. Atypicals will be approved if any ONE of the following is true:

- An adequate trial (4 weeks) of at least one agent in two of the following classes of antidepressants (unless contraindicated or intolerant to):
 - Selective Serotonins Reuptake Inhibitor (SSRIs)
 - Serotonin-Norepinephrine Reuptake Inhibitor (SNRIs)
 - New Generation Antidepressants
 - Tricyclic antidepressants (TCAs); OR
- A diagnosis of Major Depressive Disorder (MDD) with psychotic features.

Multiple Agents Criteria:

Patients who are on more than 2 Atypical Antipsychotic agents will require PA. Approval will be granted for the following reasons:

- A maximum of 2 months to allow patients to taper to dual therapy.
- Additional agents may be added to existing dual therapy after a 2-week trial at the maximum tolerated dose of each agent.

Proposed Quantity Limits:

Drug	Strength	Per Day Count
Abilify®	All Strengths	1 per day (30 mg per day max)
Abilify Discmelt®	All Strengths	2 per day (30 mg per day max)
Abilify® oral solution	1mg/mL	25 mL per day (30 mg per day max)

	Clozaril [®] / clozapine	12.5 mg	3 per day (900 mg per day max)
		25 mg	3 per day (900 mg per day max)
		50 mg	3 per day (900 mg per day max)
		100 mg	9 per day (900 mg per day max)
		200 mg	4 per day (900 mg per day max)
	Fanapt [™]	All Strengths	2 per day (24 mg per day max)
	FazaClo ODT [®]	12.5 mg	3 per day (900 mg per day max)
		25 mg	3 per day (900 mg per day max)
		50 mg	3 per day (900 mg per day max)
		100 mg	9 per day (900 mg per day max)
	Geodon [®]	All Strengths	2 per day (160 mg per day max)
	Invega [®]	1.5 mg	1 per day (12 mg per day max)
		3 mg	1 per day (12 mg per day max)
		6 mg	2 per day (12 mg per day max)
		9 mg	1 per day (12 mg per day max)
Risperdal [®] / risperidone	All Strengths	2 per day (8 mg per day max)	
Risperdal [®] / risperidone oral solution	1 mg/mL	8 mL per day (8 mg per day max)	
Saphris [®]	All Strengths	2 per day (20 mg per day max)	

	Seroquel [®]	25 mg	3 per day (800 mg per day max)	
		50 mg	3 per day (800 mg per day max)	
		100 mg	3 per day (800 mg per day max)	
		200 mg	3 per day (800 mg per day max)	
		300 mg	2 per day (800 mg per day max)	
		400 mg	2 per day (800 mg per day max)	
	Seroquel XR [®]	50 mg	2 per day (800 mg per day max)	
		150 mg	1 per day (800 mg per day max)	
		200 mg	1 per day (800 mg per day max)	
		300 mg	2 per day (800 mg per day max)	
		400 mg	2 per day (800 mg per day max)	
Zyprexa [®] / Zyprexa Zydis [®]	All Strengths	1 per day		
11	<u>Injectable Antipsychotics</u>		Passed	
	<ol style="list-style-type: none"> 1. DMS to select preferred agent(s) based on economic evaluation. Generic formulations of first generation injectable antipsychotics should be preferred. Additionally, two unique second generation injectable antipsychotics, one of which should have a duration of action of 2 weeks or longer, should be preferred. 2. Require appropriate ICD-9 on all prescriptions for agents within this class. 3. Allow only two agents at a time unless switching agents due to therapeutic failure or the patient is refractory to dual therapy. 4. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. 5. All products in the category should have a tier 1 copay regardless of preferred or non preferred status. 6. For any new chemical entity in the Injectable Antipsychotics class, require a PA until reviewed by the P&T Advisory Committee. 		8 For 0 Against	

	Description of Recommendation	P & T Vote																														
12	<p><u>Injectable Antipsychotics Clinical Criteria</u> Preferred Injectable Antipsychotics will be allowed for the following diagnoses only.</p> <table border="1" data-bbox="302 415 1229 1892"> <thead> <tr> <th data-bbox="302 415 597 453">Approvable ICD-9</th> <th data-bbox="604 415 1229 453">Approvable Diagnosis Description</th> </tr> </thead> <tbody> <tr> <td colspan="2" data-bbox="302 457 1229 495" style="text-align: center;">Schizophrenic disorders</td> </tr> <tr> <td data-bbox="302 499 597 558">295.00</td> <td data-bbox="604 499 1229 558">Simple Type Schizophrenia, Unspecified State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="302 562 597 621">295.01</td> <td data-bbox="604 562 1229 621">Simple Type Schizophrenia, Subchronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="302 625 597 684">295.02</td> <td data-bbox="604 625 1229 684">Simple Type Schizophrenia, Chronic State Schizophrenia simplex</td> </tr> <tr> <td data-bbox="302 688 597 810">295.03</td> <td data-bbox="604 688 1229 810">Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="302 814 597 936">295.04</td> <td data-bbox="604 814 1229 936">Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex</td> </tr> <tr> <td data-bbox="302 940 597 999">295.05</td> <td data-bbox="604 940 1229 999">Simple Type Schizophrenia, In Remission Schizophrenia simplex</td> </tr> <tr> <td data-bbox="302 1003 597 1104">295.10</td> <td data-bbox="604 1003 1229 1104">Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="302 1108 597 1209">295.11</td> <td data-bbox="604 1108 1229 1209">Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="302 1213 597 1314">295.12</td> <td data-bbox="604 1213 1229 1314">Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="302 1318 597 1419">295.13</td> <td data-bbox="604 1318 1229 1419">Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="302 1423 597 1524">295.14</td> <td data-bbox="604 1423 1229 1524">Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="302 1528 597 1629">295.15</td> <td data-bbox="604 1528 1229 1629">Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia</td> </tr> <tr> <td data-bbox="302 1633 597 1892">295.20</td> <td data-bbox="604 1633 1229 1892">Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea</td> </tr> </tbody> </table>	Approvable ICD-9	Approvable Diagnosis Description	Schizophrenic disorders		295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex	295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex	295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex	295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex	295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex	295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex	295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia	295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia	295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia	295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia	295.14	Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia	295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia	295.20	Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea	<p>Passed 8 For 0 Against</p>
Approvable ICD-9	Approvable Diagnosis Description																															
Schizophrenic disorders																																
295.00	Simple Type Schizophrenia, Unspecified State Schizophrenia simplex																															
295.01	Simple Type Schizophrenia, Subchronic State Schizophrenia simplex																															
295.02	Simple Type Schizophrenia, Chronic State Schizophrenia simplex																															
295.03	Simple Type Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia simplex																															
295.04	Simple Type Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia simplex																															
295.05	Simple Type Schizophrenia, In Remission Schizophrenia simplex																															
295.10	Disorganized Type Schizophrenia, Unspecified State Hebephrenia; Hebephrenic type schizophrenia																															
295.11	Disorganized Type Schizophrenia, Subchronic State Hebephrenia; Hebephrenic type schizophrenia																															
295.12	Disorganized Type Schizophrenia, Chronic State Hebephrenia; Hebephrenic type schizophrenia																															
295.13	Disorganized Type Schizophrenia, Subchronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																															
295.14	Disorganized Type Schizophrenia, Chronic State With Acute Exacerbation Hebephrenia; Hebephrenic type schizophrenia																															
295.15	Disorganized Type Schizophrenia, In Remission Hebephrenia; Hebephrenic type schizophrenia																															
295.20	Catatonic Type Schizophrenia, Unspecified State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea																															

295.21	Catatonic Type Schizophrenia, Subchronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.22	Catatonic Type Schizophrenia, Chronic State Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.23	Catatonic Type Schizophrenia, Subchronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.24	Catatonic Type Schizophrenia, Chronic State With Acute Exacerbation Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.25	Catatonic Type Schizophrenia, In Remission Catatonic (schizophrenia): agitation, excitation, excited type, stupor, withdrawn type; Schizophrenic: catalepsy, catatonia, flexibilitas cerea
295.30	Paranoid Type Schizophrenia, Unspecified State Paraphrenic schizophrenia
295.31	Paranoid Type Schizophrenia, Subchronic State Paraphrenic schizophrenia
295.32	Paranoid Type Schizophrenia, Chronic State Paraphrenic schizophrenia
295.33	Paranoid Type Schizophrenia, Subchronic State With Acute Exacerbation Paraphrenic schizophrenia
295.34	Paranoid Type Schizophrenia, Chronic State With Acute Exacerbation Paraphrenic schizophrenia
295.35	Paranoid Type Schizophrenia, In Remission Paraphrenic schizophrenia

295.40	Schizophreniform Disorder, Unspecified State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.41	Schizophreniform Disorder, Subchronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.42	Schizophreniform Disorder, Chronic State Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.43	Schizophreniform Disorder, Subchronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.44	Schizophreniform Disorder, Chronic State With Acute Exacerbation Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.45	Schizophreniform Disorder, In Remission Oneirophrenia; Schizophreniform: attack, disorder, psychosis confusional type
295.50	Latent Schizophrenia, Unspecified State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.51	Latent Schizophrenia, Subchronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.52	Latent Schizophrenia, Chronic State Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.53	Latent Schizophrenia, Subchronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.54	Latent Schizophrenia, Chronic State With Acute Exacerbation Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic
295.55	Latent Schizophrenia, In Remission Latent schizophrenic reaction; Schizophrenia: borderline, incipient, prepsychotic, prodromal, pseudoneurotic, pseudopsychopathic

295.60	Residual Schizophrenia, Unspecified State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.61	Residual Schizophrenia, Subchronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.62	Residual Schizophrenia, Chronic State Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.63	Residual Schizophrenia, Subchronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.64	Residual Schizophrenia, Chronic State With Acute Exacerbation Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.65	Residual Schizophrenia, In Remission Chronic undifferentiated schizophrenia; Restzustand (schizophrenic); Schizophrenic residual state
295.70	Schizoaffective Disorder, Unspecified State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.71	Schizoaffective Disorder, Subchronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type
295.72	Schizoaffective Disorder, Chronic State Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type

295.73	Schizoaffective Disorder, Subchronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type	
295.74	Schizoaffective Disorder, Chronic State With Acute Exacerbation Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type	
295.75	Schizoaffective Disorder, In Remission Cyclic schizophrenia; Mixed schizophrenic and affective psychosis; Schizo-affective psychosis; Schizophreniform psychosis, affective type	
295.80	Other Specified Types Of Schizophrenia, Unspecified State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.81	Other Specified Types Of Schizophrenia, Subchronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.82	Other Specified Types Of Schizophrenia, Chronic State Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.83	Other Specified Types Of Schizophrenia, Subchronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	
295.84	Other Specified Types Of Schizophrenia, Chronic State With Acute Exacerbation Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia	

295.85	Other Specified Types Of Schizophrenia, In Remission Acute (undifferentiated) schizophrenia; Atypical schizophrenia; Cenesthopathic schizophrenia
295.90	Unspecified Schizophrenia, Unspecified State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.91	Unspecified Schizophrenia, Subchronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.92	Unspecified Schizophrenia, Chronic State Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.93	Unspecified Schizophrenia, Subchronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.94	Unspecified Schizophrenia, Chronic State With Acute Exacerbation Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
295.95	Unspecified Schizophrenia, In Remission Schizophrenia: NOS, mixed NOS, undifferentiated NOS; Schizophrenic reaction NOS; Schizophreniform psychosis NOS
Episodic Mood Disorders	
296.00	Bipolar I Disorder, Single Manic Episode, Unspecified Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified
296.01	Bipolar I Disorder, Single Manic Episode, Mild Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified

296.02	Bipolar I Disorder, Single Manic Episode, Moderate Degree {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.03	Bipolar I Disorder, Single Manic Episode Severe Degree, Without Mention Of Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.04	Bipolar I Disorder, Single Manic Episode, Severe Degree, Specified As With Psychotic Behavior {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.05	Bipolar I Disorder, Single Manic Episode, In Partial Or Unspecified Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.06	Bipolar I Disorder, Single Manic Episode, In Full Remission {Hypomania (mild) NOS} {Hypomanic psychosis} {Mania (monopolar) NOS} {Manic-depressive psychosis or reaction: hypomanic, manic} single episode or unspecified	
296.10	Manic Disorder, Recurrent Episode, Unspecified Degree Any condition classifiable to 296.0, stated to be recurrent	
296.11	Manic Disorder, Recurrent Episode, Mild Degree Any condition classifiable to 296.0, stated to be recurrent	

296.12	Manic Disorder, Recurrent Episode, Moderate Degree Any condition classifiable to 296.0, stated to be recurrent
296.13	Manic Disorder, Recurrent Episode, Severe Degree, Without Mention Of Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.14	Manic Disorder, Recurrent Episode, Severe Degree, Specified As With Psychotic Behavior Any condition classifiable to 296.0, stated to be recurrent
296.15	Manic Disorder, Recurrent Episode, In Partial Or Unspecified Remission Any condition classifiable to 296.0, stated to be recurrent
296.16	Manic Disorder, Recurrent Episode, In Full Remission Any condition classifiable to 296.0, stated to be recurrent
296.40	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Unspecified Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.41	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Mild Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.42	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Moderate Degree Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic
296.43	Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic

296.44	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Manic, Severe Degree, Specified As With Psychotic Behavior Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic</p>	
296.45	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Partial Or Unspecified Remission Bipolar disorder, now manic; Manic-depressive psychosis, circular type but currently manic</p>	
296.46	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Manic, In Full Remission Bipolar disorder, now manic Manic-depressive psychosis, circular type but currently manic</p>	
296.50	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Unspecified Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.51	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Mild Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.52	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Moderate Degree Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.53	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Without Mention Of Psychotic Behavior Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	
296.54	<p>Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, Severe Degree, Specified As With Psychotic Behavior Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed</p>	

296.55	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Partial Or Unspecified Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.56	Bipolar I Disorder, Most Recent Episode (Or Current) Depressed, In Remission Bipolar disorder, now depressed; Manic-depressive psychosis, circular type but currently depressed
296.60	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Unspecified Degree Manic-depressive psychosis, circular type, mixed
296.61	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Mild Degree Manic-depressive psychosis, circular type, mixed
296.62	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Moderate Degree Manic-depressive psychosis, circular type, mixed
296.63	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Without Mention Of Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.64	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, Severe Degree, Specified As With Psychotic Behavior Manic-depressive psychosis, circular type, mixed
296.65	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Partial Or Unspecified Remission Manic-depressive psychosis, circular type, mixed
296.66	Bipolar I Disorder, Most Recent Episode (Or Current) Mixed, In Full Remission Manic-depressive psychosis, circular type, mixed
296.7	Bipolar I disorder, most recent episode 9or current unspecified

296.80	Bipolar Disorder, Unspecified Bipolar disorder NOS; Manic-depressive: reaction NOS, syndrome NOS
296.81	Atypical Manic Disorder
296.82	Atypical Depressive Disorder
296.89	Other Manic-depressive Psychosis Bipolar II Disorder; Manic-depressive psychosis, mixed type
296.90	Unspecified Episodic Mood Disorder Affective psychosis NOS; Melancholia NOS; Mood disorder NOS
296.99	Other Specified Episodic Mood Disorder Mood swings: brief compensatory, rebound
Delusional disorders	
297.0	Paranoid State, Simple
297.1	Delusional Disorder Chronic paranoid psychosis; Sander's disease; Systematized delusions
297.2	Paraphrenia Involuntal paranoid state; Late paraphrenia; Paraphrenia (involuntal)
297.3	Shared Psychotic Disorder Folie a deux; Induced psychosis or paranoid disorder
297.8	Other Specified Paranoid States Paranoia querulans; Sensitiver Beziehungswahn
297.9	Unspecified Paranoid State Paranoid: disorder NOS, psychosis NOS, reaction NOS, state NOS
298.0	Depressive Type Psychosis Psychogenic depressive psychosis; Psychotic reactive depression; Reactive depressive psychosis
298.1	Excitative Type Psychosis Acute hysterical psychosis; Psychogenic excitation; Reactive excitation
298.2	Reactive Confusion Psychogenic confusion; Psychogenic twilight state
298.3	Acute Paranoid Reaction Acute psychogenic paranoid psychosis; Bouffee delirante
298.4	Psychogenic Paranoid Psychosis Protracted reactive paranoid psychosis

298.8	Other And Unspecified Reactive Psychosis Brief psychotic disorder; Brief reactive psychosis NOS; Hysterical psychosis; Psychogenic psychosis NOS; Psychogenic stupor
298.9	Unspecified Psychosis Atypical psychosis; Psychosis NOS; Psychotic disorder NOS
301.20	Schizoid Personality Disorder, Unspecified
301.21	Introverted Personality
301.22	Schizotypal Personality Disorder
Autism	
299.00	Autistic Disorder Childhood autism; Infantile psychosis; Kanner's syndrome
299.01	Autistic Disorder, Residual State Childhood autism; Infantile psychosis; Kanner's syndrome
299.10	Childhood Disintegrative Disorder, Current Or Active State Heller's syndrome
299.11	Childhood Disintegrative Disorder, Residual State Heller's syndrome
299.80	Other Specified Pervasive Developmental Disorders, Current Or Active State Atypical childhood psychosis; Borderline psychosis of childhood
299.81	Other Specified Pervasive Developmental Disorders, Residual State Atypical childhood psychosis; Borderline psychosis of childhood
299.90	Unspecified Pervasive developmental disorder, Current Or Active State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS
299.91	Unspecified Pervasive developmental disorder, Residual State Child psychosis NOS; Schizophrenia, childhood type NOS; Schizophrenic syndrome of childhood NOS

Dementias	
290.0	Senile Dementia, Uncomplicated Senile dementia: NOS, simple type
290.10	Presenile Dementia, Uncomplicated Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia: NOS, simple type
290.11	Presenile Dementia, With Delirium Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia with acute confusional state
290.12	Presenile Dementia, With Delusional Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, paranoid type
290.13	Presenile Dementia, With Depressive Features Brain syndrome with presenile brain disease; Dementia in: Alzheimer's disease, Jakob-Creutzfeldt disease, Pick's disease of the brain; Presenile dementia, depressed type
290.20	Senile Dementia With Delusional Features Senile dementia, paranoid type; Senile psychosis NOS
290.21	Senile Dementia With Depressive Features
290.3	Senile Dementia With Delirium Senile dementia with acute confusional state
290.40	Vascular Dementia, Uncomplicated Arteriosclerotic dementia: NOS, simple type; Multi-infarct dementia or psychosis
290.41	Vascular Dementia, With Delirium Arteriosclerotic dementia with acute confusional state; Multi-infarct dementia or psychosis
290.42	Vascular Dementia, With Delusions Arteriosclerotic dementia, paranoid type; Multi-infarct dementia or psychosis
290.43	Vascular Dementia, With Depressed Mood Arteriosclerotic dementia, depressed type; Multi-infarct dementia or psychosis
290.8	Other Specified Senile Psychotic Conditions Presbyophrenic psychosis
290.9	Unspecified Senile Psychotic Condition

Dissociative, Conversion And Factitious Disorders	
300.10	Hysteria, Unspecified
300.11	Conversion Disorder Astasia-abasia, hysterical; Conversion hysteria or reaction; Hysterical: blindness, deafness, paralysis
300.12	Dissociative Amnesia Hysterical amnesia
300.13	Dissociative Fugue Hysterical fugue
300.14	Dissociative Identity Disorder
300.15	Dissociative Disorder Or Reaction, Unspecified
300.16	Factitious Disorder With Predominantly Psychological Signs And Symptoms Compensation neurosis; Ganser's syndrome, hysterical
300.19	Other And Unspecified Factitious Illness Factitious Disorder (with combined psychological and physical signs and symptoms) (with predominantly physical signs and symptoms) NOS
Other	
292.11	Drug-Induced Psychotic Disorder With Delusions Paranoid state induced by drugs
292.12	Drug-Induced Psychotic Disorder With Hallucinations Hallucinatory state induced by drugs
293.81	Psychotic Disorder With Delusions In Conditions Classified Elsewhere Transient organic psychotic condition, paranoid type
293.82	Psychotic Disorder With Hallucinations In Conditions Classified Elsewhere Transient organic psychotic condition, hallucinatory type
307.20	Tic Disorder, Unspecified Tic disorder NOS
307.21	Transient Tic Disorder
307.22	Chronic Motor Or Vocal Tic Disorder
307.23	Tourette's Disorder Motor-verbal tic disorder
313.81	Oppositional Defiant Disorder Of Childhood Or Adolescence
333.4	Huntington's Chorea

*Non preferred Injectable Antipsychotics will be approved after a 2-week trial of ONE preferred Antipsychotic (oral or parenteral) at an appropriate dose. If Invega® Sustenna™ is selected as non preferred, approval will be granted if one of the following is true:

- Trial and failure of risperidone ; OR
- Patient has hepatic impairment evident by elevated liver enzymes or a diagnosis suggestive of hepatic impairment

**For a diagnosis not specifically mentioned above, an injectable antipsychotic may be approved if the prescriber can provide documented clinical evidence (peer reviewed literature or multiple case studies) supporting the use of the requested medication for the requested indication.

Multiple Therapy Criteria:

Patients who are on more than two Atypical Antipsychotic agents will require PA. Approval will be granted for the following reasons:

- A maximum of 2 months to allow patients to taper to dual therapy.
- Additional agents may be added to existing dual therapy after a 2-week trial at the maximum tolerated dose if each agent.

Proposed Quantity Limits:

Drug	Strength	Per Day Count
Abilify®	9.7 mg/1.3 mL	1.3 mL per day
fluphenazine decanoate	25 mg/mL	4 mL per month
haloperidol decanoate / Haldol® Decanoate	50 mg/mL	1 mL per month
	100 mg/mL	2 mL per month
Zyprexa®	10 mg	30 mg per RX
Zyprexa® Relprevv	210 mg	210 mg every 2 weeks
	300 mg	300 mg every 2 weeks
	405 mg	405 mg every 4 weeks
Invega® Sustenna™	39 mg/0.25 mL	0.25 mL per month
	78 mg/0.5 mL	0.5 mL per month
	117 mg/0.75 mL	0.75 mL per month
	156 mg/1 mL	1 mL per month
	234 mg/1.5mL	1.5 mL per month
Risperdal® Consta®	12.5 mg	12.5 mg every 2 weeks
	25 mg	25 mg every 2 weeks
	37.5 mg	37.5 mg every 2 weeks
	50 mg	50 mg every 2 weeks
Geodon®	20 mg	40 mg per RX

	Description of Recommendation	P & T Vote						
13	<p><u>Atypical Antipsychotic and SSRI Combinations</u></p> <ol style="list-style-type: none"> DMS to select preferred agent(s) based on economic evaluation. Require prior authorization and quantity limits for agents in this class. Require prior authorization if this product is being used with more than one other atypical antipsychotic unless switching agents due to therapeutic failure or the patient is refractory to dual atypical antipsychotic therapy. Allow continuation of therapy for non preferred single source branded products via a 90 day look back. For any new chemical entity in the Atypical Antipsychotic and SSRI Combination class, require a PA until reviewed by the P&T Advisory Committee. 	<p>Passed 8 For 0 Against</p>						
14	<p><u>Atypical Antipsychotics and SSRI Combinations Clinical Criteria</u></p> <p>Symbyax[®] will be approved if BOTH of the following are true:</p> <ul style="list-style-type: none"> Diagnosis of depressive episodes associated with bipolar disorder; AND, Trial and failure of ONE of the following: <ul style="list-style-type: none"> Lithium; OR Lamotrigine; OR Bupropion; OR Paroxetine. <p>**For a diagnosis not specifically mentioned above, Symbyax[®] may be approved if the prescriber can provide documented clinical evidence (peer reviewed literature or multiple case studies) supporting the use of the requested medication for the requested indication.</p> <p>Multiple Therapy Criteria: Patients who are on more than 2 Atypical Antipsychotic agents will require PA. Approval will be granted for the following reasons:</p> <ul style="list-style-type: none"> A maximum of 2 months to allow patients to taper to dual therapy. Additional agents may be added to existing dual therapy after a 2-week trial at the maximum tolerated dose of each agent. <p>Proposed Quantity Limits:</p> <table border="1" data-bbox="302 1629 1227 1707"> <thead> <tr> <th data-bbox="302 1629 618 1671">Drug</th> <th data-bbox="618 1629 846 1671">Strength</th> <th data-bbox="846 1629 1227 1671">Per Day Count</th> </tr> </thead> <tbody> <tr> <td data-bbox="302 1671 618 1707">Symbyax[®]</td> <td data-bbox="618 1671 846 1707">All Strengths</td> <td data-bbox="846 1671 1227 1707">1 per day</td> </tr> </tbody> </table>	Drug	Strength	Per Day Count	Symbyax [®]	All Strengths	1 per day	<p>Passed 8 For 0 Against</p>
Drug	Strength	Per Day Count						
Symbyax [®]	All Strengths	1 per day						

	Description of Recommendation	P & T Vote
15	<p><u>First Generation Anticonvulsants</u></p> <ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based on economic evaluation; however, at least all generic products should be preferred. 2. Agents not selected as preferred will be considered non preferred and require prior authorization. 3. Require therapeutic failure of one preferred agent prior to approval of a non-preferred agent. 4. Non preferred products will continue to require a tier 1 co-payment for generics and a tier 2 co-payment for branded products. 5. For any agent not selected as preferred, DMS to allow continuation of therapy if there is a paid claim in the past 90 days. 6. For any new chemical entity in the Anticonvulsants: First Generation class, require a PA until reviewed by the P&T Advisory Committee. 	<p>Passed</p> <p>8 For 0 Against</p>
16	<p><u>Bisphosphonates</u></p> <ol style="list-style-type: none"> 1. DMS to select preferred agent (s) based upon economic evaluation; however, at least one bisphosphonate should be preferred. 2. Agents not selected as will be considered non preferred and require PA. 3. Continue quantity limits based on maximum recommended dose. 4. Once monthly formulations will be approved for patients with poor compliance utilizing once weekly formulations only. 5. For any new chemical entity in the Bisphosphonate class, require a PA until reviewed by the PTAC. 	<p>Passed</p> <p>8 For 0 Against</p>