

Kentucky Pharmacy Preferred Drug List

Effective: October 27, 2017



GENERAL DEFINITION OF TERMS

Clinical Criteria (CC) – Due to the nature of some medications, prior authorization may be required for the medication to be covered at any copay tier. *Medications that require prior authorization will require that certain clinical criteria be met. Medications may require the use of preferred medications (subject to PDL), in addition to satisfying appropriate clinical criteria, before approval (prior authorization) can be considered.* If a medication requires PA, the ordering physician should contact Magellan Medicaid Administration, the plan’s pharmacy benefit administrator. Also, prescriptions exceeding such plan limitations as **Quantity Limits (QL), Step Therapy (ST), Maximum Duration (MD), Age Edit (AE), in addition to those subject to Clinical Criteria (CC),** will also require PA.

Step Therapy (ST) – Step therapy is an electronic PA process that takes place at the time the pharmacy submits the claim. For example, in the case of medications considered “second-line” agents, the system will look at the member’s paid claims history, and if a claim(s) for the required “first-line” medication(s) is located, the system will approve the claim. If “first-line” medication(s) are not located, the system will not approve the claim, and will return a message to the pharmacy advising that the Step Therapy protocol has not been satisfied and prior authorization is required. At that time, the pharmacy may contact the physician and request that they contact Magellan Medicaid Administration for PA.

Quantity Limits (QL) – Quantity limits have been placed on medications to be consistent with the maximum dosage that the Food and Drug Administration (FDA) has approved to be both safe and effective. Medications where the quantity exceeds the FDA’s maximum daily dose will require PA. Prescriptions exceeding plan limitations will require PA.

Medication with Maximum Duration (MD) – Medications indicated will be available for a defined period of days per rolling year (365 days) before requiring a new or additional PA.

Age Edit (AE) – Medications indicated are available for members above or below XX age without PA.

Maintenance Drugs – Maintenance drugs are medications generally prescribed for the treatment of chronic conditions or conditions that require regular, daily long-term use of a medication(s). The following list are example drug classes that are commonly associated with medical conditions that may require the use of one or more maintenance drugs and can be processed for up to a 92 days’ supply and 100 units for KY Medicaid recipients:

- Antianginals
- Antihypertensives
- Oral Contraceptives
- Antiarrhythmics
- Cardiac Glycosides
- Progesterones
- Antiarthritics
- Digestants
- Thyroid Preparations
- Antidiabetics
- Diuretics

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
ACE Inhibitors	benazepril captopril enalapril lisinopril quinapril ramipril	<i>Accupril®</i> <i>Aceon®</i> <i>Altace®</i> <i>Capoten®</i> <i>Epaned™</i> <i>fosinopril</i> <i>Lotensin®</i> <i>Mavik®</i> <i>moexipril</i> <i>Monopril®</i> <i>perindopril</i> <i>Prinivil®</i> <i>trandolapril</i> <i>Univasc®</i> <i>Vasotec®</i> <i>Zestril®</i>
ACEI + Diuretic Combinations	benazepril/HCTZ captopril/HCTZ enalapril/HCTZ lisinopril/HCTZ	<i>Accuretic®</i> <i>Capozide®</i> <i>fosinopril HCT</i> <i>Lotensin HCT®</i> <i>moexipril/HCTZ</i> <i>Prinzide®</i> <i>quinapril/HCTZ</i> <i>Quinaretic®</i> <i>Uniretic®</i> <i>Vaseretic®</i> <i>Zestoretic®</i>
Angiotensin Receptor Blockers	losartan valsartan	<i>Atacand®</i> <i>Avapro®</i> <i>Benicar®</i> <i>candesartan</i> <i>Cozaar®</i> <i>Diovan®</i> <i>Edarbi™</i> <i>Entresto™ CC</i> <i>eprosartan</i> <i>irbesartan</i> <i>Micardis®</i> <i>telmisartan</i> <i>Teveten®</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Angiotensin Modulator + CCB Combinations	amlodipine/benazepril Exforge HCT ^{® ST} valsartan/amlodipine ST	Azor [™] Exforge [®] Lotrel [®] Prestalia ^{® QL} Tarka [®] Tribenzor [®] telmisartan/amlodipine Twynsta [®] valsartan/amlodipine/HCTZ verapamil/trandolapril
ARB + Diuretic Combinations	losartan/HCTZ valsartan/HCTZ	Atacand HCT [®] Avalide [®] Benicar HCT [®] candesartan/HCTZ Diovan HCT [®] Edarbyclor [™] Hyzaar [®] irbesartan/HCTZ Micardis HCT [®] telmisartan/HCTZ Teveten HCT [®]
Anti-Anginal & Anti-Ischemic Agent	Ranexa ^{® ST}	Corlanor ^{® CC}
Oral Anti-Arrhythmics	amiodarone 100, 200 mg disopyramide flecainide mexiletine procainamide propafenone quinidine gluconate ER quinidine sulfate quinidine sulfate ER Sorine [®] sotalol sotalol AF Tikosyn [®]	amiodarone 400 mg Betapace [®] Betapace ^{® AF} Cordarone [®] Multaq [®] Norpace [®] Norpace ^{® CR} Pacerone [®] propafenone SR Rythmol [®] Rythmol ^{® SR} Tambacor [®]
Direct Renin Inhibitors	Tekturna ^{® ST} Tekturna HCT ^{® ST}	Amturnide [™] Tekamlo [®]

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Beta Blockers	atenolol metoprolol tartrate metoprolol succinate ER propranolol propranolol ER	<i>acebutolol</i> <i>betaxolol</i> <i>bisoprolol</i> <i>Bystolic™</i> <i>Corgard®</i> <i>Hemangeol™</i> <i>Inderal®</i> <i>Inderal® LA</i> <i>Inderal® XL</i> <i>Innopran XL®</i> <i>Kerlone®</i> <i>Levatol®</i> <i>Lopressor®</i> <i>nadolol</i> <i>pindolol</i> <i>Sectral®</i> <i>Tenormin®</i> <i>timolol</i> <i>Toprol XL®</i> <i>Zebeta®</i> <i>Visken®</i>
Beta Blockers + Diuretic Combinations	atenolol/chlorthalidone bisoprolol/HCTZ propranolol/HCTZ	<i>Corzide®</i> <i>Dutoprol™</i> <i>Lopressor® HCT</i> <i>metoprolol tartrate/HCTZ</i> <i>nadolol/bendroflumethiazide</i> <i>Tenoretic®</i> <i>Ziac®</i>
Alpha/Beta Blockers	carvedilol labetalol	<i>Coreg®</i> <i>Coreg CR®</i> <i>Trandate®</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Calcium Channel Blockers (DHP)	amlodipine nifedipine ER/SA/SR	Adalat CC® Afeditab™ CR Cardene® Cardene ER® Dynacirc® felodipine ER isradipine nicardipine Nifediac CC® Nifedical XL® nifedipine IR nimodipine nisoldipine ER Norvasc® Nymalize® Plendil® Procardia® Procardia XL® Sular®
Calcium Channel Blockers (Non-DHP)	diltiazem diltiazem ER/LA verapamil verapamil ER (EXCEPT 360 mg capsules)	Calan® Calan® SR Cardizem® Cardizem CD® Cardizem LA® Cartia XT Covera-HS® Dilacor XR® Dilt CD Dilt XR Diltia XT® Diltzac ER Matzim LA™ Taztia XT Tiazac® verapamil ER 360 mg capsules verapamil ER PM Verelan® Verelan PM®
Vasodilator and Nitrate Combination	BiDil®	N/A

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Pulmonary Arterial Hypertension (PAH) Agents	Letairis™ sildenafil ^{CC} Tracleer® Ventavis®	Adcirca™ Adempas® ^{CC} Opsumit® Orenitram™ Revatio™ Tyvaso™ Uptravi® ^{QL}
Familial Hypercholesterolemia Agents	Kynamro™ ^{CC}	Juxtapid™
Lipotropics: Bile Acid Sequestrants	cholestyramine cholestyramine light colestipol tablets Prevalite®	Colestid® colestipol granules/packets Questran® Questran Light® WelChol®
Lipotropics: Cholesterol Absorption Inhibitor	Zetia®	ezetimibe
Lipotropics: Fibric Acid Derivatives	gemfibrozil TriCor® Trilipix™	Antara™ Fenoglide™ fenofibrate (Generic Antara™, Lipofen™, Lofibra®) fenofibrate nanocrystallized (Generic Tricor®) fenofibric acid (Generic Fibracor™, Trilipix™) Fibracor™ Lipofen™ Lofibra® Lopid® Triglide™
Lipotropics: Omega-3 Fatty Acids	Lovaza® ST	omega-3 acid ethyl esters Vascepa®

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Lipotropics: Statins	amlodipine/atorvastatin ^{CC, QL} atorvastatin ^{QL} lovastatin ^{QL} pravastatin ^{QL} simvastatin ^{QL}	<i>Advicor</i> ^{TM QL} <i>Altoprev</i> ^{® QL} <i>Caduet</i> ^{® QL} <i>Crestor</i> ^{® QL} <i>fluvastatin</i> ^{QL} <i>fluvastatin ER</i> ^{QL} <i>Lescol</i> ^{® QL} <i>Lescol XL</i> ^{® QL} <i>Lipitor</i> ^{® QL} <i>Liptruzet</i> ^{® QL} <i>Livalo</i> ^{® QL} <i>Mevacor</i> ^{® QL} <i>Pravachol</i> ^{® QL} <i>Simcor</i> ^{® QL} <i>Vytorin</i> ^{TM QL} <i>Zocor</i> ^{® QL}
Lipotropics: Niacin Derivatives	Niaspan [®]	<i>Niacor</i> [®] <i>Niacin</i> <i>niacin ER</i>
Lipotropics: PCSK9s	N/A	<i>Praluent</i> ^{® CC} <i>Repatha</i> ^{TM CC}
Platelet Aggregation Inhibitors	Aggrenox [®] Brilinta ^{TM CC} cilostazol clopidogrel dipyridamole	<i>aspirin/dipyridamole</i> <i>Durlaza ER</i> ^{® QL} <i>Effient</i> TM <i>Persantine</i> [®] <i>Plavix</i> [®] <i>Pletal</i> [®] <i>Ticlid</i> [®] <i>ticlopidine</i> <i>Zontivity</i> ^{TM CC}
Anticoagulants	Eliquis [®] enoxaparin fondaparinux Fragmin [®] Jantoven [®] Pradaxa [®] warfarin Xarelto [®]	<i>Arixtra</i> TM <i>Coumadin</i> [®] <i>Innohep</i> [®] <i>Lovenox</i> [®] <i>Savaysa</i> TM

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Emetics: Other	meclizine metoclopramide (EXCEPT ODT) prochlorperazine promethazine (EXCEPT 50 mg suppositories) Transderm-Scop Patch® trimethobenzamide	Antivert® Compazine® Compro® Diclegis™ CC, QL metoclopramide ODT Metozolv® ODT Phenadoz® Phenergan® promethazine 50 mg suppositories Reglan® Tigan® Univert®
Oral Anti-Emetics: 5-HT3 Antagonists	ondansetron	Aloxi® QL Anzemet® granisetron Granisol™ Kytril® Sancuso® CC, QL Varubi™ Zofran® Zuplenz®
Oral Anti-Emetics: NK-1 Antagonists	Emend® QL	Akynzeo® QL
Oral Anti-Emetics: Δ-9-THC Derivatives	dronabinol CC, QL	Cesamet® CC, QL Marinol® CC, QL
H2 Receptor Antagonists	cimetidine famotidine tablets ranitidine tablets, syrup	Axid® famotidine suspension nizatidine Pepcid® ranitidine capsules Tagamet® Zantac®
Proton Pump Inhibitors	Nexium® QL omeprazole capsules QL pantoprazole QL	Aciphex® QL Dexilant™ QL esomeprazole magnesium QL esomeprazole strontium QL lansoprazole QL omeprazole suspension QL omeprazole/sodium bicarbonate QL Prevacid® QL Prilosec® QL Protonix® QL rabeprazole QL Zegerid® QL

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Ulcer Protectants	Carafate® suspension misoprostol sucralfate tablets	Carafate® tablets Cytotec® Prothelial® sucralfate suspension
H. pylori Treatment	Helidac® ^{QL} lansoprazole/amoxicillin/clarithromycin ^{QL} Pylera® ^{QL}	Omeclamox-Pak™ ^{QL} Prevpac® ^{QL}
Antispasmodics/ Anticholinergics	dicyclomine glycopyrrolate hyoscyamine methscopolamine propantheline	Anaspaz® Bentyl® Cantil® chlordiazepoxide/clidinium Cuvposa® Donnatal® Glycate® Hyomax® Hyosyne® Levbid® Levsin® Librax® Oscimin SR® Pamine® Pamine® Forte PB-Hyos® Pro-Banthine® Robinul® Robinul Forte® Symax®
Ulcerative Colitis Agents	Apriso™ balsalazide Canasa® Delzicol® mesalamine enemas/suppositories sulfasalazine sulfasalazine EC	Asacol® HD Azulfidine® Azulfidine EN-tabs® Colazal® Dipentum® Giazo® Lialda™ mesalamine rectal kits Pentasa® Rowasa® Uceris®
Antidiarrheals	diphenoxylate with atropine loperamide	Fulyzaq™ ^{CC,QL} Lomotil® Motofen® opium paregoric Restora®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Laxatives and Cathartics	lactulose solution MoviPrep® PEG 3350/Electrolyte solution for reconstitution PEG 3350 Powder	CoLyte® with flavor packets Constulose® Enulose® Entereg® GaviLyte-C® GaviLyte-G® GaviLyte-H® and Bisacodyl Kit GaviLyte-N® Generlac® GlycoLax® GoLyteLy® powder pack/solution for reconstitution HalfLyteLy-Bisacodyl Bowel Kit® Kristalose® packet Miralax® Powder NuLyteLy® with Flavor Packs solution for reconstitution OsmoPrep® Tablets PEG3350/Flavor Pack Solution for Reconstitution PEG3350 Powder Pack PEG-Prep Kit Prepopik™ Powder Pack Relistor® CC Suclear™ Suprep® Trilyte® Visicol®
GI Motility Agents	Amitiza® CC Linzess® CC	alosetron CC Lotronex® CC Movantik® Viberzi® QL

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics, Inhaled	Bethkis® Kitabis™ Pak	Cayston® TOBI® TOBI Podhaler® tobramycin inhalation solution

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Minimally Sedating Antihistamines	cetirizine OTC tablets, capsules, 1 mg/mL solution, 5 mg/5 mL syrup, ODT cetirizine-pseudoephedrine OTC loratadine OTC loratadine-pseudoephedrine 12-Hour OTC loratadine-pseudoephedrine 24-Hour OTC	<i>cetirizine RX 5 mg/5 mL solution, chewable tablets</i> Clarinex® Clarinex-D® 12 Hr Clarinex-D® 24 Hr desloratadine levocetirizine Semprex D® Xyzal®
Intranasal Antihistamines	Astepro® Patanase™	<i>azelastine</i> <i>olopatadine</i>
Intranasal Anticholinergics	ipratropium nasal spray	<i>Atrovent®</i>
Short-Acting Beta₂ Adrenergic Agonists	albuterol inhalation solution ^{QL} albuterol low-dose inhalation solution ^{QL} ProAir HFA® ^{QL} Proventil® HFA ^{QL} terbutaline tablets ^{QL}	<i>albuterol oral syrup, tablets ^{QL}</i> <i>albuterol ER tablets ^{QL}</i> <i>levalbuterol inhalation solution ^{QL}</i> <i>metaproterenol oral syrup, tablets ^{QL}</i> <i>ProAir Respiclick® ^{QL}</i> <i>Ventolin HFA® ^{QL}</i> <i>Vospire ER® ^{QL}</i> <i>Xopenex® ^{QL}</i> <i>Xopenex HFA® ^{QL}</i>
Long-Acting Beta₂ Adrenergic Agonists	Foradil® Aerolizer® ^{QL} Serevent® Diskus ^{QL}	<i>Arcapta™ Neohaler™ ^{QL}</i> <i>Brovana® ^{QL}</i> <i>Perforomist™ ^{QL}</i> <i>Striverdi® Respimat® ^{QL}</i>
Beta Agonists: Combination Products	Advair® Diskus ^{QL} Advair® HFA ^{QL} Dulera® ^{QL} Symbicort® ^{QL}	<i>Breo® Ellipta® ^{QL}</i>
COPD Agents	albuterol-ipratropium inhalation solution ^{QL} Atrovent® HFA ^{QL} Combivent® Respimat® ^{QL} ipratropium inhalation solution ^{QL} Spiriva Handihaler® ^{QL}	<i>Anoro™ Ellipta™ ^{CC, QL}</i> <i>Daliresp™ ^{QL}</i> <i>Incruse™ Ellipta® ^{QL}</i> <i>Seebri™ Neohaler® ^{QL}</i> <i>Spiriva® Respimat® ^{QL}</i> <i>Stiolto™ Respimat® ^{QL}</i> <i>Tudorza™ Pressair™ ^{QL}</i> <i>Utibron™ Neohaler® ^{QL}</i>
Inhaled Corticosteroids	Asmanex® Twisthaler ^{QL} Flovent Diskus® ^{QL} Flovent HFA® ^{QL} Pulmicort Respules® ^{QL, AE} QVAR® ^{QL}	<i>Aerospan™ ^{QL}</i> <i>Alvesco® ^{QL}</i> <i>Anruity™ Ellipta® ^{QL}</i> <i>Asmanex® HFA ^{QL}</i> <i>budesonide inhalation suspension ^{QL}</i> <i>Pulmicort Flexhaler® ^{QL}</i>

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Intranasal Corticosteroids	fluticasone propionate ^{QL} Nasonex [®] ^{QL}	Beconase AQ [®] ^{QL} budesonide ^{QL} Children's Qnasl [™] ^{QL} Dymista [®] ^{QL} flunisolide ^{QL} Omnaris [™] ^{QL} Qnasl [™] ^{QL} Rhinocort Aqua [®] ^{QL} triamcinolone ^{QL} Veramyst [®] ^{QL} Zetonna [™] ^{QL}
Leukotriene Modifiers	montelukast ^{QL} zafirlukast ^{QL}	Accolate [®] ^{QL} Singulair [®] ^{QL} Zyflo [®] ^{QL} Zyflo CR [®] ^{QL}
Self Injectable Epinephrine	Epi Pen [®] ^{QL} Epi Pen Jr. [®] ^{QL}	Adrenaclick [®] ^{QL} AuviQ [™] ^{QL} epinephrine 0.3 mg ^{QL} epinephrine 0.15 mg ^{QL}

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Alzheimer's Agents	donepezil 5, 10 mg Exelon [®] Patch memantine tablets Namenda [®] solution rivastigmine capsules	Aricept [®] donepezil ODT, 23 mg Exelon [®] Capsule galantamine galantamine ER Namzaric [®] Namenda [®] tablets Namenda XR [®] Razadyne [®] Razadyne ER [®] rivastigmine patch
Antialcoholic Preparations	naltrexone oral Vivitrol [®]	acamprosate Antabuse [®] Campral [®] disulfiram Depade [®] ReVia [®]

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Antianxiety Agents	alprazolam IR tablets, intensol ^{MD} buspirone chlordiazepoxide ^{MD} clorazepate ^{MD} diazepam oral ^{MD} lorazepam ^{MD} oxazepam ^{MD}	<i>alprazolam ER^{MD}</i> <i>alprazolam ODT^{MD}</i> <i>Ativan^{MD}</i> <i>meprobamate^{CC}</i> <i>Tranxene-T^{MD}</i> <i>Valium^{MD}</i> <i>Xanax^{MD}</i> <i>Xanax XR, ODT^{MD}</i>
Antidepressants: MAOIs	N/A	<i>Emsam[®]</i> <i>Marplan[®]</i> <i>Nardil[®]</i> <i>Parnate[®]</i> <i>phenelzine</i> <i>tranylcypromine</i>
Antidepressants: Other	bupropion bupropion XL bupropion SR trazodone	<i>AplenzinTM</i> <i>TrintellixTM</i> <i>Forfivo XLTM</i> <i>nefazodone</i> <i>OleptroTM</i> <i>ViibrydTM</i> <i>Wellbutrin[®]</i> <i>Wellbutrin[®] SR</i> <i>Wellbutrin[®] XL</i>
Antidepressants: SNRIs	Pristiq [®] Savella TM ^{CC} venlafaxine venlafaxine ER capsules	<i>Cymbalta[®]</i> <i>desvenlafaxine ER base</i> <i>desvenlafaxine fumarate ER</i> <i>desvenlafaxine succinate ER</i> <i>duloxetine (Generic IrenkaTM)</i> <i>duloxetine DR (Generic Cymbalta[®])^{CC}</i> <i>Effexor[®]</i> <i>Effexor XR[®]</i> <i>FetzimaTM</i> <i>IrenkaTM</i> <i>Khedezla[®]</i> <i>venlafaxine ER tablets</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Antidepressants: SSRIs	citalopram escitalopram tablets fluoxetine capsules, solution fluoxetine ER paroxetine sertraline	<i>Brisdelle</i> TM ^{CC} <i>Celexa</i> [®] <i>escitalopram solution</i> <i>fluoxetine 90 mg DR, tablets</i> ^{QL} <i>fluvoxamine</i> <i>fluvoxamine ER</i> <i>Lexapro</i> TM <i>paroxetine controlled release</i> <i>Paxil</i> [®] <i>Paxil</i> [®] CR <i>Pexeva</i> [®] <i>Prozac</i> [®] <i>Prozac Weekly</i> TM ^{QL} <i>Sarafem</i> [®] <i>Zoloft</i> [®]
Antidepressants: Tricyclics	amitriptyline clomipramine desipramine imipramine HCl maprotiline mirtazapine nortriptyline	<i>Anafranil</i> [®] <i>amoxapine</i> <i>doxepin</i> <i>imipramine pamoate</i> <i>Norpramin</i> [®] <i>Pamelor</i> [®] <i>protriptyline</i> <i>Remeron</i> [®] <i>Silenor</i> [®] <i>Surmontil</i> [®] <i>Tofranil</i> [®] <i>Tofranil-PM</i> [®] <i>Vivactil</i> [®]
Anticonvulsants: First Generation	Celontin [®] clonazepam tablets DiaStat [®] ^{QL} divalproex delayed-release divalproex sprinkle ethosuximide felbamate mephobarbital ^{CC} Peganone [®] phenobarbital ^{CC} Phenytek [®] phenytoin IR/ER primidone ^{CC} valproate valproic acid	<i>clonazepam ODT</i> <i>Depakene</i> [®] <i>Depakote</i> [®] <i>Depakote ER</i> [®] <i>Depakote</i> [®] Sprinkle <i>diazepam rectal gel</i> ^{QL} <i>Dilantin</i> [®] <i>divalproex sodium ER</i> <i>Felbatol</i> [®] <i>Klonopin</i> [®] <i>Mysoline</i> [®] <i>Onfi</i> TM ^{CC} <i>Stavzor</i> TM <i>Zarontin</i> [®]

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Anticonvulsants: Second Generation	BanzeI™ CC Gabitril® gabapentin capsules, solution lamotrigine IR tablets, ODT levetiracetam IR tablets, solution Lyrica® CC Sabril® CC topiramate IR zonisamide	<i>Fycompa™</i> <i>gabapentin tablets</i> <i>Galise™</i> <i>Keppra™ tablets, solution</i> <i>Keppra XR™</i> <i>Lamictal®</i> <i>Lamictal ODT®</i> <i>Lamictal® XR</i> <i>lamotrigine ER</i> <i>levetiracetam ER</i> <i>Neurontin®</i> <i>Potiga®</i> <i>Qudexy XR™</i> <i>tiagabine</i> <i>Topamax®</i> <i>topiramate ER</i> <i>Trokendi XR™</i> <i>Vimpat®</i> <i>Zonegran®</i>
Anticonvulsants: Carbamazepine Derivatives	Carbatrol® carbamazepine carbamazepine extended-release Equetro™ oxcarbazepine	<i>Aptiom®</i> <i>carbamazepine extended-release (Generic Carbatrol®)</i> <i>Epitol®</i> <i>Oxtellar™ XR</i> <i>Tegretol®</i> <i>Tegretol® XR</i> <i>Trileptal®</i>
First-Generation Antipsychotics	amitriptyline/perphenazine chlorpromazine fluphenazine haloperidol loxapine Orap® perphenazine thioridazine thiothixene trifluoperazine	<i>Adasuve®</i> <i>pimozide</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Second-Generation Antipsychotics	aripiprazole ODT, solution, tablets ^{CC, QL} clozapine ^{CC, QL} clozapine ODT ^{CC, QL} Fanapt™ ^{CC, QL} Latuda® ^{CC, QL} olanzapine ^{CC, QL} quetiapine ^{CC, QL} risperidone ^{CC, QL} Saphris® ^{CC, QL} Seroquel® XR ^{CC, QL} ziprasidone ^{CC, QL}	Abilify® oral formulations ^{CC, QL} Clozaril® ^{QL} FazaClo® ^{QL} Geodon® ^{QL} Invega® ^{QL} paliperidone ^{QL} Rexulti® ^{QL} Risperdal® ^{QL} Seroquel® ^{QL} Versacloz® ^{QL} Zyprexa® ^{QL}
Antipsychotics: Injectable	Abilify Maintena™ ^{CC, QL} fluphenazine decanoate ^{CC, QL} Geodon® ^{CC, QL} haloperidol decanoate ^{CC, QL} haloperidol lactate ^{CC, QL} Invega® Sustenna® ^{CC, QL} Invega Trinza™ ^{CC, QL} olanzapine ^{CC, QL} Risperdal® Consta® ^{CC, QL}	Aristada ER™ Haldol® Decanoate ^{QL} Haldol® lactate ^{QL} Zyprexa® ^{QL} Zyprexa® Relprevv ^{QL}
Atypical Antipsychotic and SSRI Comb.	Symbyax® ^{CC, QL}	olanzapine/fluoxetine ^{QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Stimulants and Related Agents	Adderall XR [®] CC, QL	Adderall [®] QL
	dexmethylphenidate IR CC, QL	Aptensio XR [®] QL
	dextroamphetamine IR CC, QL	clonidine ER QL
	dextroamphetamine ER CC, QL	Concerta [®] QL
	Focalin XR [™] CC, QL	Daytrana [™] QL
	guanfacine ER CC, QL	Desoxyn [®] QL
	Metadate CD [®] CC, QL	Dexedrine [®] QL
	Metadate ER [®] CC, QL	dexmethylphenidate ER QL
	Methylin [®] chewable tablets CC, QL	dextroamphetamine solution QL
	methylphenidate IR tablets, capsules CC, QL	Evekeo [™] QL
	methylphenidate ER/SA/SR CC, QL	Focalin [™] QL
	methylphenidate ER OROS CC, QL	Intuniv [™] QL
	mixed amphetamine salts IR CC, QL	Kapvay [™] QL
	Quillivant [™] XR CC, QL	methamphetamine QL
	Strattera [®] CC, QL	Methylin [®] solution QL
	Vyvanse [™] CC, QL	methylphenidate (Generic for Metadate CD [®]) QL
		methylphenidate chewable (Generic for Methylin [®] chewable tablets) QL
	methylphenidate LA (Generic Ritalin LA [®]) QL	
	methylphenidate solution QL	
	mixed amphetamine salts ER QL	
	Procentra [™] QL	
	Ritalin [®] QL	
	Ritalin LA [®] QL	
	Zenzedi [™] QL	
Anti-Migraine: 5-HT1 Receptor Agonists	Relpax [™] QL	almotriptan QL
	rizatriptan QL	Alsuma [™] QL
	rizatriptan ODT QL	Amerge [®] QL
	sumatriptan QL	Axert [®] QL
		Cambia [™] QL
		Frova [™] QL
		Imitrex [®] QL
		Maxalt [®] QL
		Maxalt-MLT [®] QL
		naratriptan QL
		Sumavel [™] Dosepro [™] QL
		Treximet [™] QL
		Zecuity [®] QL
		zolmitriptan QL
	zolmitriptan ODT QL	
	Zomig [®] QL	
	Zomig-ZMT [®] QL	

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Dopamine Receptor Agonists	bromocriptine pramipexole ropinirole	Mirapex® Mirapex® ER Neupro® Parlodel® pramipexole ER Requip® Requip® XL ropinirole ER
Narcolepsy Agents	Provigil® CC, QL	modafinil QL Nuvigil® QL Xyrem® QL
Parkinson's Disease	amantadine syrup, tablets, capsules benztropine carbidopa Comtan® levodopa/carbidopa levodopa/carbidopa CR levodopa/carbidopa ODT selegiline tablets trihexyphenidyl	Azilect® Duopa™ entacapone levodopa/carbidopa/entacapone Lodosyn® Parcopa™ Rytary™ selegiline capsules Sinemet® Sinemet® CR Stalevo® Tasmar® tolcapone Zelapar™
Sedative Hypnotic Agents	flurazepam QL temazepam 15 mg, 30 mg QL triazolam QL zolpidem QL	Ambien® QL Ambien CR® QL Belsomra® QL Doral® QL Edluar® CC, QL estazolam QL eszopiclone QL Halcion® QL Hetlioz® CC, QL Intermezzo® QL Lunesta™ QL Restoril® QL Rozerem® CC, QL temazepam 22.5 mg, 7.5 mg QL Somnote® Sonata® QL zaleplon QL zolpidem ER QL Zolpimist™ QL

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Skeletal Muscle Relaxants	baclofen ^{QL} chlorzoxazone ^{QL} cyclobenzaprine ^{QL} methocarbamol ^{QL} orphenadrine ^{QL} orphenadrine compound ^{QL} orphenadrine compound forte ^{QL} tizanidine tablets ^{QL}	Amrix ^{® QL, MD} carisoprodol ^{QL, MD} carisoprodol compound ^{QL, MD} cyclobenzaprine ER ^{QL, MD} Dantrium ^{® QL} dantrolene ^{QL, CC} Fexmid ^{® QL, MD} Flexeril ^{® QL, MD} Lorzone ^{® QL} metaxalone ^{QL} methocarbamol/aspirin ^{QL} Parafon Forte DSC ^{® QL} Robaxin ^{® QL} Skelaxin ^{® QL} Soma ^{® QL, MD} tizanidine capsules ^{QL} Zanaflex ^{® QL}
Tobacco Cessation	bupropion SR ^{QL} Chantix ^{® AE} nicotine buccal/gum/lozenge ^{QL} nicotine transdermal system ^{QL} Nicotrol ^{® Inhaler QL} Nicotrol ^{® NS QL}	Commit ^{® QL} Habitrol ^{® QL} Nicoderm ^{® QL} Nicoderm CQ ^{® QL} Nicorelief ^{® QL} Nicorette ^{® QL} Nicotrol ^{® Patch QL} Prostep ^{® QL} Zyban ^{® QL}

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotic Agonist/ Antagonists	butorphanol NS	pentazocine/APAP pentazocine/naloxone

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotics: Short-Acting	butalbital/APAP/caffeine ^{CC} codeine/APAP ^{MD} dihydrocodeine bitartrate/APAP/caffeine hydrocodone/APAP ^{MD} hydrocodone/ibuprofen hydromorphone liquid, tablets meperidine morphine IR oxycodone oxycodone/APAP ^{MD} tramadol	All branded short-acting narcotics and narcotic combinations butalbital/APAP/caffeine/codeine ^{CC} butalbital compound/codeine ^{CC} codeine Capital® Demerol® dihydrocodeine bitartrate/ASA/caffeine Dilaudid® Endodan® Hycet® hydromorphone suppositories Ibudone™ levorphanol Margesic H® Maxidone® Norco® Nucynta™ Opana® Oxaydo® oxycodone/ASA ^{MD} oxycodone/ibuprofen oxymorphone IR Primlev® Reprexain™ Rybix™ ODT Synalgos DC® tramadol/APAP Trezix® Ultracet® Ultram® Vanatol™ LQ ^{CC} Xartemis™ XR Xodol® Xolox® Zamicet™ Zolvit™

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotics: Long-Acting	fentanyl transdermal 12, 25, 50, 75, 100 mcg ^{CC, QL} Kadian ^{® QL} morphine sulfate SA (Generic for MS Contin [®]) ^{QL}	Avinza ^{™ QL} Belbuca ^{™ QL} Butrans ^{™ CC, QL} ConZip ^{™ QL} Dolophine [®] Duragesic ^{® CC, QL} Embeda ^{™ QL} Exalgo ^{™ QL} fentanyl transdermal 37.5, 62.5, 87.5 mcg ^{CC, QL} hydromorphone ER ^{QL} Hysingla ^{™ ER QL} Ionsys ^{® CC, QL} morphine sulfate SA (Generic Kadian [®] , Avinza [™]) ^{QL} MS Contin ^{® QL} Nucynta ^{® ER CC, QL} Oramorph ^{® SR QL} oxycodone ER/SR ^{QL} OxyContin ^{® QL} oxymorphone ER ^{QL} Ryzolt ^{™ QL} tramadol ER ^{QL} Ultram ^{® ER QL} Zohydro ER ^{™ CC, QL}
Narcotics: Fentanyl Buccal Products	N/A	Abstral ^{® CC, QL} Actiq ^{® CC, QL} fentanyl citrate lollipop ^{CC, QL} Fentora ^{® CC, QL} Lazanda ^{® CC, QL} Onsolis ^{™ CC, QL} Subsys ^{® CC}

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Non-Steroidal Anti-Inflammatory Drugs	celecoxib ^{QL}	Anaprox [®]
	diclofenac sodium	Anaprox [®] DS
	flurbiprofen	Ansaid [®]
	ibuprofen	Arthrotec [®]
	indomethacin	Cataflam [®]
	ketoprofen	Celebrex [®] ^{QL}
	ketorolac tromethamine ^{QL}	Clinoril [®]
	meloxicam tablets	Daypro [®]
	naproxen tablets	DermacinRX Lexitral PharmaPak [®]
	piroxicam	diclofenac/misoprostol
	sulindac	diclofenac potassium
		diclofenac topical
		diclofenac SR
	diflunisal	
	Duexis [®] ^{CC}	
	etodolac	
	etodolac SR	
	Feldene [®]	
	fenoprofen	
	Flector [®] ^{CC}	
	Indocin [®]	
	indomethacin ER	
	ketoprofen ER	
	meclofenamate	
	mefenamic acid	
	meloxicam suspension	
	Mobic [®]	
	nabumetone	
	Nalfon [®]	
	Naprelan [®] EC	
	naproxen sodium	
	naproxen suspension	
	naproxen CR	
	naproxen EC	
	oxaprozin	
	Pennsaid [®] ^{CC}	
	Pennsaid [®] Pump ^{CC}	
	Ponstel [®]	
	Sprix [™] ^{CC}	
	Tivorbex [®]	
	tolmetin	
	Vimovo [™] ^{CC, QL}	
	Vivlodex [™] ^{QL}	
	Voltaren [®] Gel ^{CC}	
	Voltaren [®] XR	
	Zipsor [™]	
	Zorvolex [™]	

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics: Cephalosporins 1st Generation	cefadroxil capsule cephalexin	<i>cefadroxil tablet, suspension</i> <i>Duricef®</i> <i>Keflex®</i>
Antibiotics: Cephalosporins 2nd Generation	cefuroxime axetil	<i>Ceclor®</i> <i>Ceclor CD®</i> <i>cefaclor</i> <i>cefaclor CD</i> <i>cefprozil</i> <i>Ceftin®</i> <i>Cefzil®</i>
Antibiotics: Cephalosporins 3rd Generation	cefdinir cefepodoxime Suprax® suspension	<i>Cedax®</i> <i>cefditoren pivoxil</i> <i>cefixime suspension</i> <i>ceftibuten</i> <i>Omnicef®</i> <i>Spectracef®</i> <i>Suprax® capsules, chewable tablets, tablets</i> <i>Vantin®</i>
Antibiotics: GI	Alinia® tablets metronidazole tablets paromomycin vancomycin Xifaxan® CC, QL	<i>Alinia® suspension</i> <i>Difcid®</i> <i>Flagyl®</i> <i>Flagyl® ER</i> <i>metronidazole capsules</i> <i>neomycin</i> <i>Tindamax®</i> <i>tinidazole</i> <i>Vancocin®</i>
Antibiotics: Ketolides	Ketek® CC, QL, MD	N/A
Antibiotics: Macrolides	azithromycin clarithromycin erythromycin base capsules DR erythromycin ethylsuccinate 200mg suspension	<i>Biaxin®</i> <i>Biaxin XL®</i> <i>clarithromycin ER</i> <i>E.E.S. 200 suspension</i> <i>E.E.S 400 tablet</i> <i>EryPed</i> <i>Ery-tab</i> <i>erythromycin base tablets</i> <i>PCE®</i> <i>Zithromax®</i> <i>Zmax®</i>
Antibiotics: Oxazolidinones	linezolid tablets CC, QL, MD	<i>linezolid suspension QL, MD</i> <i>Sivextro™ QL</i> <i>Zyvox® QL, MD</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics: Penicillins	amoxicillin amoxicillin/clavulanate tablets, suspension ampicillin dicloxacillin penicillin V	<i>amoxicillin ER</i> <i>amoxicillin/clavulanate chewable tablets</i> <i>amoxicillin/clavulanate ER</i> <i>Augmentin®</i> <i>Augmentin XR®</i> <i>Moxatag™</i>
Antibiotics: Quinolones	ciprofloxacin tablets levofloxacin tablets	<i>Avelox®</i> <i>ciprofloxacin ER</i> <i>ciprofloxacin suspension</i> <i>Cipro®</i> <i>Cipro XR®</i> <i>Factive®</i> <i>Levaquin®</i> <i>levofloxacin solution</i> <i>moxifloxacin</i> <i>Noroxin®</i> <i>ofloxacin</i>
Antibiotics: Tetracyclines	demeclocycline doxycycline hyclate doxycycline monohydrate 50 mg, 75 mg, 100 mg capsules, tablets, suspension minocycline capsules tetracycline	<i>Adoxa®</i> <i>Adoxa® Pak</i> <i>Alodox® Convenience Pak</i> <i>Avidoxy®</i> <i>Doryx®</i> <i>Doxy®</i> <i>doxycycline hyclate DR capsules</i> <i>doxycycline hyclate DR tablets</i> <i>doxycycline IR-DR</i> <i>doxycycline monohydrate capsules BRAND prod</i> <i>doxycycline monohydrate 150 mg capsules, pack</i> <i>Dynacin®</i> <i>Minocin®</i> <i>minocycline tablets</i> <i>minocycline ER</i> <i>Monodox®</i> <i>Monodoxyne NL®</i> <i>Morgidox®</i> <i>Ocudox®</i> <i>Oracea™</i> <i>Oraxyl®</i> <i>Solodyn®</i> <i>Vibramycin®</i>
Antibiotics: Vaginal	Cleocin® Ovules metronidazole vaginal 0.75% gel	<i>Cleoncin® cream</i> <i>clindamycin vaginal 2% cream</i> <i>Clindesse®</i> <i>MetroGel Vaginal®</i> <i>Nuversa®</i> <i>Vandazole®</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antifungals: Oral	clotrimazole fluconazole flucytosine griseofulvin suspension griseofulvin ultramicrosize Noxafil® nystatin terbinafine voriconazole	Ancobon® Cresemba® Diflucan® griseofulvin microsize Gris-PEG® itraconazole ^{CC} ketoconazole Lamisil® Mycelex Troche® Nizoral® Onmel™ Oravig™ Sporanox® Terbinex™ Vfend®
Antivirals: Herpes	acyclovir famciclovir valacyclovir	Famvir® Sitavig® Valtrex® Zovirax®
Antivirals: Flu	Relenza® rimantadine Tamiflu® ^{QL}	Flumadine®
Anti-Infective: Sulfonamides, Folate Antagonist	Sulfatrim® suspension trimethoprim trimethoprim/sulfamethoxazole tablet	Bactrim® Bactrim DS® Primsol® Septra DS® Sulfadiazine Trimethoprim/sulfamethoxazole suspension
Anti-Infectives: Hepatitis B	Baraclude™ Epivir-HBV® Hepsera® Tyzeka®	adefovir entecavir lamivudine HBV
Hepatitis C: Direct-Acting Antiviral Agents	Mavyret™ ^{CC, QL} Vosevi™ ^{CC, QL}	Daklinza™ ^{CC, QL} Harvoni® ^{CC, QL} Epclusa® ^{CC, QL} Olysio™ ^{CC, QL} Sovaldi™ ^{CC, QL} Technivie™ ^{CC, QL} Viekira Pak® and Viekira XR™ ^{CC, QL} Zepatier™ ^{CC, QL}
Hepatitis C: Interferons	PEGASYS® ProClick ^{CC, QL} PEGASYS® syringe ^{CC, QL}	Infergen® ^{CC, QL} PEGASYS® vial ^{CC, QL} PEGIntron™ ^{CC, QL}

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Hepatitis C: Ribavirins	ribavirin ^{CC}	<i>Copegus</i> ^{TM CC} <i>Moderiba</i> ^{TM CC} <i>Rebetol</i> ^{® CC} <i>Ribasphere</i> ^{TM CC} <i>Ribasphere RibaPak</i> ^{TM CC} <i>ribavirin dosepack</i> ^{CC}

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Diabetes: Injectable Insulins	Humalog [®] Vial Humalog [®] Mix Vial/Pen Humulin [®] N Vial Humulin [®] R Vial Humulin [®] R 500 Vial Humulin [®] 70/30 Vial Lantus [®] Vial Lantus [®] Solostar Pen Levemir [®] Vial/Pen Novolog [®] Vial/Pen/Cartridge Novolog [®] Mix Vial/Pen	<i>Afrezza</i> [®] <i>Apidra</i> TM Vial/Pen <i>Humalog</i> [®] KwikPen <i>Humalog</i> [®] Pen/Cartridge <i>Humulin</i> [®] Pen <i>Humulin</i> [®] 70/30 Pen <i>Novolin</i> [®] Vial <i>Novolin</i> [®] 70/30 Vial <i>Toujeo</i> [®] <i>Tresiba</i> [®]
Diabetes: Amylin Analogue	N/A	<i>Symlin</i> ^{® ST}
Diabetes: DPP-4 Inhibitors	Janumet TM ^{ST, QL} Janumet XR TM ^{ST, QL} Januvia TM ^{ST, QL} Jentadueto TM ^{ST, QL} Tadjenta TM ^{ST, QL}	<i>Glyxambi</i> ^{® QL} <i>Kazano</i> ^{® QL} <i>Kombiglyze</i> ^{TM XR} ^{QL} <i>Nesina</i> ^{® QL} <i>Onglyza</i> ^{TM QL} <i>Oseni</i> ^{® QL}
Diabetes: GLP-1 Receptor Agonists	Byetta TM ST Bydureon [®] ST	<i>Tanzeum</i> TM <i>Trulicity</i> TM <i>Victoza</i> [®]
Diabetes: Alpha-Glucosidase Inhibitors	acarbose Glyset [®]	<i>Precose</i> [®]
Diabetes: Metformins	glyburide/metformin metformin metformin ER (generic for Glucophage XR [®])	<i>Fortamet</i> TM <i>glipizide/metformin</i> <i>Glucophage</i> [®] <i>Glucophage XR</i> [®] <i>Glumetza</i> TM <i>Metaglip</i> TM <i>metformin ER (generic Fortamet</i> TM , <i>generic Glumetza</i> [®]) <i>Riomet</i> TM

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Diabetes: Meglitinides	repaglinide Starlix®	nateglinide PrandiMet™ Prandin®
Diabetes: Sulfonylureas	chlorpropamide glimepiride glipizide glipizide extended-release glyburide glyburide micronized tolazamide tolbutamide	Amaryl® Diabeta® Glucotrol® Glucotrol XL® Glynase PresTab® Micronase®
Diabetes: Thiazolidinediones	pioglitazone ^{QL}	Actos® ^{QL} ACTOplus Met® ^{QL} ActoPlus Met® XR ^{QL} Avandamet® ^{QL} Avandia® ^{QL} Avandaryl® ^{QL} DuetAct™ ^{QL} pioglitazone/glimepiride ^{QL} pioglitazone/metformin ^{QL}
Diabetes: SGLT2 Inhibitors	Invokana® ST Invokamet™ ST	Farxiga™ Jardiance® Synjardy® Xigduo™ XR
Growth Hormones	Genotropin® ^{CC} Norditropin® ^{CC} Norditropin Flexpro® ^{CC} Nutropin® ^{CC} Nutropin AQ® ^{CC} Nutropin AQ NuSpin® ^{CC}	Humatrope® ^{CC} Omnitrope® ^{CC} Saizen® ^{CC} Serostim® ^{CC} Zomacton® ^{CC} Zorbtive® ^{CC}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Bone Resorption Suppression and Related Agents	alendronate tablets ^{QL} Fortical® raloxifene	Actonel® ^{QL} Actonel with Calcium® ^{QL} alendronate solution ^{QL} Atelvia™ ^{QL} Binosto® ^{QL} Boniva® ^{QL} calcitonin-salmon Didronel® etidronate Evista® Forteo™ ^{QL} Fosamax® ^{QL} Fosamax Plus D™ ^{QL} ibandronate ^{QL} Miacalcin® Prolia™ Reclast® ^{QL} risedronate ^{QL} Skelid® ^{QL} zoledronic acid ^{QL}
Progestins for Cachexia	megestrol acetate 40 mg/mL, tablets	Megace® Megace ES® megestrol acetate 625 mg/5 mL
Pancreatic Enzymes	Creon® pancrelipase Zenpep®	Pancreaze™ Pertzye™ Ultresa™ Viokace™
Androgenic Agents	Androderm® Androgel®	Axiron® Fortesta® Natesto™ Testim® testosterone gel Vogelxo®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

MagellanRx
MANAGEMENTSM

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Oral Steroids	cortisone budesonide EC dexamethasone solution, tablets hydrocortisone methylprednisolone dose pack, tablets prednisolone solution prednisolone sodium phosphate prednisone dose pack, tablets, solution	Baycadron® Celestone® Celestone® Soluspan Cortef® dexamethasone elixir dexamethasone intensol DexPak® DexPak JR® Entocort EC® Flo-Pred® Medrol® methylprednisolone 8 mg, 16 mg tablets Millipred® Orapred® AE Orapred ODT® AE prednisone intensol prednisolone sodium phosphate ODT Prelone® Rayos® Veripred 20®

VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Immunomodulators	Enbrel® CC, QL Humira® CC, QL	Actemra® CC, QL Cimzia® CC, QL Cosentyx® CC, QL Entyvio™ CC, QL Kineret® CC, QL Orencia® CC, QL Otezla® CC, QL Remicade® CC Simponi™ CC, QL Simponi™ARIA CC, QL Stelara™ CC, QL Xeljanz™ CC, QL
Topical Immunomodulators	Elidel®	Protopic® tacrolimus

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Multiple Sclerosis Agents	Copaxone® 20 mg ^{QL} Extavia® ^{QL} Rebif® ^{QL}	<i>Ampyra™</i> ^{QL, CC} <i>Aubagio®</i> ^{QL} <i>Avonex®</i> ^{QL} <i>Avonex Administration Pack®</i> ^{QL} <i>Betaseron®</i> ^{QL} <i>Copaxone®</i> 40 mg ^{QL} <i>Gilenya™</i> ^{QL} <i>Glatopa™</i> ^{QL} <i>Plegridy®</i> ^{QL} <i>Tecfidera™</i> ^{QL}
Immunosuppressants	azathioprine cyclosporine cyclosporine modified Gengraf® mycophenolate mofetil Myfortic® sirolimus tacrolimus	<i>Astagraf XL™</i> <i>Azasan®</i> <i>CellCept®</i> <i>Envarsus® XR</i> <i>Hecoria®</i> <i>Imuran®</i> <i>mycophenolic acid</i> <i>Neoral®</i> <i>Prograf®</i> <i>Rapamune®</i> <i>Sandimmune®</i> <i>Zortress®</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
Erythropoiesis Stimulating Proteins	Aranesp [®] CC Epogen [®] CC Procrit [®] CC	Mircera [®]
Thrombopoiesis Stimulating Proteins	Neumega [®] CC Promacta [®] CC	Nplate [™] CC
Antihyperuricemics	allopurinol probenecid probenecid/colchicine	colchicine ^{CC} Colcrys [®] CC Mitigare [®] CC Uloric [®] CC Zyloprim [®]
Phosphate Binders	calcium acetate Fosrenol [®] MagneBind [®] 400 RX Renagel [®]	Auryxia [™] Eliphos [™] PhosLo [®] Phoslyra [™] sevelamer Renvela [™] Velphoro [®]

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antivirals	trifluridine	Viroptic [®] Vitrasert [®] intraocular implant Zirgan [®]
Ophthalmic Antifungals	Natacyn [®]	N/A
Ophthalmic Quinolones	ciprofloxacin ophthalmic solution Moxeza [™] ofloxacin Vigamox [™]	Besivance [™] Ciloxan [®] gatifloxacin levofloxacin 0.5% Ocuflox [®] Quixin [®] Zymaxid [™]
Ophthalmic Macrolides	erythromycin 0.5% ointment	AzaSite [™] Ilotycin [®]
Ophthalmic Antibiotics, Non-Quinolones	bacitracin bacitracin/polymyxin B gentamicin solution/ointment neomycin/polymyxin B/gramicidin polymyxin B/trimethoprim sulfacetamide solution tobramycin solution	Bleph [®] -10 Garamycin [®] Neocidin [®] neomycin/polymyxin B/bacitracin Neosporin [®] Polytrim [®] sulfacetamide ointment Tobrex [®]

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antibiotic-Steroid Combinations	Blephamide® Blephamide® S.O.P. dexamethasone/neomycin sulfate/polymyxin B sulfate hydrocortisone/bacitracin zinc/neomycin sulfate/polymyxin B sulfates Pred-G® Pred-G® S.O.P. Tobradex®	<i>dexamethasone/tobramycin</i> <i>hydrocortisone/neomycin sulfate/polymyxin B sulfate</i> <i>Maxitrol®</i> <i>prednisolone sodium phosphate / sulfacetamide sodium</i> <i>Tobradex® ST</i> <i>Zylet™</i>
Ophthalmic Antihistamines	Pataday™	<i>azelastine</i> <i>Bepreve™</i> <i>Elestat™</i> <i>Emadine®</i> <i>epinastine</i> <i>Lastacaft™</i> <i>Optivar®</i> <i>Patanol®</i> <i>Pazeo™</i>
Ophthalmic Beta Blockers	Betimol® levobunolol timolol maleate	<i>Betagan®</i> <i>betaxolol</i> <i>Betoptic S®</i> <i>carteolol</i> <i>Istalol®</i> <i>metipranolol</i> <i>Optipranolol®</i> <i>Timoptic®</i> <i>Timoptic XE®</i>
Ophthalmic Carbonic Anhydrase Inhibitors	Azopt® dorzolamide	<i>Trusopt®</i>
Ophthalmic Combinations for Glaucoma	Combigan™ dorzolamide/timolol Simbrinza™	<i>Cosopt®</i> <i>Cosopt PF®</i>
Ophthalmic Vasoconstrictors	naphazoline phenylephrine	<i>Altafrin®</i> <i>Mydrin®</i> <i>Neofrin®</i>
Ophthalmic Mast Cell Stabilizers	cromolyn sodium	<i>Alocril®</i> <i>Alomide®</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

X. OPTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Mydriatics & Mydriatic Combinations	atropine sulfate cyclopentolate tropicamide	<i>Cyclogyl</i> ® <i>Cyclomydril</i> ® <i>Homatropaire</i> ® <i>homatropine</i> <i>Isopto Atropine</i> ® <i>Isopto Homatropine</i> ® <i>Isopto Hyoscine</i> ® <i>Mydriacyl</i> ® <i>Paremyd</i> ®
Ophthalmic NSAIDs	diclofenac flurbiprofen ketorolac	<i>Acular</i> ® <i>Acular LS</i> ® <i>Acuvail</i> ® <i>bromfenac</i> <i>Ilevro</i> ™ <i>Nevanac</i> ™ <i>Ocufen</i> ® <i>Prolensa</i> ™ <i>Voltaren</i> ®
Ophthalmic Prostaglandin Agonists	latanoprost ^{QL}	<i>bimatoprost</i> ^{QL} <i>Lumigan</i> ® ^{QL} <i>Rescula</i> ® ^{QL} <i>Travatan Z</i> ® ^{QL} <i>travoprost</i> ^{QL} <i>Xalatan</i> ® ^{QL} <i>Zioptan</i> ® ^{QL}
Ophthalmic Anti-Inflammatory Steroids	dexamethasone sodium phosphate Flarex® fluorometholone prednisolone acetate prednisolone sodium phosphate	<i>Alrex</i> ® <i>Durezol</i> ™ <i>FML</i> ® <i>FML Forte</i> ® <i>FML S.O.P.</i> ® <i>Lotemax</i> ™ <i>Maxidex</i> ® <i>Omnipred</i> ™ <i>Ozurdex</i> ™ <i>Pred Forte</i> ® <i>Pred Mild</i> ® <i>Retisert</i> ™ <i>Triesence</i> ® <i>Vexol</i> ®
Ophthalmic Glaucoma Direct Acting Miotics	pilocarpine	<i>Isopto Carpine</i> ® <i>Pilopine HS</i> ® 4%
Ophthalmic Sympathomimetics	Alphagan P® 0.15% apraclonidine brimonidine 0.2%	<i>Alphagan P</i> ® 0.1% <i>brimonidine</i> 0.15% <i>lopidine</i> ®

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Immunomodulator	Restasis ^{® ST}	N/A

XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
Otic Antibiotics	CiproDex [®] Otic hydrocortisone 1%/neomycin sulfate 5 mg/polymyxin B 10,000 units solution, suspension ofloxacin 0.3% solution	Cetraxal [®] Cipro HC [®] Otic ciprofloxacin 0.2% Coly-mycin ^{® S} Cortisporin [®] solution Cortisporin [®] – TC
Otic Anti-Infectives, Anesthetics and Anti-Inflammatories	acetic acid antipyrine/benzocaine	Acetasol HC [®] acetic acid/hydrocortisone acetic acid in aluminum acetate Aralagan [®] Aurodex [®] Auroguard [®] Borofair [®] chloroxylenol/pramoxine/hydrocortisone Dermotic [®] Domeboro [®] fluocinolone 0.01% oil Neotic [®] Otic Care [®] Oto-End 10 [®] Otozin [™] Pinnacaine [®] Pramoxine HC [®] Trioxin [®] Vosol [®] HC

XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Alpha Blockers for BPH	alfuzosin ER doxazosin tamsulosin terazosin	Cardura [®] Cardura XL [®] Flomax [®] Rapaflo [™] Uroxatral [®]
5-Alpha Reductase (5AR) Inhibitors	finasteride ^{CC}	Avodart [®] dutasteride Jalyn [®] Proscar [®]

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Bladder Relaxants	oxybutynin ^{QL} Toviaz™ ^{QL} VESicare® ^{QL}	Detrol® ^{QL} Detrol® LA ^{QL} Ditropan® XL ^{QL} Enablex® ^{QL} flavoxate ^{QL} Gelnique™ ^{CC, QL} Myrbetriq™ ^{QL} oxybutynin ER ^{QL} Oxytrol® ^{QL} Sanctura® ^{QL} Sanctura® XR ^{QL} tolterodine ^{QL} tolterodine ER ^{QL} trospium ^{QL} trospium ER ^{QL}

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antiviral Agents	acyclovir ointment	Denavir® Xerese™ Zovirax® cream Zovirax® ointment
Topical Antibiotic Agents	bacitracin ointment bacitracin zinc ointment Bactroban® Cream gentamicin 0.1% cream, ointment mupirocin ointment	Altabax™ Bactroban® ointment Centany® DermacinRx Surgical PharmaPak® mupirocin cream Triple Antibiotic®
Topical Antiparasitic Agents	Eurax® permethrin 5% cream Sklice® spinosad	Elimite™ lindane malathion Natroba® Ovide® Prioderm® Ulesfia®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

MagellanRx
MANAGEMENTSM

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents	BenzaClin® clindamycin solution, gel, lotion Differin® cream, gel Duac® erythromycin solution, gel sodium sulfacetamide/sulfur cleanser tretinoin	Acanya™ Aczone™ adapalene cream, gel Akne-Mycin® Atralin™ Avar™ Avar E™ Avar E LS™ Avar LS™ Avita® BenoxylDoxy® Benzac AC® Benzamycin® Benzefoam™ Benzefoam Ultra™ BenzePro™ benzoyl peroxide cleanser, kit, microspheres, gel, foam, medicated pad, towlette benzoyl peroxide/sulfur benzoyl peroxide/urea BP 10-1® BPO® BPO-5® BPO-10® BP Wash™ Brevoxyl® Cerisa™ Clarifoam® EF Cleocin-T® Clindacin PAC™ Clindagel® clindamycin foam, medicated swab clindamycin/benzoyl peroxide DermaPak Plus Kit

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents <i>(continued)</i>	See Previous Page	Desquam-X® Differin® lotion Effaclar Duo® Epiduo™ Epiduo Forte™ erythromycin medicated swab erythromycin/benzoyl peroxide Evoclin™ Fabior® Inova™ Inova™ 4/1 Inova™ 8/2 Klaron® Lavoclen™ Neuac® Pacnex® Pacnex® HP Pacnex® LP Pacnex® MX Panoxyl® Persa-Gel® Prascion® PR-benzoyl peroxide OC8® Onexton™ Ovace® Ovace Plus® Nu-Ox® Retin-A® Retin-A Micro® Rosula® SE 10-5 SS® SE BPO® sodium sulfacetamide 10% CLNSG sodium sulfacetamide/sulfur 10-4% pad sodium sulfacetamide/sulfur/urea SSS 10-4® SSS 10-5® sulfacetamide cleanser sulfacetamide/urea Sumadan™ Sumadan™ XLT Sumaxin® Tazorac® Tretin-X™ tretinoin (Generic Atralin™) tretinoin microsphere Vanoxide-HC® Veltin™ Zencia® Ziana™

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Oral Acne Agents	Amnesteem® Claravis™ isotretinoin Myorisan™ Sotret® Zenatane™	Absorica™
Topical Rosacea Agents	MetroLotion® metronidazole cream, gel	Azelex® Finacea® Finacea® Plus MetroCream® MetroGel® metronidazole lotion Mirvaso® Noritate® Rosadan® Kit Soolantra®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antifungal Agents	clotrimazole cream, solution econazole ketoconazole cream, shampoo nystatin cream, ointment, powder nystatin/triamcinolone cream, ointment	<i>Ciclodan</i> ® cream, kit, solution <i>ciclopirox</i> <i>clotrimazole/betamethasone</i> <i>CNL-8</i> ™ <i>Ecoza</i> ™ <i>Ertazco</i> ® <i>Exelderm</i> ® <i>Extina</i> ® <i>Jublia</i> ® CC <i>Kerydin</i> ™ CC <i>ketoconazole foam</i> <i>Ketodan</i> ™ <i>Kuric</i> ® <i>Loprox</i> ® <i>Lotrimin</i> ® <i>Lotrisone</i> ® <i>Luzu</i> ® <i>Mentax</i> ® <i>naftifine</i> <i>Naftin</i> ® <i>Nizoral Shampoo</i> ® <i>Nyamyc</i> ® <i>Nystop</i> ® <i>Oxistat</i> ® <i>Pedi-Dri</i> ® <i>Pediaderm AF</i> ® <i>Pedipirox-4</i> ™ <i>Penlac</i> ® <i>Vusion</i> ® CC <i>Xolegel</i> ®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Steroids	betamethasone dipropionate ointment, cream, lotion betamethasone valerate cream, ointment clobetasol propionate ointment, cream, solution, gel Clobex® shampoo desonide fluocinolone acetonide cream, ointment, solution fluocinonide fluocinonide emollient fluticasone propionate cream, ointment halobetasol propionate hydrocortisone cream, gel, ointment hydrocortisone butyrate hydrocortisone valerate mometasone furoate ointment, cream, solution triamcinolone acetonide ointment, cream, lotion	Aclovate® ADV Allergy Collection Kit alclometasone dipropionate Ala-Cort® Ala-Scalp® Aqua Glycolic HC® amcinonide ApexiCon®/ApexiCon E® Balneol for Her® betamethasone dipropionate gel betamethasone dipropionate augmented betamethasone valerate lotion, foam Caldecort® Capex® Shampoo clobetasol emollient clobetasol propionate foam, lotion, shampoo, spray Clobex® lotion, spray clcortolone Clodan® Cloderm® Cordran® Cordran® Tape Cormax® Cutivate® Cyclocort® Derma-Smoathe/FS® DermacinRx® Silapak DermacinRx® Silazone PharmPak Dermatop® Desonate® Desowen® desoximetasone diflorasone diacetate Diprolene AF® Elocon® fluocinolone acetonide oil fluticasone propionate lotion Halac Kit® Halog® Halonate® hydrocortisone-aloe hydrocortisone butyrate/emollient hydrocortisone lotion hydrocortisone-urea Kenalog® Locoid Lipocream® Locoid® Luxiq® Momexin™ NuZon™ Olux®/Olux-E® Olux-Olux E® Complete Pack

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Steroids <i>(continued)</i>	See Previous Page	<i>Pandel®</i> <i>Pediaderm HC™</i> <i>Pediaderm TA™</i> <i>prednicarbate</i> <i>Psorcon®</i> <i>Scalacort®</i> <i>Scalacort-DK® Kit</i> <i>Synalar®</i> <i>Temovate®</i> <i>Temovate E®</i> <i>Texacort®</i> <i>Topicort®</i> <i>Topicort® Topical Spray</i> <i>triamcinolone acetonide spray</i> <i>Triderm®</i> <i>Trianex®</i> <i>Ultravate®</i> <i>Ultravate® PAC Kit</i> <i>Ultravate® X</i> <i>Vanos™</i> <i>Verdeso™</i> <i>Westcort®</i> <i>Whytederm TD Pack®</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Psoriasis Agents	calcipotriene salicylic acid 6% gel, shampoo urea cream	Aluvea® Bensal HP® BP® 50% calcipotriene/betamethasone Calcitrene™ calcitriol ointment Carb-O-Philic® Cem-Urea® Dovonex® Enstilar® MD Keralyt® Latrix® Podocon-25® podofilox Realo® Remeven® Salacyn® cream, lotion salicylic acid 3%, 6% cream, lotion salicylic acid 26% liquid salicylic acid 27.5% combo pkg, kit, liquid, lotion salicylic acid 28.5% Salex® combo pkg, kit, shampoo Sorilux™ Taclonex® ointment, suspension Taclonex® Scalp Tazorac® Umecta® emulsion, foam, kit, suspension Umecta PD® emulsion, suspension Uramaxin® Uramaxin® GT Urea emulsion, foam, gel, kit, lotion, nail film suspension, suspension Urevaz® Vectical™ X-Viate®
Oral Psoriasis Agents	OxSORALEAN-Ultra® Soriatane®	8-MOP® acitretin methoxsalen

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIV. ANTINEOPLASTIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Oral Oncology Agents, Breast	Ibrance ^{® QL} Tykerb ^{® QL} anastrozole exemestane letrozole tamoxifen citrate	Arimidex [®] Aromasin [®] Fareston [®] Faslodex [®] Femara [®]
Oral Oncology, Hematologic Cancer	Alkeran [®] cladribine Gleevec ^{® QL} hydroxyurea Imbruvica ^{™ CC, QL} Jakafi ^{™ CC, QL} mercaptopurine Purixan [®] Sprycel ^{® QL} Zolinza ^{® QL} Zydelig ^{® CC, QL}	Bosulif ^{® QL} Farydak ^{® QL} Hydrea [®] Iclusig ^{™ QL} Leustatin [®] Ninlaro [™] Purinethol [®] Tasigna ^{® QL}
Oral Oncology, Lung Cancer	Iressa ^{® QL} Tarceva ^{® QL} Xalkori ^{® CC, QL}	Gilotrif ^{™ CC, QL} Zykadia ^{™ QL}
Oral Oncology, Other	Caprelsa ^{® QL} temozolomide Xeloda [®]	capecitabine Cometriq ^{™ QL} Lonsurf [®] Lynparza ^{™ QL} Stivarga ^{® CC, QL} Temodar [®]
Oral Oncology, Prostate Cancer	bicalutamide ^{QL} flutamide ^{QL} Xtandi ^{® QL} Zytiga ^{® QL}	Casodex ^{® QL} Eulexin ^{® QL} Nilandron ^{® QL}
Oral Oncology, Renal Cell Carcinoma	Afinitor ^{® tablets QL} Nexavar ^{® QL} Sutent ^{® QL} Votrient ^{® QL}	Afinitor Disperz ^{® QL} Inlyta ^{® CC, QL} Lenvima ^{™ QL}
Oral Oncology, Skin Cancer	Erivedge ^{™ CC, QL} Mekinist ^{™ CC, QL} Tafinlar ^{® CC, QL}	Odomzo ^{® QL} Zelboraf ^{™ QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy