

Kentucky Pharmacy Preferred Drug List

Effective: March 15, 2018



GENERAL DEFINITION OF TERMS

Clinical Criteria (CC) – Due to the nature of some medications, prior authorization may be required for the medication to be covered at any copay tier. *Medications that require prior authorization will require that certain clinical criteria be met. Medications may require the use of preferred medications (subject to PDL), in addition to satisfying appropriate clinical criteria, before approval (prior authorization) can be considered.* If a medication requires PA, the ordering physician should contact Magellan Medicaid Administration, the plan’s pharmacy benefit administrator. Also, prescriptions exceeding such plan limitations as **Quantity Limits (QL), Step Therapy (ST), Maximum Duration (MD), Age Edit (AE), in addition to those subject to Clinical Criteria (CC)**, will also require PA.

Step Therapy (ST) – Step therapy is an electronic PA process that takes place at the time the pharmacy submits the claim. For example, in the case of medications considered “second-line” agents, the system will look at the member’s paid claims history, and if a claim(s) for the required “first-line” medication(s) is located, the system will approve the claim. If “first-line” medication(s) are not located, the system will not approve the claim, and will return a message to the pharmacy advising that the Step Therapy protocol has not been satisfied and prior authorization is required. At that time, the pharmacy may contact the physician and request that they contact Magellan Medicaid Administration for PA.

Quantity Limits (QL) – Quantity limits have been placed on medications to be consistent with the maximum dosage that the Food and Drug Administration (FDA) has approved to be both safe and effective. Medications where the quantity exceeds the FDA’s maximum daily dose will require PA. Prescriptions exceeding plan limitations will require PA.

Medication with Maximum Duration (MD) – Medications indicated will be available for a defined period of days per rolling year (365 days) before requiring a new or additional PA.

Age Edit (AE) – Medications indicated are available for members above or below XX age without PA.

Maintenance Drugs – Maintenance drugs are medications that generally require regular, long-term use and are prescribed for the treatment of a chronic medical condition. The following list includes a few examples of drug classes that contain maintenance drugs. *Maintenance drugs can be processed for up to a 92 days’ supply and 100 units for KY Medicaid recipients.*

- Antianginals
- Antihypertensives
- Oral Contraceptives
- Antiarrhythmics
- Cardiac Glycosides
- Progesterones
- Antiarthritics
- Digestants
- Thyroid Preparations
- Antidiabetics
- Diuretics

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
ACE Inhibitors	benazepril lisinopril quinapril ramipril	Altace® captopril enalapril Epaned™ fosinopril moexipril perindopril Prinivil® Qbrelis™ trandolapril Vasotec® Zestril®
ACEI + Diuretic Combinations	benazepril/HCTZ lisinopril/HCTZ	captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ moexipril/HCTZ Prinzide® quinapril/HCTZ Zestoretic®
Angiotensin Receptor Blockers	losartan valsartan	Atacand® Avapro® Benicar® candesartan Cozaar® Diovan® Edarbi™ Entresto™ ^{CC} eprosartan irbesartan Micardis® olmesartan telmisartan
Angiotensin Modulator + CCB Combinations	amlodipine/benazepril Exforge HCT® ST valsartan/amlodipine ST	Azor™ Byvalson™ ^{QL} Exforge® Lotrel® olmesartan/amlodipine olmesartan/amlodipine/HCTZ Prestalia® ^{QL} Tarka® Tribenzor® telmisartan/amlodipine valsartan/amlodipine/HCTZ verapamil/trandolapril

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
ARB + Diuretic Combinations	losartan/HCTZ valsartan/HCTZ	Atacand HCT® Avalide® Benicar HCT® candesartan/HCTZ Diovan HCT® Edarbyclor™ Hyzaar® irbesartan/HCTZ Micardis HCT® olmesartan/HCTZ telmisartan/HCTZ
Anti-Anginal & Anti-Ischemic Agent	Ranexa® ST	Corlanor® ^{CC}
Oral Anti-Arrhythmics	amiodarone 100, 200 mg disopyramide flecainide mexiletine propafenone quinidine gluconate ER quinidine sulfate quinidine sulfate ER Sorine® sotalol sotalol AF Tikosyn®	amiodarone 400 mg Betapace® Betapace® AF dofetilide Multaq® Norpac® Norpac® CR Pacerone® propafenone SR Rythmol® SR
Direct Renin Inhibitors	N/A	Tekturna® Tekturna HCT®
Beta Blockers	atenolol metoprolol tartrate metoprolol succinate ER propranolol propranolol ER	acebutolol betaxolol bisoprolol Bystolic™ Corgard® Hemangeol™ Inderal® LA Inderal® XL Innopran XL® Levatol® Lopressor® nadolol pindolol Tenormin® timolol Toprol XL®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Beta Blockers + Diuretic Combinations	atenolol/chlorthalidone bisoprolol/HCTZ	Corzide® Dutoprol™ Lopressor® HCT metoprolol tartrate/HCTZ nadolol/bendroflumethiazide propranolol/HCTZ Tenoretic® Ziac®
Alpha/Beta Blockers	carvedilol labetalol	carvedilol ER Coreg® Coreg CR®
Calcium Channel Blockers (DHP)	amlodipine nifedipine ER/SA/SR	Adalat CC® Afeditab™ CR Dynacirc® felodipine ER isradipine nicardipine nifedipine IR nimodipine nisoldipine ER Norvasc® Nymalize® Plendil® Procardia® Procardia XL® Sular®
Calcium Channel Blockers (Non-DHP)	diltiazem diltiazem ER/LA verapamil verapamil ER (EXCEPT 360 mg capsules)	Calan® Calan® SR Cardizem® Cardizem CD® Cardizem LA® Cartia XT Dilt-XR Diltia XT® Matzim LA™ Taztia XT Tiazac® verapamil ER 360 mg capsules verapamil ER PM Verelan® Verelan PM®
Vasodilator and Nitrate Combination	BiDil®	N/A

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Pulmonary Arterial Hypertension (PAH) Agents	Letairis™ sildenafil ^{CC} Tracleer® Ventavis®	Adcirca™ Adempas® ^{CC} Opsumit® Orenitram ER™ Revatio™ Tyvaso™ Uptravi® ^{QL}
Familial Hypercholesterolemia Agents	Kynamro™ ^{CC}	Juxtapid™
Lipotropics: Bile Acid Sequestrants	cholestyramine cholestyramine light colestipol tablets Prevalite®	Colestid® colestipol granules/packets Questran® Questran Light® WelChol®
Lipotropics: Cholesterol Absorption Inhibitor	Zetia®	ezetimibe
Lipotropics: Fibric Acid Derivatives	gemfibrozil TriCor® Trilipix™	Antara™ Fenoglide™ fenofibrate (Generic Antara™, Lipofen™, Lofibra®) fenofibrate nanocrystallized (Generic Tricor®) fenofibric acid (Generic Fibracor™, Trilipix™) Fibracor™ Lipofen™ Lopid® Triglide™
Lipotropics: Omega-3 Fatty Acids	Lovaza® ST	omega-3 acid ethyl esters Vascepa®
Lipotropics: Statins	atorvastatin ^{QL} lovastatin ^{QL} pravastatin ^{QL} simvastatin ^{QL} rosuvastatin ^{QL}	Altoprev® ^{QL} amlodipine/atorvastatin ^{CC, QL} Caduet® ^{QL} Crestor® ^{QL} ezetimibe/simvastatin ^{QL} fluvastatin ^{QL} fluvastatin ER ^{QL} Lescol XL® ^{QL} Lipitor® ^{QL} Livalo® ^{QL} Pravachol® ^{QL} Vytorin™ ^{QL} Zocor® ^{QL}
Lipotropics: Niacin Derivatives	Niaspan®	Niacor® Niacin niacin ER

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Lipotropics: PCSK9s	N/A	<i>Praluent</i> ^{® CC} <i>Repatha</i> ^{™ CC}
Platelet Aggregation Inhibitors	Aggrenox [®] Brilinta ^{™ CC} cilostazol clopidogrel dipyridamole	<i>aspirin/dipyridamole</i> <i>Durlaza ER</i> ^{® QL} <i>Effient</i> [™] <i>Plavix</i> [®] <i>prasugrel</i> <i>ticlopidine</i> <i>Yosprala</i> ^{™ CC, QL} <i>Zontivity</i> ^{™ CC}
Anticoagulants	Eliquis [®] enoxaparin Jantoven [®] Pradaxa [®] warfarin Xarelto [®]	<i>Arixtra</i> [™] <i>Coumadin</i> [®] <i>fondaparinux</i> <i>Fragmin</i> [®] <i>Lovenox</i> [®] <i>Savaysa</i> [™]

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Emetics: Other	meclizine metoclopramide oral solution, tablets prochlorperazine promethazine (EXCEPT 50 mg suppositories) Transderm-Scop [®] trimethobenzamide	<i>Compazine</i> [®] <i>Compro</i> [®] <i>Diclegis</i> ^{™ CC, QL} <i>metoclopramide ODT</i> <i>Phenadoz</i> [®] <i>Phenergan</i> [®] <i>promethazine 50 mg suppositories</i> <i>Reglan</i> [®] <i>scopolamine transdermal system</i> <i>Tigan</i> [®]
Oral Anti-Emetics: 5-HT ₃ Antagonists	ondansetron	<i>Aloxi</i> ^{® QL} <i>Anzemet</i> [®] <i>granisetron</i> <i>Sancuso</i> ^{® CC, QL} <i>Zofran</i> [®] <i>Zuplenz</i> [®]
Oral Anti-Emetics: NK-1 Antagonists	Emend ^{® QL}	<i>Akynzeo</i> ^{® QL} <i>Varubi</i> [™]
Oral Anti-Emetics: Δ-9-THC Derivatives	dronabinol ^{CC, QL}	<i>Cesamet</i> ^{® CC, QL} <i>Marinol</i> ^{® CC, QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
H2 Receptor Antagonists	famotidine tablets ranitidine tablets, syrup	cimetidine famotidine suspension nizatidine Pepcid® ranitidine capsules Zantac®
Proton Pump Inhibitors	esomeprazole magnesium capsules ^{QL} Nexium® suspension ^{QL} omeprazole capsules ^{QL} pantoprazole ^{QL}	Aciphex® ^{QL} Dexilant™ ^{QL} esomeprazole strontium ^{QL} lansoprazole ^{QL} Nexium® capsules ^{QL} omeprazole suspension ^{QL} omeprazole/sodium bicarbonate ^{QL} Prevacid® ^{QL} Prilosec® ^{QL} Protonix® ^{QL} rabeprazole ^{QL} Zegerid® ^{QL}
Anti-Ulcer Protectants	Carafate® suspension misoprostol sucralfate tablets	Carafate® tablets Cytotec® sucralfate suspension
H. pylori Treatment	lansoprazole/amoxicillin/clarithromycin ^{QL} Pylera® ^{QL}	Omeclamox-Pak™ ^{QL} Prevpac® ^{QL}
Antispasmodics/ Anticholinergics	dicyclomine glycopyrrolate hyoscyamine methscopolamine propantheline	Anaspaz® Bentyl® chlordiazepoxide/clidinium Cuvposa® Donnatal® Hyosyne® Levbid® Levsin® Librax® Oscimin® Robinul® Robinul Forte® Symax®
Antidiarrheals	diphenoxylate with atropine loperamide	Fulyzaq™ ^{CC,QL} Lomotil® Motofen® opium paregoric Restora®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Ulcerative Colitis Agents	Apriso™ balsalazide Canasa® Delzicol® mesalamine enemas/suppositories sulfasalazine sulfasalazine EC	Asacol® HD Azulfidine® Azulfidine EN-tabs® Colazal® Dipentum® Giazo® Lialda™ mesalamine (generic Lialda™) mesalamine rectal kits Pentasa® Rowasa® Uceris®
Laxatives and Cathartics	lactulose solution MoviPrep® PEG 3350/Electrolyte solution for reconstitution PEG 3350 Powder	CoLyte® with flavor packets Constulose® Enulose® Entereg® GaviLyte-C® GaviLyte-G® GaviLyte-H® and Bisacodyl Kit GaviLyte-N® Generlac® GlycoLax® GoLyteLy® powder pack/solution for reconstitution HalfLyteLy-Bisacodyl Bowel Kit® Kristalose® packet Miralax® Powder NuLyteLy® with Flavor Packs solution for reconstitution OsmoPrep® Tablets PEG3350/Flavor Pack solution for reconstitution PEG3350 Powder Pack PEG-Prep Kit Prepopik™ Powder Pack Suprep® Trilyte® Visicol®
GI Motility Agents	Amitiza® CC Linzess® CC Movantik® CC	alosetron CC Lotronex® CC Relistor® CC Trulance™ CC, QL Viberzi® CC, QL

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics, Inhaled	Bethkis® Kitabis™ Pak	Cayston® TOBI® TOBI Podhaler® tobramycin inhalation solution
Minimally Sedating Antihistamines	cetirizine oral solution, tablets levocetirizine tablets loratadine OTC loratadine-pseudoephedrine 12-Hour OTC loratadine-pseudoephedrine 24-Hour OTC	Clarinet® Clarinet-D® 12 Hr Clarinet-D® 24 Hr desloratadine levocetirizine solution Semprex D® Xyzal® Zyrtec® Zyrtec-D
Intranasal Antihistamines	azelastine 0.1% Patanase™	Astepro® azelastine 0.15% olopatadine
Intranasal Anticholinergics	ipratropium nasal spray	N/A
Short-Acting Beta₂ Adrenergic Agonists	albuterol inhalation solution ^{QL} albuterol low-dose inhalation solution ^{QL} ProAir HFA® ^{QL} Proventil® HFA ^{QL} terbutaline tablets ^{QL}	albuterol oral syrup, tablets ^{QL} albuterol ER tablets ^{QL} levalbuterol inhalation solution ^{QL} metaproterenol oral syrup, tablets ^{QL} ProAir Respiclick® ^{QL} Ventolin HFA® ^{QL} Xopenex® ^{QL} Xopenex HFA® ^{QL}
Long-Acting Beta₂ Adrenergic Agonists	Foradil® Aerolizer® ^{QL} (product discontinued 07/24/2017) Serevent® Diskus ^{QL}	Arcapta™ Neohaler™ ^{QL} Brovana® ^{QL} Perforomist™ ^{QL} Striverdi® Respimat® ^{QL}
Beta Agonists: Combination Products	Advair® Diskus ^{QL} Dulera® ^{QL} Symbicort® ^{QL}	Advair® HFA ^{QL} AirDuo™ Respiclick® ^{CC, QL} Breo® Ellipta® ^{QL} fluticasone/salmeterol
COPD Agents	albuterol-ipratropium inhalation solution ^{QL} Atrovent® HFA ^{QL} Combivent® Respimat® ^{QL} ipratropium inhalation solution ^{QL} Spiriva Handihaler® ^{QL}	Anoro® Ellipta® ^{QL} Bevespi Aerosphere™ ^{QL} Daliresp™ ^{CC, QL} Incruse™ Ellipta® ^{QL} Seebri™ Neohaler® ^{CC, QL} Spiriva® Respimat® ^{QL} Stiolto™ Respimat® ^{QL} Tudorza™ Pressair™ ^{QL} Utibron™ Neohaler® ^{CC, QL}

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
Inhaled Corticosteroids	Asmanex [®] Twisthaler ^{QL} Flovent HFA ^{® QL} Pulmicort Respules ^{® QL, AE} QVAR ^{® QL} (product discontinued 08/08/2017)	Alvesco ^{® QL} Arnuity ^{® Ellipta} ^{® QL} Asmanex ^{® HFA} ^{QL} budesonide inhalation suspension ^{QL} Flovent Diskus ^{® QL} Pulmicort Flexhaler ^{® QL} QVAR ^{® Redihaler} [™]
Intranasal Corticosteroids	fluticasone propionate ^{QL}	Beconase AQ ^{® QL} budesonide ^{QL} Children's Qnasl ^{™ QL} Dymista ^{® QL} flunisolide ^{QL} Nasonex ^{® QL} Omnaris ^{™ QL} Qnasl ^{™ QL} triamcinolone ^{QL} Veramyst ^{® QL} Zetonna ^{™ QL}
Leukotriene Modifiers	montelukast ^{QL} montelukast granules ^{AE, QL}	Accolate ^{® QL} Singulair ^{® QL} zileuton ER ^{QL} zafirlukast ^{QL} Zyflo ^{® QL} Zyflo CR ^{® QL}
Self Injectable Epinephrine	epinephrine 0.3 mg (generic EpiPen [®]) ^{QL} epinephrine 0.15 mg (generic EpiPen Jr. [®]) ^{QL}	Auvi-Q EpiPen ^{® QL} EpiPen Jr. ^{® QL} epinephrine 0.3 mg (generic Adrenaclick [®]) ^{QL} epinephrine 0.15 mg (generic Adrenaclick [®]) ^{QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Alzheimer's Agents	donepezil 5, 10 mg Exelon® Patch memantine tablets Namenda® solution (product discontinued 04/01/2017) rivastigmine capsules	Aricept® donepezil ODT, 23 mg Exelon® capsules galantamine galantamine ER memantine ER memantine solution Namzaric® Namenda® tablets Namenda XR® Razadyne® rivastigmine patch
Antialcoholic Preparations	naltrexone Vivitrol®	acamprosate Antabuse® disulfiram ReVia®
Antianxiety Agents	alprazolam IR tablets, intensol ^{MD} buspirone chlordiazepoxide ^{MD} diazepam oral solution, tablets ^{MD} lorazepam ^{MD} oxazepam ^{MD}	alprazolam ER ^{MD} alprazolam ODT ^{MD} alprazolam Intensol ^{MD} Ativan® ^{MD} clorazepate ^{MD} diazepam Intensol ^{MD} meprobamate ^{CC} Tranxene-T® ^{MD} Valium® ^{MD} Xanax® ^{MD} Xanax XR ^{MD}
Antidepressants: MAOIs	N/A	Emsam® Marplan® Nardil® Parnate® phenelzine tranylcypromine
Antidepressants: Other	bupropion bupropion XL bupropion SR trazodone	Aplenzin™ Trintellix™ Forfivo XL™ nefazodone Viibryd™ Wellbutrin® Wellbutrin® SR Wellbutrin® XL

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Antidepressants: SNRIs	desvenlafaxine succinate ER Savella™ ^{CC} venlafaxine venlafaxine ER capsules	Cymbalta® desvenlafaxine ER base desvenlafaxine fumarate ER duloxetine (generic Irenka™) duloxetine DR (generic Cymbalta®) ^{CC} Effexor® Effexor XR® Fetzima™ Khedezla® Pristiq® venlafaxine ER tablets
Antidepressants: SSRIs	citalopram escitalopram tablets fluoxetine capsules, solution fluoxetine ER paroxetine sertraline	Brisdelle™ ^{CC} Celexa® escitalopram solution fluoxetine 90 mg DR, tablets ^{QL} fluvoxamine fluvoxamine ER Lexapro™ paroxetine controlled release Paxil® Paxil® CR Pexeva® Prozac® Sarafem® Zoloft®
Antidepressants: Tricyclics	amitriptyline clomipramine doxepin concentrate imipramine hydrochloride mirtazapine nortriptyline capsule	Anafranil® amoxapine desipramine doxepin capsule imipramine pamoate maprotiline Norpramin® nortriptyline solution Pamelor® protriptyline Remeron® Silenor® Surmontil® Tofranil®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Anticonvulsants: First Generation	Celontin® clonazepam tablets DiaStat® ^{QL} divalproex delayed-release divalproex sprinkle ethosuximide felbamate Peganone® phenobarbital ^{CC} Phenytek® phenytoin IR/ER primidone ^{CC} valproate valproic acid	clonazepam ODT Depakene® Depakote® Depakote ER® Depakote® Sprinkle diazepam rectal gel ^{QL} Dilantin® divalproex sodium ER Felbatol® Klonopin® Mysoline® Onfi™ ^{CC} Zarontin®
Anticonvulsants: Second Generation	Banzel™ ^{CC} Gabitril® gabapentin capsules, solution lamotrigine IR tablets, ODT levetiracetam IR tablets, solution Lyrica® ^{CC} Sabril® ^{CC} topiramate IR zonisamide	Briviact® ^{QL} Fycompa™ gabapentin tablets Galise™ Keppra™ tablets, solution Keppra XR™ Lamictal® Lamictal ODT® Lamictal® XR lamotrigine ER levetiracetam ER Neurontin® Qudexy XR™ tiagabine Topamax® topiramate ER Trokendi XR™ vigabatrin Vimpat® Zonegran®
Anticonvulsants: Carbamazepine Derivatives	carbamazepine tablets carbamazepine ER capsules (generic Carbatrol®) Equetro™ oxcarbazepine Tegretol® suspension Tegretol® XR	Aptiom® carbamazepine ER tablets carbamazepine suspension Carbatrol® Epitol® Oxtellar™ XR Tegretol® tablets Trileptal®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
First-Generation Antipsychotics	amitriptyline/perphenazine chlorpromazine fluphenazine haloperidol loxapine Orap® perphenazine thioridazine thiothixene trifluoperazine	<i>Adasuve</i> ® <i>pimozide</i>
Second-Generation Antipsychotics	aripiprazole tablets ^{CC, QL} clozapine ^{CC, QL} clozapine ODT ^{CC, QL} Fanapt™ ^{CC, QL} Latuda® ^{CC, QL} olanzapine ^{CC, QL} quetiapine ^{CC, QL} risperidone ^{CC, QL} Saphris® ^{CC, QL} Seroquel® XR ^{CC, QL} ziprasidone ^{CC, QL}	<i>Abilify</i> ® oral formulations ^{QL} <i>aripiprazole ODT, oral solution</i> <i>Clozaril</i> ® ^{QL} <i>FazaClo</i> ® ^{QL} <i>Geodon</i> ® ^{QL} <i>Invega</i> ® ^{QL} <i>Nuplazid</i> ™ ^{QL} <i>paliperidone</i> ^{QL} <i>quetiapine ER</i> ^{QL} <i>Rexulti</i> ® ^{QL} <i>Risperdal</i> ® ^{QL} <i>Seroquel</i> ® ^{QL} <i>Versacloz</i> ® ^{QL} <i>Vraylar</i> ™ ^{QL} <i>Zyprexa</i> ® ^{QL}
Antipsychotics: Injectable	<i>Abilify Maintena</i> ™ ^{CC, QL} fluphenazine decanoate ^{CC, QL} <i>Geodon</i> ® ^{CC, QL} haloperidol decanoate ^{CC, QL} haloperidol lactate ^{CC, QL} <i>Invega</i> ® Sustenna® ^{CC, QL} <i>Invega Trinza</i> ™ ^{CC, QL} olanzapine ^{CC, QL} <i>Risperdal</i> ® Consta® ^{CC, QL}	<i>Aristada ER</i> ™ ^{QL} <i>Haldol</i> ® ^{QL} <i>Haldol</i> ® Decanoate ^{QL} <i>Zyprexa</i> ® ^{QL} <i>Zyprexa</i> ® Relprevv ^{QL}
Atypical Antipsychotic and SSRI Comb.	<i>Symbyax</i> ® ^{CC, QL}	<i>olanzapine/fluoxetine</i> ^{QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Stimulants and Related Agents	Adderall XR [®] CC, QL	Adderall [®] QL
	dexmethylphenidate IR CC, QL	Adzenys XR-ODT [™] QL
	dextroamphetamine IR CC, QL	Aptensio XR [®] QL
	dextroamphetamine ER CC, QL	atomoxetine QL
	Focalin XR [™] CC, QL	clonidine ER QL
	guanfacine ER CC, QL	Concerta [®] QL
	Metadate CD [®] CC, QL (product discontinued 07/01/2017)	Daytrana [™] QL
	Metadate ER [®] CC, QL	Desoxyn [®] QL
	methylphenidate IR tablets, capsules CC, QL	Dexedrine [®] QL
	methylphenidate ER/SA/SR CC, QL	dexmethylphenidate ER QL
	methylphenidate ER OROS CC, QL	dextroamphetamine solution QL
	mixed amphetamine salts IR CC, QL	Dyanavel [™] XR QL
	Quillivant [™] XR CC, QL	Evekeo [™] QL
	Strattera [®] CC, QL	Focalin [™] QL
	Vyvanse [™] CC, QL	Intuniv [™] QL
		Kapvay [™] QL
		methamphetamine QL
	Methylin [®] solution QL	
	methylphenidate (generic for Metadate CD [®]) QL	
	methylphenidate chewable (generic for Methylin [®] chewable tablets) QL	
	methylphenidate LA (generic Ritalin LA [®]) QL	
	methylphenidate solution QL	
	mixed amphetamine salts ER QL	
	Procentra [™] QL	
	QuilliChew ER [™] QL	
	Ritalin [®] QL	
	Ritalin LA [®] QL	
	Zenzedi [™] QL	

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Migraine: 5-HT1 Receptor Agonists	Relpax™ ^{QL} rizatriptan ^{QL} rizatriptan ODT ^{QL} sumatriptan (except kit) ^{QL}	<i>almotriptan</i> ^{QL} <i>Amerge</i> ® ^{QL} <i>Axert</i> ® ^{QL} <i>Cambia</i> ™ ^{QL} <i>eletriptan</i> ^{QL} <i>Frova</i> ™ ^{QL} <i>frovatriptan</i> ^{QL} <i>Imitrex</i> ® ^{QL} <i>Maxalt</i> ® ^{QL} <i>Maxalt-MLT</i> ® ^{QL} <i>naratriptan</i> ^{QL} <i>Onzetra</i> ™ <i>XSail</i> ™ ^{QL} <i>sumatriptan kit</i> ^{QL} <i>sumatriptan/naproxen</i> ^{QL} <i>Sumavel</i> ™ <i>Dosepro</i> ™ ^{QL} <i>Treximet</i> ™ ^{QL} <i>Zecuity</i> ® ^{QL} <i>Zembrace</i> ™ <i>SymTouch</i> ™ ^{QL} <i>zolmitriptan</i> ^{QL} <i>zolmitriptan ODT</i> ^{QL} <i>Zomig</i> ® ^{QL} <i>Zomig-ZMT</i> ® ^{QL}
Dopamine Receptor Agonists	bromocriptine pramipexole ropinirole	<i>Mirapex</i> ® <i>Mirapex</i> ® <i>ER</i> <i>Neupro</i> ® <i>Parlodel</i> ® <i>pramipexole ER</i> <i>Requip</i> ® <i>Requip</i> ® <i>XL</i> <i>ropinirole ER</i>
Narcolepsy Agents	Provigil® ^{CC, QL}	<i>armodafinil</i> ^{QL} <i>modafinil</i> ^{QL} <i>Nuvigil</i> ® ^{QL} <i>Xyrem</i> ® ^{QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Parkinson's Disease	amantadine capsules, syrup benztropine carbidopa Comtan® levodopa/carbidopa levodopa/carbidopa CR levodopa/carbidopa ODT selegiline tablets trihexyphenidyl	Azilect® amantadine tablets Duopa™ entacapone levodopa/carbidopa/entacaone Lodosyn® rasagiline Rytary™ selegiline capsules Sinemet® Sinemet® CR Stalevo® Tasmart® tolcapone Xadago® Zelapar™
Sedative Hypnotic Agents	temazepam 15 mg, 30 mg ^{QL} zolpidem ^{QL}	Ambien® ^{QL} Ambien CR® ^{QL} Belsomra® ^{QL} Doral® ^{QL} Edluar® ^{CC, QL} estazolam ^{QL} eszopiclone ^{QL} flurazepam ^{QL} Halcion® ^{QL} Hetlioz® ^{CC, QL} Intermezzo® ^{QL} Lunesta™ ^{QL} Restoril® ^{QL} Rozerem® ^{CC, QL} Sonata® ^{QL} temazepam 7.5 mg, 22.5 mg ^{QL} triazolam ^{QL} zaleplon ^{QL} zolpidem ER ^{QL} Zolpimist™ ^{QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
Skeletal Muscle Relaxants	baclofen ^{QL} chlorzoxazone ^{QL} cyclobenzaprine ^{QL} methocarbamol ^{QL} orphenadrine ^{QL} tizanidine tablets ^{QL}	Amrix ^{® QL, MD} carisoprodol ^{QL, MD} carisoprodol compound ^{QL, MD} cyclobenzaprine ER ^{QL, MD} Dantrium ^{® QL} dantrolene ^{QL, CC} Fexmid ^{® QL, MD} Lorzone ^{® QL} metaxalone ^{QL} Robaxin ^{® QL} Skelaxin ^{® QL} Soma ^{® QL, MD} tizanidine capsules ^{QL} Zanaflex ^{® QL}
Tobacco Cessation	bupropion SR ^{QL} Chantix ^{® AE} nicotine buccal/gum/lozenge ^{QL} nicotine transdermal system ^{QL} Nicotrol ^{® Inhaler QL} Nicotrol ^{® NS QL}	Commit ^{® QL} Nicoderm ^{® QL} Nicoderm CQ ^{® QL} Nicorelief ^{® QL} Nicorette ^{® QL} Nicotrol ^{® Patch QL} Zyban ^{® QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotic Agonist/ Antagonists	N/A	<i>butorphanol NS</i> <i>pentazocine/APAP</i> <i>pentazocine/naloxone</i>
Narcotics: Short-Acting	butalbital/APAP/caffeine ^{CC} codeine/APAP ^{MD} hydrocodone/APAP ^{MD} hydrocodone/ibuprofen hydromorphone tablets meperidine solution morphine IR oxycodone solution, tablets oxycodone/APAP (2.5/325, 5/325, 7.5/325, 10/325 mg) ^{MD} tramadol	<i>All branded short-acting narcotics and narcotic combinations</i> <i>butalbital/APAP/caffeine/codeine ^{CC}</i> <i>butalbital compound/codeine ^{CC}</i> <i>codeine</i> <i>Demerol[®]</i> <i>dihydrocodeine bitartrate/APAP/caffeine</i> <i>dihydrocodeine bitartrate/ASA/caffeine</i> <i>Dilaudid[®]</i> <i>Hycet[®]</i> <i>hydromorphone liquid, suppositories</i> <i>Ibudone[™]</i> <i>levorphanol</i> <i>meperidine tablets</i> <i>morphine suppositories</i> <i>Norco[®]</i> <i>Nucynta[™]</i> <i>Opana[®]</i> <i>Oxaydo[®]</i> <i>oxycodone capsules, concentrate</i> <i>oxycodone/APAP (5/300, 7.5/300, 10/300 mg)</i> <i>oxycodone/ASA ^{MD}</i> <i>oxycodone/ibuprofen</i> <i>oxymorphone IR</i> <i>Primlev[®]</i> <i>Synalgos DC[®]</i> <i>tramadol/APAP</i> <i>Ultracet[®]</i> <i>Ultram[®]</i> <i>Vanatol[™] LQ ^{CC}</i> <i>Xartemis[™] XR</i> <i>Zamicet[™]</i>

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Narcotics: Long-Acting	fentanyl transdermal 12, 25, 50, 75, 100 mcg ^{CC, QL} morphine sulfate SA (generic MS Contin [®]) ^{QL}	Arymo [®] ER ^{CC, QL} Belbuca [™] ^{QL} buprenorphine patch ^{CC, QL} Butrans [™] ^{CC, QL} ConZip [™] ^{QL} Duragesic [®] ^{CC, QL} Embeda [™] ^{QL} Exalgo [™] ^{QL} fentanyl transdermal 37.5, 62.5, 87.5 mcg ^{CC, QL} hydromorphone ER ^{QL} Hysingla [™] ER ^{QL} Ionsys [®] ^{CC, QL} Kadian [®] ^{QL} Morphabond [™] ER ^{CC, QL} morphine sulfate SA (generic Kadian [®] , Avinza [™]) ^{QL} MS Contin [®] ^{QL} Nucynta [®] ER ^{CC, QL} oxycodone ER/SR ^{QL} OxyContin [®] ^{QL} oxymorphone ER ^{QL} tramadol ER ^{QL} Ultram [®] ER ^{QL} Xtampza [™] ER ^{QL} Zohydro ER [™] ^{CC, QL}
Narcotics: Fentanyl Buccal Products	N/A	Abstral [®] ^{CC, QL} Actiq [®] ^{CC, QL} fentanyl citrate lollipop ^{CC, QL} Fentora [®] ^{CC, QL} Lazanda [®] ^{CC, QL} Subsys [®] ^{CC}

V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
Non-Steroidal Anti-Inflammatory Drugs	celecoxib ^{QL}	Anaprox [®] DS
	diclofenac sodium DR tablets	Celebrex [®] ^{QL}
	diclofenac sodium ER	Daypro [®]
	ibuprofen	DermacinRX Lexitral PharmaPak [®]
	indomethacin	diclofenac/misoprostol
	ketorolac tromethamine ^{QL}	diclofenac potassium
	meloxicam tablets	diclofenac topical gel, solution
	naproxen tablets	diflunisal
	piroxicam	Duexis [®] ^{CC}
	sulindac	EC-Naprosyn [®]
		etodolac
		etodolac SR
		Feldene [®]
		fenoprofen
	Flector [®] ^{CC}	
	flurbiprofen	
	Indocin [®]	
	indomethacin ER	
	ketoprofen	
	ketoprofen ER	
	meclofenamate	
	mefenamic acid	
	meloxicam suspension	
	Mobic [®]	
	nabumetone	
	Nalfon [®]	
	Naprelan [®] EC	
	Naprosyn [®]	
	naproxen CR	
	naproxen EC	
	naproxen suspension	
	oxaprozin	
	Pennsaid [®] ^{CC}	
	Pennsaid [®] Pump ^{CC}	
	piroxicam	
	Ponstel [®]	
	Sprix [™] ^{CC}	
	Tivorbex [®]	
	tolmetin	
	Vimovo [™] ^{CC, QL}	
	Vivlodex [™] ^{QL}	
	Voltaren [®] Gel ^{CC}	
	Vopac MDS	
	Zipsor [™]	

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics: Cephalosporins 1st Generation	cefadroxil capsules cephalexin	<i>cefadroxil tablets, suspension</i> <i>Keflex®</i>
Antibiotics: Cephalosporins 2nd Generation	cefuroxime axetil	<i>cefaclor</i> <i>cefaclor CD</i> <i>cefprozil</i> <i>Ceftin®</i>
Antibiotics: Cephalosporins 3rd Generation	cefdinir cefepodoxime tablets Suprax® suspension	<i>cefditoren pivoxil</i> <i>cefixime suspension</i> <i>cefepodoxime suspension</i> <i>ceftibuten</i> <i>Spectracef®</i> <i>Suprax® capsules, chewable tablets, tablets</i>
Antibiotics: GI	Alinia® tablets metronidazole tablets paromomycin vancomycin Xifaxan® ^{CC, QL}	<i>Alinia® suspension</i> <i>Difucid®</i> <i>Flagyl®</i> <i>metronidazole capsules</i> <i>neomycin</i> <i>Tindamax®</i> <i>tinidazole</i> <i>Vancocin®</i>
Antibiotics: Ketolides	Ketek® ^{CC, QL, MD} (product discontinued 06/30/2017)	N/A
Antibiotics: Macrolides	azithromycin clarithromycin erythromycin base capsules DR erythromycin ethylsuccinate 200mg suspension	<i>clarithromycin ER</i> <i>E.E.S.® granules for suspension</i> <i>E.E.S 400® tablets</i> <i>EryPed®</i> <i>Ery-Tab®</i> <i>Erythrocin®</i> <i>erythromycin base tablets</i> <i>PCE®</i> <i>Zithromax®</i> <i>Zmax®</i>
Antibiotics: Oxazolidinones	linezolid tablets ^{CC, QL, MD}	<i>linezolid suspension</i> ^{QL, MD} <i>Sivextro™</i> ^{QL} <i>Zyvox®</i> ^{QL, MD}
Antibiotics: Penicillins	amoxicillin amoxicillin/clavulanate tablets, suspension ampicillin dicloxacillin penicillin V	<i>amoxicillin ER</i> <i>amoxicillin/clavulanate chewable tablets</i> <i>amoxicillin/clavulanate ER</i> <i>Augmentin®</i> <i>Augmentin XR®</i> <i>Moxatag™</i>

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antibiotics: Quinolones	ciprofloxacin tablets levofloxacin tablets	<i>Avelox</i> [®] <i>ciprofloxacin ER</i> <i>ciprofloxacin suspension</i> <i>Cipro</i> [®] <i>Cipro XR</i> [®] <i>Levaquin</i> [®] <i>levofloxacin solution</i> <i>moxifloxacin</i> <i>Noroxin</i> [®] <i>ofloxacin</i>
Antibiotics: Tetracyclines	demeclocycline doxycycline hyclate doxycycline monohydrate 50 mg, 75 mg, 100 mg capsules, tablets, suspension minocycline capsules	<i>Adoxa</i> [®] <i>Doryx</i> [®] <i>doxycycline hyclate DR capsules</i> <i>doxycycline hyclate DR tablets</i> <i>doxycycline IR-DR</i> <i>doxycycline monohydrate 150 mg capsules, pack</i> <i>Minocin</i> [®] <i>minocycline tablets</i> <i>minocycline ER</i> <i>Morgidox</i> [®] <i>Oracea</i> [™] <i>Solodyn</i> [®] <i>tetracycline</i> <i>Vibramycin</i> [®] <i>Ximino</i> [™]
Antibiotics: Vaginal	Cleocin [®] Ovules metronidazole vaginal 0.75% gel	<i>Cleocin</i> [®] cream <i>clindamycin vaginal 2% cream</i> <i>Clindesse</i> [®] <i>MetroGel Vaginal</i> [®] <i>Nuversa</i> [®] <i>Vandazole</i> [®]
Antifungals: Oral	clotrimazole fluconazole flucytosine griseofulvin microsize griseofulvin suspension griseofulvin ultramicrosize Noxafil [®] nystatin suspension, tablets terbinafine	<i>Ancobon</i> [®] <i>Cresemba</i> [®] <i>Diflucan</i> [®] <i>Gris-PEG</i> [®] <i>itraconazole</i> ^{CC} <i>ketoconazole</i> <i>Lamisil</i> [®] <i>nystatin powder</i> <i>Onmel</i> [™] <i>Oravig</i> [™] <i>Sporanox</i> [®] <i>Vfend</i> [®] <i>voriconazole</i>
Antivirals: Herpes	acyclovir famciclovir valacyclovir	<i>Sitavig</i> [®] <i>Valtrex</i> [®] <i>Zovirax</i> [®]

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
Antivirals: Flu	Relenza® rimantadine Tamiflu® QL	Flumadine® oseltamivir QL
Anti-Infective: Sulfonamides, Folate Antagonist	Sulfatrim® suspension trimethoprim trimethoprim/sulfamethoxazole tablets	Bactrim® Bactrim DS® sulfadiazine trimethoprim/sulfamethoxazole suspension
Anti-Infectives: Hepatitis B	Baraclude™ solution Entecavir Epivir-HBV® solution Hepsera® lamivudine HBV	adefovir Baraclude™ tablet Epivir-HBV® tablet Vemlidy® CC, QL
Hepatitis C: Direct-Acting Antiviral Agents	Mavyret™ CC, QL Vosevi™ CC, QL	Daklinza™ CC, QL Epclusa® CC, QL Harvoni® CC, QL Olysio™ CC, QL Sovaldi™ CC, QL Technivie™ CC, QL Viekira Pak® and Viekira XR™ CC, QL Zepatier™ CC, QL
Hepatitis C: Interferons	PEGASYS® ProClick CC, QL PEGASYS® syringe CC, QL	Infergen® CC, QL PEGASYS® vial CC, QL PEGIntron™ CC, QL
Hepatitis C: Ribavirins	ribavirin CC	Copegus™ CC Moderiba™ CC Rebetol® CC Ribasphere™ CC Ribasphere RibaPak™ CC ribavirin dosepack CC

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Diabetes: Injectable Insulins	Humalog® Vial Humalog® Mix Vial Humulin® N Vial Humulin® R Vial Humulin® R 500 Vial Humulin® 70/30 Vial Lantus® Vial Lantus® Solostar Pen Levemir® Vial/Pen Novolog® Vial/Pen/Cartridge Novolog® Mix Vial/Pen	Afrezza® Apidra™ Vial/Pen Basaglar® Humalog® KwikPen Humalog® Mix KwikPen Humulin® Pen Humulin® 70/30 Pen Novolin® Vial Novolin® 70/30 Vial Toujeo® Tresiba®
Diabetes: Amylin Analogue	N/A	Symlin® ST
Diabetes: DPP-4 Inhibitors	Janumet™ ST, QL Janumet XR™ ST, QL Januvia™ ST, QL Jentadueto™ ST, QL Tradjenta™ ST, QL	Glyxambi® QL Kazano® QL Kombiglyze™ XR QL Nesina® QL Onglyza™ QL Oseni® QL Qtern®
Diabetes: GLP-1 Receptor Agonists	Byetta™ ST Bydureon® ST	Adlyxin™ CC, QL Soliqua™ CC, QL Tanzeum™ Trulicity™ Victoza® Xultophy® CC, QL
Diabetes: Alpha-Glucosidase Inhibitors	acarbose Glyset®	miglitol Precose®
Diabetes: Metformins	glyburide/metformin metformin metformin ER (generic for Glucophage XR®)	Fortamet™ glipizide/metformin Glucophage® Glucophage XR® Glucovance® Glumetza™ metformin ER (generic Fortamet™, generic Glumetza®) Riomet™
Diabetes: Meglitinides	repaglinide Starlix®	nateglinide Prandin®

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Diabetes: Sulfonylureas	glimepiride glipizide glipizide extended-release glyburide glyburide micronized	Amaryl® chlorpropamide Glucotrol® Glucotrol XL® Glynase PresTab® tolazamide tolbutamide
Diabetes: Thiazolidinediones	pioglitazone ^{QL}	Actos® ^{QL} ActoPlus Met® ^{QL} ActoPlus Met® XR ^{QL} Avandia® ^{QL} DuetAct™ ^{QL} pioglitazone/glimepiride ^{QL} pioglitazone/metformin ^{QL}
Diabetes: SGLT2 Inhibitors	Invokana® ST Invokamet™ ST	Farxiga™ Invokamet® XR ^{QL} Jardiance® Synjardy® Synjardy® XR Xigduo™ XR
Growth Hormones	Genotropin® ^{CC} Norditropin® ^{CC} Norditropin Flexpro® ^{CC}	Humatrope® ^{CC} Nutropin AQ NuSpin® ^{CC} Omnitrope® ^{CC} Saizen® ^{CC} Serostim® ^{CC} Zomacton® ^{CC} Zorbtive® ^{CC}
Bone Resorption Suppression and Related Agents	alendronate tablets ^{QL} Fortical® (product discontinued 09/30/2017) raloxifene	Actonel® ^{QL} alendronate solution ^{QL} Atelvia™ ^{QL} Binosto® ^{QL} Boniva® ^{QL} calcitonin-salmon etidronate Evista® Forteo™ ^{QL} Fosamax® ^{QL} Fosamax Plus D™ ^{QL} ibandronate ^{QL} Miacalcin® Prolia™ Reclast® ^{QL} risedronate ^{QL} Tymlos™ ^{CC} zoledronic acid ^{QL}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Progestins for Cachexia	megestrol acetate 40 mg/mL, tablets	<i>Megace ES</i> ® <i>megestrol acetate 625 mg/5 mL</i>
Pancreatic Enzymes	Creon® Zenpep®	<i>Pancreaze</i> ™ <i>Pertzye</i> ™ <i>Viokace</i> ™
Androgenic Agents	Androderm® Androgel®	<i>Axiron</i> ® <i>Fortesta</i> ® <i>Natesto</i> ™ <i>Testim</i> ® <i>testosterone gel</i> <i>Vogelxo</i> ®
Oral Steroids	budesonide EC dexamethasone solution, tablets hydrocortisone methylprednisolone dose pack, tablets prednisolone solution prednisolone sodium phosphate prednisone dose pack, tablets, solution	<i>Celestone</i> ® <i>Cortef</i> ® <i>cortisone</i> <i>Decadron</i> ® <i>dexamethasone elixir</i> <i>dexamethasone intensol</i> <i>DexPak</i> ® <i>Emflaza</i> ® CC, QL <i>Entocort EC</i> ® <i>Medrol</i> ® <i>methylprednisolone 8 mg, 16 mg tablets</i> <i>Millipred</i> ® <i>Orapred ODT</i> ® AE <i>prednisone intensol</i> <i>prednisolone sodium phosphate ODT</i> <i>Rayos</i> ® <i>TaperDex</i> ™ <i>Veripred 20</i> ® <i>ZoDex</i> ™

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

MagellanRx
MANAGEMENTSM

VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Immunomodulators	Enbrel [®] CC QL Humira [®] CC, QL	Actemra [®] CC, QL Cimzia [®] CC, QL Cosentyx [®] CC, QL Entyvio [™] CC, QL Kevzara [®] CC, QL Kineret [®] CC, QL Orencia [®] CC, QL Otezla [®] CC, QL Siliq [™] CC, QL Simponi [™] CC, QL Stelara [™] CC, QL Taltz [®] CC, QL Xeljanz [™] CC, QL
Immunomodulators, Atopic Dermatitis	Elidel [®]	Dupixent [®] CC, QL Eucrisa [®] CC Protopic [®] tacrolimus
Multiple Sclerosis Agents	Avonex [®] QL Avonex Administration Pack [®] QL Betaseron [®] QL Copaxone [®] 20 mg QL Gilenya [™] CC, QL Rebif [®] QL	Ampyra [™] QL, CC Aubagio [®] QL Copaxone [®] 40 mg QL Extavia [®] QL glatiramer acetate QL Glatopa [™] QL Plegridy [®] QL Tecfidera [™] QL Zinbryta [™] QL
Immunosuppressants	azathioprine CellCept [®] suspension cyclosporine cyclosporine modified Gengraf [®] mycophenolate mofetil capsules, tablets Myfortic [®] sirolimus tacrolimus	Astagraf XL [™] Azasan [®] CellCept [®] capsules, tablets Envarsus [®] XR Imuran [®] mycophenolate mofetil suspension mycophenolic acid Neoral [®] Prograf [®] Rapamune [®] Sandimmune [®] Zortress [®]

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
Erythropoiesis Stimulating Proteins	Aranesp [®] ^{CC} Epogen [®] ^{CC} Procrit [®] ^{CC}	Mircera [®]
Thrombopoiesis Stimulating Proteins	Neumega [®] ^{CC} Promacta [®] ^{CC}	Nplate [™] ^{CC}
Antihyperuricemics	allopurinol probenecid probenecid/colchicine	colchicine ^{CC} Colcrys [®] ^{CC} Mitigare [®] ^{CC} Uloric [®] ^{CC} Zurampic [®] ^{QL} Zyloprim [®]
Phosphate Binders	calcium acetate Fosrenol [®] chewable tablets MagneBind [®] 400 RX Phoslyra [™] Renagel [®] Renvela [™] tablets	Auryxia [™] Eliphos [™] Fosrenol [®] powder packets lanthanum carbonate PhosLo [®] sevelamer Renvela [™] powder packets Velphoro [®]

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antivirals	trifluridine	Viroptic [®] Vitrasert [®] intraocular implant Zirgan [®]
Ophthalmic Antifungals	Natacyn [®]	N/A
Ophthalmic Quinolones	ciprofloxacin ophthalmic solution Moxeza [™] ofloxacin Vigamox [™]	Besivance [™] Ciloxan [®] gatifloxacin levofloxacin 0.5% moxifloxacin (generic Vigamox [™]) Ocuflax [®] Quixin [®] Zymaxid [™]
Ophthalmic Macrolides	erythromycin 0.5% ointment	AzaSite [™] Ilotycin [®]

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Antibiotics, Non-Quinolones	bacitracin bacitracin/polymyxin B gentamicin solution/ointment neomycin/polymyxin B/gramicidin polymyxin B/trimethoprim sulfacetamide solution tobramycin solution	Bleph [®] -10 Garamycin [®] Neocidin [®] neomycin/polymyxin B/bacitracin Neosporin [®] Polytrim [®] sulfacetamide ointment Tobrex [®]
Ophthalmic Antibiotic-Steroid Combinations	Blephamide [®] dexamethasone/neomycin sulfate/polymyxin B sulfate hydrocortisone/bacitracin zinc/neomycin sulfate/polymyxin B sulfates Tobradex [®]	Blephamide [®] S.O.P. dexamethasone/tobramycin hydrocortisone/neomycin sulfate/polymyxin B sulfate Maxitrol [®] Pred-G [®] Pred-G [®] S.O.P. prednisolone sodium phosphate / sulfacetamide sodium Tobradex [®] ST Zylet [™]
Ophthalmic Antihistamines	Pataday [™] Pazeo [™]	azelastine Bepreve [™] Elestat [™] Emadine [®] epinastine Lastacaft [™] olopatadine Optivar [®] Patanol [®]
Ophthalmic Beta Blockers	levobunolol timolol maleate	Betagan [®] betaxolol Betimol [®] Betoptic S [®] carteolol Istalol [®] metipranolol Optipranolol [®] timolol maleate once daily (generic Istalol [®]) Timoptic [®] Timoptic XE [®]
Ophthalmic Carbonic Anhydrase Inhibitors	Azopt [®] dorzolamide	Trusopt [®]
Ophthalmic Combinations for Glaucoma	Combigan [™] dorzolamide/timolol Simbrinza [™]	Cosopt [®] Cosopt PF [®]

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Vasoconstrictors	naphazoline phenylephrine	<i>Altafrin</i> [®] <i>Mydrfrin</i> [®] <i>Neofrin</i> [®]
Ophthalmic Mast Cell Stabilizers	cromolyn sodium	<i>Alocril</i> [®] <i>Alomide</i> [®]
Ophthalmic Mydriatics & Mydriatic Combinations	atropine sulfate cyclopentolate tropicamide	<i>Cyclogyl</i> [®] <i>Cyclomydril</i> [®] <i>Homatropaire</i> [®] <i>homatropine</i> <i>Isopto Atropine</i> [®] <i>Isopto Homatropine</i> [®] <i>Isopto Hyoscine</i> [®] <i>Mydriacyl</i> [®] <i>Paremyd</i> [®]
Ophthalmic NSAIDs	diclofenac flurbiprofen ketorolac	<i>Acular</i> [®] <i>Acular LS</i> [®] <i>Acuvail</i> [®] <i>bromfenac</i> <i>BromSite</i> [™] <i>Ilevro</i> [™] <i>Nevanac</i> [™] <i>Ocufen</i> [®] <i>Prolensa</i> [™] <i>Voltaren</i> [®]
Ophthalmic Prostaglandin Agonists	latanoprost ^{QL}	<i>bimatoprost</i> ^{QL} <i>Lumigan</i> ^{® QL} <i>Rescula</i> ^{® QL} <i>Travatan Z</i> ^{® QL} <i>travoprost</i> ^{QL} <i>Xalatan</i> ^{® QL} <i>Zioptan</i> ^{® QL}

X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
Ophthalmic Anti-Inflammatory Steroids	dexamethasone sodium phosphate Durezol™ fluorometholone prednisolone acetate prednisolone sodium phosphate	<i>Alex®</i> <i>Flarex®</i> <i>FML®</i> <i>FML Forte®</i> <i>FML S.O.P.®</i> <i>Lotemax™</i> <i>Maxidex®</i> <i>Omnipred™</i> <i>Ozurdex™</i> <i>Pred Forte®</i> <i>Pred Mild®</i> <i>Retisert™</i> <i>Triesence®</i> <i>Vexol®</i>
Ophthalmic Glaucoma Direct Acting Miotics	N/A	<i>Isopto Carpine®</i> <i>pilocarpine</i> <i>Pilopine HS® 4%</i>
Ophthalmic Sympathomimetics	Alphagan P® 0.15% brimonidine 0.2%	<i>Alphagan P® 0.1%</i> <i>apraclonidine</i> <i>brimonidine 0.15%</i> <i>lopidine®</i>
Ophthalmic Immunomodulator	Restasis® ST	<i>Xiidra™ QL</i>

XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
Otic Antibiotics	CiproDex® Otic ciprofloxacin 0.2% hydrocortisone 1%/neomycin sulfate 5 mg/polymyxin B 10,000 units solution, suspension	<i>Cipro HC® Otic</i> <i>Coly-mycin® S</i> <i>Floxin™</i> <i>ofloxacin 0.3% solution</i> <i>Otovel™</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
Otic Anti-Infectives, Anesthetics and Anti-Inflammatories	acetic acid	acetic acid/hydrocortisone acetic acid in aluminum acetate Auralgan® Aurodex® Auroguard® Borofair® chloroxylenol/pramoxine/hydrocortisone Dermotic® Domeboro® fluocinolone 0.01% oil Neotic® Otic Care® Oto-End 10® Otozin™ Pinnacaine® Pramoxine HC® Trioxin® Vosol® HC

XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Alpha Blockers for BPH	alfuzosin ER doxazosin tamsulosin terazosin	Cardura® Cardura XL® Flomax® Rapaflo™ Uroxatral®
5-Alpha Reductase (5AR) Inhibitors	finasteride ^{CC}	Avodart® dutasteride Jalyn® Proscar®

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Bladder Relaxants	oxybutynin ^{QL} Toviaz™ ^{QL} VESicare® ^{QL}	<i>darifenacin ER</i> ^{QL} <i>Detrol</i> ® ^{QL} <i>Detrol</i> ® LA ^{QL} <i>Ditropan</i> ® XL ^{QL} <i>Enablex</i> ® ^{QL} <i>flavoxate</i> ^{QL} <i>Gelnique</i> ™ CC, ^{QL} <i>Myrbetriq</i> ™ ^{QL} <i>oxybutynin ER</i> ^{QL} <i>Oxytrol</i> ® ^{QL} <i>tolterodine</i> ^{QL} <i>tolterodine ER</i> ^{QL} <i>tropium</i> ^{QL} <i>tropium ER</i> ^{QL}

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antiviral Agents	Zovirax® cream Zovirax® ointment	<i>acyclovir ointment</i> <i>Denavir</i> ® <i>Xerese</i> ™
Topical Antibiotic Agents	bacitracin ointment bacitracin zinc ointment Bactroban® Cream gentamicin 0.1% cream, ointment mupirocin ointment	<i>Bactroban</i> ® ointment <i>Centany</i> ® <i>DermacinRx Surgical PharmaPak</i> ® <i>mupirocin cream</i> <i>Triple Antibiotic</i> ®
Topical Antiparasitic Agents	Natroba® permethrin 5% cream	<i>Elimite</i> ™ <i>Eurax</i> ® <i>lindane</i> <i>malathion</i> <i>Ovide</i> ® <i>Sklice</i> ® <i>spinosad</i> <i>Ulesfia</i> ®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents	BenzaClin® clindamycin solution Differin® cream, gel erythromycin solution Retin-A® cream, gel	Acanya™ Aczone™ adapalene cream, gel adapalene/benzoyl peroxide Atralin™ Avar™ Avar E™ Avar E LS™ Avar LS™ Avita® Benzamycin® BenzePro™ benzoyl peroxide cleanser, kit, microspheres, gel, foam, medicated pad, towlette BP 10-1® BPO® BPO-5® BPO-10® BP Wash™ Brevoxyl® Cleocin-T® Clindacin PAC™ Clindagel® clindamycin gel, foam, lotion, medicated swab clindamycin/benzoyl peroxide DermaPak Plus Kit Differin® lotion Duac® Effaclar Duo® Epiduo™ Epiduo Forte™ Erygel® Erythromycin gel, medicated swab erythromycin/benzoyl peroxide Fabior® Inova™ Inova™ 4/1 Inova™ 8/2 Klaron® Neuc® Pacnex® Panoxyl® Persa-Gel® PR benzoyl peroxide OC8® Onexton™ Ovace® Ovace Plus® Retin-A Micro® Rosula® sodium sulfacetamide 10% CLNSG sodium sulfacetamide/sulfur 10-4% pad

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents <i>(continued)</i>	(see previous page)	sodium sulfacetamide/sulfur cleanser sodium sulfacetamide/sulfur/urea SSS 10-5® sulfacetamide cleanser sulfacetamide/urea Sumadan™ Sumadan™ XLT Sumaxin® Tazorac® tazarotene Tretin-X™ tretinoin tretinoin (generic Atralin™) tretinoin microsphere Vanoxide-HC® Ziana™
Oral Acne Agents	Amnesteem® isotretinoin	Absorica™
Topical Rosacea Agents	MetroCream® MetroGel® MetroLotion®	Azelex® Finacea® metronidazole cream, gel, lotion Mirvaso® Noritate® Rhofade® CC, QL Rosadan® Kit Soolantra®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Antifungal Agents	clotrimazole cream, solution clotrimazole/betamethasone ketoconazole cream, shampoo nystatin cream, ointment, powder nystatin/triamcinolone ointment	<i>Ciclodan</i> ® cream, kit, solution ciclopirox econazole Ertazco® Exelderm® Extina® Jublia® ^{CC} Kerydin™ ^{CC} ketoconazole foam Ketodan™ Loprox® Lotrimin® Lotrisone® Luzu® Mentax® naftifine Naftin® Nizoral Shampoo® Nyamyc® nystatin/triamcinolone cream Nystop® Oxistat® oxiconazole Penlac® Therazole Pak™ ^{QL} Vusion® ^{CC}

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Steroids	alclometasone dipropionate betamethasone valerate cream, ointment clobetasol propionate cream, gel, ointment, solution Clobex® shampoo fluocinonide solution fluticasone propionate cream, ointment halobetasol propionate hydrocortisone cream, gel, lotion, ointment mometasone furoate cream, ointment, solution triamcinolone acetonide cream, lotion, ointment	Aqua Glycolic® Aqua Glycolic HC® amcinonide ApexiCon®/ApexiCon E® Balneol® betamethasone dipropionate betamethasone dipropionate augmented betamethasone valerate foam, lotion Capex® Shampoo clobetasol emollient clobetasol propionate foam, lotion, shampoo, spray Clobex® lotion, spray clocortolone Clodan® Cloderm® Cordran® Tape Cutivate® Derma-Smoothe/FS® DermacinRx® Silapak DermacinRx® Silazone PharmPak Dermatop® Desonate® desonide desoximetasone diflorasone diacetate Diprolene® Diprolene AF® Elocon® fluocinolone acetonide oil fluocinonide emollient fluocinonide cream, gel, ointment fluocinolone acetonide flurandrenolide fluticasone propionate lotion Halog® hydrocortisone-aloe hydrocortisone butyrate hydrocortisone butyrate/emollient hydrocortisone valerate hydrocortisone-urea Kenalog® Locoid® Locoid Lipocream® Luxiq® Micort-HC® Olux®/Olux-E® Pandel® prednicarbate Psorcon® Sernivo™ Silazone-II™ Synalar®

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Steroids <i>(continued)</i>	(see previous page)	Synalar® TS Temovate® Texacort® Topicort® triamcinolone acetonide spray Trianex® Ultravate® Ultravate® X Vanos™
Topical Psoriasis Agents	calcipotriene salicylic acid 6% gel, shampoo urea cream	Bensal HP® BP® 50% calcipotriene/betamethasone Calcitrene™ calcitriol ointment Cem-Urea® Dovonex® Enstilar® MD Keralyt® Podocon-25® podofilox salicylic acid 3%, 6% cream, lotion salicylic acid 26% liquid salicylic acid 27.5% combo pkg, kit, liquid, lotion salicylic acid 28.5% Salex® combo pkg, kit, shampoo Sorilux™ Taclonex® ointment, suspension Taclonex® Scalp Tazorac® Umecta® Uramaxin® urea emulsion, foam, gel, kit, lotion, nail film suspension, suspension Vectical™
Oral Psoriasis Agents	OxSORALEAN-Ultra® Soriatane®	acitretin methoxsalen

AE = Age Edits

CC = Clinical
Criteria

MD = Medications with
Maximum Duration

QL = Quantity
Limits

ST = Step Therapy

XIV. ANTINEOPLASTIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
Oral Oncology Agents, Breast	anastrozole exemestane Ibrance® QL Kisqali® CC, QL letrozole tamoxifen citrate Tykerb® QL Xeloda®	Arimidex® Aromasin® capacetabine cyclophosphamide Fareston® Faslodex® Femara®
Oral Oncology, Hematologic Cancer	Alkeran® Gleevec® QL hydroxyurea Imbruvica™ CC, QL Jakafi™ CC, QL Leukeran® mercaptopurine Purixan® Rydapt® CC, QL Sprycel® QL Zolinza® QL Zydelig® CC, QL	Bosulif® QL Farydak® QL Hydrea® Iclusig™ QL imatinib QL Leustatin® melphalan Ninlaro™ Purinethol® Tasigna® QL Venclexta® QL
Oral Oncology, Lung Cancer	Iressa® QL Tarceva® QL Xalkori® CC, QL	Alecensa® QL Alunbrig™ CC, QL Gilotrif™ CC, QL Tagrisso™ QL Zykadia™ QL
Oral Oncology, Other	Cometriq™ QL temozolomide	Caprelsa® QL Lonsurf® Lynparza™ QL Rubraca™ CC, QL Stivarga® CC, QL Temodar® Zejula™ CC, QL
Oral Oncology, Prostate Cancer	bicalutamide QL flutamide QL Xtandi® QL Zytiga® QL	Casodex® QL Eulexin® QL Nilandron® QL nilutamide QL
Oral Oncology, Renal Cell Carcinoma	Afinitor® tablets QL Cabometyx™ CC, QL Nexavar® QL Sutent® QL Votrient® QL	Afinitor Disperz® QL Inlyta® CC, QL Lenvima™ QL
Oral Oncology, Skin Cancer	Erivedge™ CC, QL Mekinist™ CC, QL Tafinlar® CC, QL	Cotellic™ QL Odomzo® QL Zelboraf™ QL

AE = Age Edits CC = Clinical Criteria MD = Medications with Maximum Duration QL = Quantity Limits ST = Step Therapy