

# Kentucky Pharmacy Preferred Drug List

Effective: January 15, 2018



## GENERAL DEFINITION OF TERMS

**Clinical Criteria (CC)** – Due to the nature of some medications, prior authorization may be required for the medication to be covered at any copay tier. *Medications that require prior authorization will require that certain clinical criteria be met. Medications may require the use of preferred medications (subject to PDL), in addition to satisfying appropriate clinical criteria, before approval (prior authorization) can be considered.* If a medication requires PA, the ordering physician should contact Magellan Medicaid Administration, the plan’s pharmacy benefit administrator. Also, prescriptions exceeding such plan limitations as **Quantity Limits (QL), Step Therapy (ST), Maximum Duration (MD), Age Edit (AE), in addition to those subject to Clinical Criteria (CC)**, will also require PA.

**Step Therapy (ST)** – Step therapy is an electronic PA process that takes place at the time the pharmacy submits the claim. For example, in the case of medications considered “second-line” agents, the system will look at the member’s paid claims history, and if a claim(s) for the required “first-line” medication(s) is located, the system will approve the claim. If “first-line” medication(s) are not located, the system will not approve the claim, and will return a message to the pharmacy advising that the Step Therapy protocol has not been satisfied and prior authorization is required. At that time, the pharmacy may contact the physician and request that they contact Magellan Medicaid Administration for PA.

**Quantity Limits (QL)** – Quantity limits have been placed on medications to be consistent with the maximum dosage that the Food and Drug Administration (FDA) has approved to be both safe and effective. Medications where the quantity exceeds the FDA’s maximum daily dose will require PA. Prescriptions exceeding plan limitations will require PA.

**Medication with Maximum Duration (MD)** – Medications indicated will be available for a defined period of days per rolling year (365 days) before requiring a new or additional PA.

**Age Edit (AE)** – Medications indicated are available for members above or below XX age without PA.

**Maintenance Drugs** – Maintenance drugs are medications that generally require regular, long-term use and are prescribed for the treatment of a chronic medical condition. The following list includes a few examples of drug classes that contain maintenance drugs. *Maintenance drugs can be processed for up to a 92 days’ supply and 100 units for KY Medicaid recipients.*

- Antianginals
- Antihypertensives
- Oral Contraceptives
- Antiarrhythmics
- Cardiac Glycosides
- Progesterones
- Antiarthritics
- Digestants
- Thyroid Preparations
- Antidiabetics
- Diuretics

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
<b>ACE Inhibitors</b>	benazepril captopril enalapril lisinopril quinapril ramipril	<i>Altace</i> ® <i>Epaned</i> ™ <i>fosinopril</i> <i>moexipril</i> <i>perindopril</i> <i>Prinivil</i> ® <i>Qbrelis</i> ™ <i>trandolapril</i> <i>Vasotec</i> ® <i>Zestril</i> ®
<b>ACEI + Diuretic Combinations</b>	benazepril/HCTZ captopril/HCTZ enalapril/HCTZ lisinopril/HCTZ	<i>fosinopril/HCTZ</i> <i>moexipril/HCTZ</i> <i>Prinzide</i> ® <i>quinapril/HCTZ</i> <i>Zestoretic</i> ®
<b>Angiotensin Receptor Blockers</b>	losartan valsartan	<i>Atacand</i> ® <i>Avapro</i> ® <i>Benicar</i> ® <i>candesartan</i> <i>Cozaar</i> ® <i>Diovan</i> ® <i>Edarbi</i> ™ <i>Entresto</i> ™ CC <i>eprosartan</i> <i>irbesartan</i> <i>Micardis</i> ® <i>olmesartan</i> <i>telmisartan</i>
<b>Angiotensin Modulator + CCB Combinations</b>	amlodipine/benazepril Exforge HCT® ST valsartan/amlodipine ST	<i>Azor</i> ™ <i>Byvalson</i> ™ QL <i>Exforge</i> ® <i>Lotrel</i> ® <i>olmesartan/amlodipine</i> <i>olmesartan/amlodipine/HCTZ</i> <i>Prestalia</i> ® QL <i>Tarka</i> ® <i>Tribenzor</i> ® <i>telmisartan/amlodipine</i> <i>valsartan/amlodipine/HCTZ</i> <i>verapamil/trandolapril</i>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
<b>ARB + Diuretic Combinations</b>	losartan/HCTZ valsartan/HCTZ	Atacand HCT® Avalide® Benicar HCT® candesartan/HCTZ Diovan HCT® Edarbyclor™ Hyzaar® irbesartan/HCTZ Micardis HCT® olmesartan/HCTZ telmisartan/HCTZ
<b>Anti-Anginal &amp; Anti-Ischemic Agent</b>	Ranexa® <sup>ST</sup>	Corlanor® <sup>CC</sup>
<b>Oral Anti-Arrhythmics</b>	amiodarone 100, 200 mg disopyramide flecainide mexiletine propafenone quinidine gluconate ER quinidine sulfate quinidine sulfate ER Sorine® sotalol sotalol AF Tikosyn®	amiodarone 400 mg Betapace® Betapace® AF dofetilide Multaq® Norpac® Norpac® CR Pacerone® propafenone SR Rythmol® SR
<b>Direct Renin Inhibitors</b>	Tekturna® <sup>ST</sup> Tekturna HCT® <sup>ST</sup>	N/A
<b>Beta Blockers</b>	atenolol metoprolol tartrate metoprolol succinate ER propranolol propranolol ER	acebutolol betaxolol bisoprolol Bystolic™ Corgard® Hemangeol™ Inderal® LA Inderal® XL Innopran XL® Levatol® Lopressor® nadolol pindolol Tenormin® timolol Toprol XL®

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Beta Blockers + Diuretic Combinations</b>	atenolol/chlorthalidone bisoprolol/HCTZ propranolol/HCTZ	Corzide® Dutoprol™ Lopressor® HCT metoprolol tartrate/HCTZ nadolol/bendroflumethiazide Tenoretic® Ziac®
<b>Alpha/Beta Blockers</b>	carvedilol labetalol	carvedilol ER Coreg® Coreg CR®
<b>Calcium Channel Blockers (DHP)</b>	amlodipine nifedipine ER/SA/SR	Adalat CC® Afeditab™ CR Dynacirc® felodipine ER isradipine nicardipine nifedipine IR nimodipine nisoldipine ER Norvasc® Nymalize® Plendil® Procardia® Procardia XL® Sular®
<b>Calcium Channel Blockers (Non-DHP)</b>	diltiazem diltiazem ER/LA verapamil verapamil ER (EXCEPT 360 mg capsules)	Calan® Calan® SR Cardizem® Cardizem CD® Cardizem LA® Cartia XT Dilt-XR Diltia XT® Matzim LA™ Taztia XT Tiazac® verapamil ER 360 mg capsules verapamil ER PM Verelan® Verelan PM®
<b>Vasodilator and Nitrate Combination</b>	BiDil®	N/A

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Pulmonary Arterial Hypertension (PAH) Agents</b>	Letairis™ sildenafil <sup>CC</sup> Tracleer® Ventavis®	Adcirca™ Adempas® <sup>CC</sup> Opsumit® Orenitram ER™ Revatio™ Tyvaso™ Uptravi® <sup>QL</sup>
<b>Familial Hypercholesterolemia Agents</b>	Kynamro™ <sup>CC</sup>	Juxtapid™
<b>Lipotropics: Bile Acid Sequestrants</b>	cholestyramine cholestyramine light colestipol tablets Prevalite®	Colestid® colestipol granules/packets Questran® Questran Light® WelChol®
<b>Lipotropics: Cholesterol Absorption Inhibitor</b>	Zetia®	ezetimibe
<b>Lipotropics: Fibric Acid Derivatives</b>	gemfibrozil TriCor® Trilipix™	Antara™ Fenoglide™ fenofibrate (Generic Antara™, Lipofen™, Lofibra®) fenofibrate nanocrystallized (Generic Tricor®) fenofibric acid (Generic Fibracor™, Trilipix™) Fibracor™ Lipofen™ Lopid® Triglide™
<b>Lipotropics: Omega-3 Fatty Acids</b>	Lovaza® <sup>ST</sup>	omega-3 acid ethyl esters Vascepa®
<b>Lipotropics: Statins</b>	atorvastatin <sup>QL</sup> lovastatin <sup>QL</sup> pravastatin <sup>QL</sup> simvastatin <sup>QL</sup>	Altoprev® <sup>QL</sup> amlodipine/atorvastatin <sup>CC, QL</sup> Caduet® <sup>QL</sup> Crestor® <sup>QL</sup> ezetimibe/simvastatin <sup>QL</sup> fluvastatin <sup>QL</sup> fluvastatin ER <sup>QL</sup> Lescol XL® <sup>QL</sup> Lipitor® <sup>QL</sup> Livalo® <sup>QL</sup> Pravachol® <sup>QL</sup> Vytorin™ <sup>QL</sup> Zocor® <sup>QL</sup>
<b>Lipotropics: Niacin Derivatives</b>	Niaspan®	Niacor® Niacin niacin ER

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## I. CARDIOVASCULAR

Drug Class	Preferred Agents	Non-Preferred Agents
Lipotropics: PCSK9s	N/A	<i>Praluent</i> <sup>® CC</sup> <i>Repatha</i> <sup>™ CC</sup>
Platelet Aggregation Inhibitors	Aggrenox <sup>®</sup> Brilinta <sup>™ CC</sup> cilostazol clopidogrel dipyridamole	<i>aspirin/dipyridamole</i> <i>Durlaza ER</i> <sup>® QL</sup> <i>Effient</i> <sup>™</sup> <i>Plavix</i> <sup>®</sup> <i>prasugrel</i> <i>ticlopidine</i> <i>Yosprala</i> <sup>™ CC, QL</sup> <i>Zontivity</i> <sup>™ CC</sup>
Anticoagulants	Eliquis <sup>®</sup> enoxaparin Jantoven <sup>®</sup> Pradaxa <sup>®</sup> warfarin Xarelto <sup>®</sup>	<i>Arixtra</i> <sup>™</sup> <i>Coumadin</i> <sup>®</sup> <i>fondaparinux</i> <i>Fragmin</i> <sup>®</sup> <i>Lovenox</i> <sup>®</sup> <i>Savaysa</i> <sup>™</sup>

## II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
Anti-Emetics: Other	meclizine metoclopramide oral solution, tablets prochlorperazine promethazine (EXCEPT 50 mg suppositories) Transderm-Scop <sup>®</sup> trimethobenzamide	<i>Compazine</i> <sup>®</sup> <i>Compro</i> <sup>®</sup> <i>Diclegis</i> <sup>™ CC, QL</sup> <i>metoclopramide ODT</i> <i>Phenadoz</i> <sup>®</sup> <i>Phenergan</i> <sup>®</sup> <i>promethazine 50 mg suppositories</i> <i>Reglan</i> <sup>®</sup> <i>scopolamine transdermal system</i> <i>Tigan</i> <sup>®</sup>
Oral Anti-Emetics: 5-HT <sub>3</sub> Antagonists	ondansetron	<i>Aloxi</i> <sup>® QL</sup> <i>Anzemet</i> <sup>®</sup> <i>granisetron</i> <i>Sancuso</i> <sup>® CC, QL</sup> <i>Varubi</i> <sup>™</sup> <i>Zofran</i> <sup>®</sup> <i>Zuplenz</i> <sup>®</sup>
Oral Anti-Emetics: NK-1 Antagonists	Emend <sup>® QL</sup>	<i>Akynzeo</i> <sup>® QL</sup>
Oral Anti-Emetics: Δ-9-THC Derivatives	dronabinol <sup>CC, QL</sup>	<i>Cesamet</i> <sup>® CC, QL</sup> <i>Marinol</i> <sup>® CC, QL</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
<b>H2 Receptor Antagonists</b>	cimetidine famotidine tablets ranitidine tablets, syrup	famotidine suspension nizatidine Pepcid® ranitidine capsules Zantac®
<b>Proton Pump Inhibitors</b>	Nexium® <sup>QL</sup> omeprazole capsules <sup>QL</sup> pantoprazole <sup>QL</sup>	Aciphex® <sup>QL</sup> Dexilant™ <sup>QL</sup> esomeprazole magnesium <sup>QL</sup> esomeprazole strontium <sup>QL</sup> lansoprazole <sup>QL</sup> omeprazole suspension <sup>QL</sup> omeprazole/sodium bicarbonate <sup>QL</sup> Prevacid® <sup>QL</sup> Prilosec® <sup>QL</sup> Protonix® <sup>QL</sup> rabeprazole <sup>QL</sup> Zegerid® <sup>QL</sup>
<b>Anti-Ulcer Protectants</b>	Carafate® suspension misoprostol sucralfate tablets	Carafate® tablets Cytotec® sucralfate suspension
<b>H. pylori Treatment</b>	lansoprazole/amoxicillin/clarithromycin <sup>QL</sup> Pylera® <sup>QL</sup>	Omeclamox-Pak™ <sup>QL</sup> Prevpac® <sup>QL</sup>
<b>Antispasmodics/ Anticholinergics</b>	dicyclomine glycopyrrolate hyoscyamine methscopolamine propantheline	Anaspaz® Bentyl® chlordiazepoxide/clidinium Cuvposa® Donnatal® Hyosyne® Levbid® Levsin® Librax® Oscimin® Robinul® Robinul Forte® Symax®
<b>Antidiarrheals</b>	diphenoxylate with atropine loperamide	Fulyzaq™ <sup>CC,QL</sup> Lomotil® Motofen® opium paregoric Restora®

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## II. GASTROINTESTINAL

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Ulcerative Colitis Agents</b>	Apriso™ balsalazide Canasa® Delzicol® mesalamine enemas/suppositories sulfasalazine sulfasalazine EC	Asacol® HD Azulfidine® Azulfidine EN-tabs® Colazal® Dipentum® Giazo® Lialda™ mesalamine (generic Lialda™) mesalamine rectal kits Pentasa® Rowasa® Uceris®
<b>Laxatives and Cathartics</b>	lactulose solution MoviPrep® PEG 3350/Electrolyte solution for reconstitution PEG 3350 Powder	CoLyte® with flavor packets Constulose® Enulose® Entereg® GaviLyte-C® GaviLyte-G® GaviLyte-H® and Bisacodyl Kit GaviLyte-N® Generlac® GlycoLax® GoLyteLy® powder pack/solution for reconstitution HalfLyteLy-Bisacodyl Bowel Kit® Kristalose® packet Miralax® Powder NuLyteLy® with Flavor Packs solution for reconstitution OsmoPrep® Tablets PEG3350/Flavor Pack solution for reconstitution PEG3350 Powder Pack PEG-Prep Kit Prepopik™ Powder Pack Relistor® CC Suprep® Trilyte® Visical®
<b>GI Motility Agents</b>	Amitiza® CC Linzess® CC Movantik® CC	alosetron CC Lotronex® CC Relistor® Viberzi® QL

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy



### III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics, Inhaled</b>	Bethkis® Kitabis™ Pak	Cayston® TOBI® TOBI Podhaler® tobramycin inhalation solution
<b>Minimally Sedating Antihistamines</b>	cetirizine oral solution, tablets levocetirizine tablets loratadine OTC loratadine-pseudoephedrine 12-Hour OTC loratadine-pseudoephedrine 24-Hour OTC	Clarinet® Clarinet-D® 12 Hr Clarinet-D® 24 Hr desloratadine levocetirizine solution Semprex D® Xyzal® Zyrtec® Zyrtec-D
<b>Intranasal Antihistamines</b>	Astepro® Patanase™	azelastine olopatadine
<b>Intranasal Anticholinergics</b>	ipratropium nasal spray	N/A
<b>Short-Acting Beta<sub>2</sub> Adrenergic Agonists</b>	albuterol inhalation solution <sup>QL</sup> albuterol low-dose inhalation solution <sup>QL</sup> ProAir HFA® <sup>QL</sup> Proventil® HFA <sup>QL</sup> terbutaline tablets <sup>QL</sup>	albuterol oral syrup, tablets <sup>QL</sup> albuterol ER tablets <sup>QL</sup> levalbuterol inhalation solution <sup>QL</sup> metaproterenol oral syrup, tablets <sup>QL</sup> ProAir Respiclick® <sup>QL</sup> Ventolin HFA® <sup>QL</sup> Xopenex® <sup>QL</sup> Xopenex HFA® <sup>QL</sup>
<b>Long-Acting Beta<sub>2</sub> Adrenergic Agonists</b>	Foradil® Aerolizer® <sup>QL</sup> (product discontinued 7/24/17) Serevent® Diskus <sup>QL</sup>	Arcapta™ Neohaler™ <sup>QL</sup> Brovana® <sup>QL</sup> Perforomist™ <sup>QL</sup> Striverdi® Respimat® <sup>QL</sup>
<b>Beta Agonists: Combination Products</b>	Advair® Diskus <sup>QL</sup> Advair® HFA <sup>QL</sup> Dulera® <sup>QL</sup> Symbicort® <sup>QL</sup>	Breo® Ellipta® <sup>QL</sup>
<b>COPD Agents</b>	albuterol-ipratropium inhalation solution <sup>QL</sup> Atrovent® HFA <sup>QL</sup> Combivent® Respimat® <sup>QL</sup> ipratropium inhalation solution <sup>QL</sup> Spiriva Handihaler® <sup>QL</sup>	Anoro® Ellipta® <sup>CC, QL</sup> Bevespi Aerosphere™ <sup>QL</sup> Daliresp™ <sup>QL</sup> Incruse™ Ellipta® <sup>QL</sup> Seebri™ Neohaler® <sup>QL</sup> Spiriva® Respimat® <sup>QL</sup> Stiolto™ Respimat® <sup>QL</sup> Tudorza™ Pressair™ <sup>QL</sup> Utibron™ Neohaler® <sup>QL</sup>

AE = Age Edits    CC = Clinical Criteria    MD = Medications with Maximum Duration    QL = Quantity Limits    ST = Step Therapy

### III. RESPIRATORY

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Inhaled Corticosteroids</b>	Asmanex <sup>®</sup> Twisthaler <sup>QL</sup> Flovent Diskus <sup>® QL</sup> Flovent HFA <sup>® QL</sup> Pulmicort Respules <sup>® QL, AE</sup> QVAR <sup>® QL</sup>	Aerospan <sup>™ QL</sup> Alvesco <sup>® QL</sup> Arnuity <sup>® Ellipta</sup> <sup>® QL</sup> Asmanex <sup>® HFA</sup> <sup>QL</sup> budesonide inhalation suspension <sup>QL</sup> Pulmicort Flexhaler <sup>® QL</sup>
<b>Intranasal Corticosteroids</b>	fluticasone propionate <sup>QL</sup>	Beconase AQ <sup>® QL</sup> budesonide <sup>QL</sup> Children's Qnasl <sup>™ QL</sup> Dymista <sup>® QL</sup> flunisolide <sup>QL</sup> Nasonex <sup>® QL</sup> Omnaris <sup>™ QL</sup> Qnasl <sup>™ QL</sup> triamcinolone <sup>QL</sup> Veramyst <sup>® QL</sup> Zetonna <sup>™ QL</sup>
<b>Leukotriene Modifiers</b>	montelukast <sup>QL</sup> zafirlukast <sup>QL</sup>	Accolate <sup>® QL</sup> Singulair <sup>® QL</sup> zileuton ER <sup>QL</sup> Zyflo <sup>® QL</sup> Zyflo CR <sup>® QL</sup>
<b>Self Injectable Epinephrine</b>	epinephrine 0.3 mg <sup>QL</sup> epinephrine 0.15 mg <sup>QL</sup> Epi Pen <sup>® QL</sup> Epi Pen Jr. <sup>® QL</sup>	N/A

### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Alzheimer's Agents</b>	donepezil 5, 10 mg Exelon <sup>®</sup> Patch memantine tablets Namenda <sup>®</sup> solution (product discontinued 4/1/17) rivastigmine capsules	Aricept <sup>®</sup> donepezil ODT, 23 mg Exelon <sup>®</sup> capsules galantamine galantamine ER memantine solution Namzaric <sup>®</sup> Namenda <sup>®</sup> tablets Namenda XR <sup>®</sup> Razadyne <sup>®</sup> rivastigmine patch

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antialcoholic Preparations</b>	naltrexone Vivitrol®	acamprosate Antabuse® disulfiram ReVia®
<b>Antianxiety Agents</b>	alprazolam IR tablets, intensol <sup>MD</sup> buspirone chlordiazepoxide <sup>MD</sup> clorazepate <sup>MD</sup> diazepam oral <sup>MD</sup> lorazepam <sup>MD</sup> oxazepam <sup>MD</sup>	alprazolam ER <sup>MD</sup> alprazolam ODT <sup>MD</sup> Ativan® <sup>MD</sup> meprobamate <sup>CC</sup> Tranxene-T® <sup>MD</sup> Valium® <sup>MD</sup> Xanax® <sup>MD</sup> Xanax XR <sup>MD</sup>
<b>Antidepressants: MAOIs</b>	N/A	Emsam® Marplan® Nardil® Parnate® phenelzine tranylcypromine
<b>Antidepressants: Other</b>	bupropion bupropion XL bupropion SR trazodone	Aplenzin™ Trintellix™ Forfivo XL™ nefazodone Viibryd™ Wellbutrin® Wellbutrin® SR Wellbutrin® XL
<b>Antidepressants: SNRIs</b>	Pristiq® Savella™ <sup>CC</sup> venlafaxine venlafaxine ER capsules	Cymbalta® desvenlafaxine ER base desvenlafaxine fumarate ER desvenlafaxine succinate ER duloxetine (generic Irenka™) duloxetine DR (generic Cymbalta®) <sup>CC</sup> Effexor® Effexor XR® Fetzima™ Khedezla® venlafaxine ER tablets

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antidepressants: SSRIs</b>	citalopram escitalopram tablets fluoxetine capsules, solution fluoxetine ER paroxetine sertraline	<i>Brisdelle</i> <sup>TM</sup> <sup>CC</sup> <i>Celexa</i> <sup>®</sup> <i>escitalopram solution</i> <i>fluoxetine 90 mg DR, tablets</i> <sup>QL</sup> <i>fluvoxamine</i> <i>fluvoxamine ER</i> <i>Lexapro</i> <sup>TM</sup> <i>paroxetine controlled release</i> <i>Paxil</i> <sup>®</sup> <i>Paxil</i> <sup>®</sup> CR <i>Pexeva</i> <sup>®</sup> <i>Prozac</i> <sup>®</sup> <i>Sarafem</i> <sup>®</sup> <i>Zoloft</i> <sup>®</sup>
<b>Antidepressants: Tricyclics</b>	amitriptyline clomipramine desipramine imipramine hydrochloride maprotiline mirtazapine nortriptyline	<i>Anafranil</i> <sup>®</sup> <i>amoxapine</i> <i>doxepin</i> <i>imipramine pamoate</i> <i>Norpramin</i> <sup>®</sup> <i>Pamelor</i> <sup>®</sup> <i>protriptyline</i> <i>Remeron</i> <sup>®</sup> <i>Silenor</i> <sup>®</sup> <i>Surmontil</i> <sup>®</sup> <i>Tofranil</i> <sup>®</sup>
<b>Anticonvulsants: First Generation</b>	Celontin <sup>®</sup> clonazepam tablets DiaStat <sup>®</sup> <sup>QL</sup> divalproex delayed-release divalproex sprinkle ethosuximide felbamate Peganone <sup>®</sup> phenobarbital <sup>CC</sup> Phenytek <sup>®</sup> phenytoin IR/ER primidone <sup>CC</sup> valproate valproic acid	<i>clonazepam ODT</i> <i>Depakene</i> <sup>®</sup> <i>Depakote</i> <sup>®</sup> <i>Depakote ER</i> <sup>®</sup> <i>Depakote</i> <sup>®</sup> Sprinkle <i>diazepam rectal gel</i> <sup>QL</sup> <i>Dilantin</i> <sup>®</sup> <i>divalproex sodium ER</i> <i>Felbatol</i> <sup>®</sup> <i>Klonopin</i> <sup>®</sup> <i>Mysoline</i> <sup>®</sup> <i>Onfi</i> <sup>TM</sup> <sup>CC</sup> <i>Zarontin</i> <sup>®</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Anticonvulsants: Second Generation</b>	BanzeI™ CC Gabitril® gabapentin capsules, solution lamotrigine IR tablets, ODT levetiracetam IR tablets, solution Lyrica® CC Sabril® CC topiramate IR zonisamide	<i>Briviact® QL</i> <i>Fycompa™</i> <i>gabapentin tablets</i> <i>Gralise™</i> <i>Keppra™ tablets, solution</i> <i>Keppra XR™</i> <i>Lamictal®</i> <i>Lamictal ODT®</i> <i>Lamictal® XR</i> <i>lamotrigine ER</i> <i>levetiracetam ER</i> <i>Neurontin®</i> <i>Qudexy XR™</i> <i>tiagabine</i> <i>Topamax®</i> <i>topiramate ER</i> <i>Trokendi XR™</i> <i>vigabatrin</i> <i>Vimpat®</i> <i>Zonegran®</i>
<b>Anticonvulsants: Carbamazepine Derivatives</b>	carbamazepine tablets carbamazepine ER capsules (generic Carbatrol®) Equetro™ oxcarbazepine TegretoI® suspension TegretoI® XR	<i>Aptiom®</i> <i>carbamazepine ER tablets</i> <i>carbamazepine suspension</i> <i>Carbatrol®</i> <i>Epitol®</i> <i>Oxtellar™ XR</i> <i>TegretoI® tablets</i> <i>Trileptal®</i>
<b>First-Generation Antipsychotics</b>	amitriptyline/perphenazine chlorpromazine fluphenazine haloperidol loxapine Orap® perphenazine thioridazine thiothixene trifluoperazine	<i>Adasuve®</i> <i>pimozide</i>

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Second-Generation Antipsychotics</b>	aripiprazole tablets <sup>CC, QL</sup> clozapine <sup>CC, QL</sup> clozapine ODT <sup>CC, QL</sup> Fanapt™ <sup>CC, QL</sup> Latuda® <sup>CC, QL</sup> olanzapine <sup>CC, QL</sup> quetiapine <sup>CC, QL</sup> risperidone <sup>CC, QL</sup> Saphris® <sup>CC, QL</sup> Seroquel® XR <sup>CC, QL</sup> ziprasidone <sup>CC, QL</sup>	Abilify® oral formulations <sup>QL</sup> aripiprazole ODT, oral solution Clozaril® <sup>QL</sup> FazaClo® <sup>QL</sup> Geodon® <sup>QL</sup> Invega® <sup>QL</sup> Nuplazid™ <sup>QL</sup> paliperidone <sup>QL</sup> quetiapine ER <sup>QL</sup> Rexulti® <sup>QL</sup> Risperdal® <sup>QL</sup> Seroquel® <sup>QL</sup> Versacloz® <sup>QL</sup> Vraylar™ <sup>QL</sup> Zyprexa® <sup>QL</sup>
<b>Antipsychotics: Injectable</b>	Abilify Maintena™ <sup>CC, QL</sup> fluphenazine decanoate <sup>CC, QL</sup> Geodon® <sup>CC, QL</sup> haloperidol decanoate <sup>CC, QL</sup> haloperidol lactate <sup>CC, QL</sup> Invega® Sustenna® <sup>CC, QL</sup> Invega Trinza™ <sup>CC, QL</sup> olanzapine <sup>CC, QL</sup> Risperdal® Consta® <sup>CC, QL</sup>	Aristada ER™ <sup>QL</sup> Haldol® <sup>QL</sup> Haldol® Decanoate <sup>QL</sup> Zyprexa® <sup>QL</sup> Zyprexa® Relprevv <sup>QL</sup>
<b>Atypical Antipsychotic and SSRI Comb.</b>	Symbyax® <sup>CC, QL</sup>	olanzapine/fluoxetine <sup>QL</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Stimulants and Related Agents</b>	Adderall XR <sup>®</sup> CC, QL	Adderall <sup>®</sup> QL
	dexmethylphenidate IR CC, QL	Adzenys XR-ODT <sup>™</sup> QL
	dextroamphetamine IR CC, QL	Aptensio XR <sup>®</sup> QL
	dextroamphetamine ER CC, QL	atomoxetine QL
	Focalin XR <sup>™</sup> CC, QL	clonidine ER QL
	guanfacine ER CC, QL	Concerta <sup>®</sup> QL
	Metadate CD <sup>®</sup> CC, QL (product discontinued 7/1/17)	Daytrana <sup>™</sup> QL
	Metadate ER <sup>®</sup> CC, QL	Desoxyn <sup>®</sup> QL
	methylphenidate IR tablets, capsules CC, QL	Dexedrine <sup>®</sup> QL
	methylphenidate ER/SA/SR CC, QL	dexmethylphenidate ER QL
	methylphenidate ER OROS CC, QL	dextroamphetamine solution QL
	mixed amphetamine salts IR CC, QL	Dyanavel <sup>™</sup> XR QL
	Quillivant <sup>™</sup> XR CC, QL	Evekeo <sup>™</sup> QL
	Strattera <sup>®</sup> CC, QL	Focalin <sup>™</sup> QL
	Vyvanse <sup>™</sup> CC, QL	Intuniv <sup>™</sup> QL
		Kapvay <sup>™</sup> QL
		methamphetamine QL
	Methylin <sup>®</sup> solution QL	
	methylphenidate (generic for Metadate CD <sup>®</sup> ) QL	
	methylphenidate chewable (generic for Methylin <sup>®</sup> chewable tablets) QL	
	methylphenidate LA (generic Ritalin LA <sup>®</sup> ) QL	
	methylphenidate solution QL	
	mixed amphetamine salts ER QL	
	Procentra <sup>™</sup> QL	
	QuilliChew ER <sup>™</sup> QL	
	Ritalin <sup>®</sup> QL	
	Ritalin LA <sup>®</sup> QL	
	Zenzedi <sup>™</sup> QL	

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Anti-Migraine: 5-HT1 Receptor Agonists</b>	Relpax™ QL rizatriptan QL rizatriptan ODT QL sumatriptan QL	<i>almotriptan</i> QL <i>Amerge</i> ® QL <i>Axert</i> ® QL <i>Cambia</i> ™ QL <i>eletriptan</i> QL <i>Frova</i> ™ QL <i>frovatriptan</i> QL <i>Imitrex</i> ® QL <i>Maxalt</i> ® QL <i>Maxalt-MLT</i> ® QL <i>naratriptan</i> QL <i>Onzetra</i> ™ <i>XSail</i> ™ QL <i>Sumavel</i> ™ <i>Dosepro</i> ™ QL <i>Treximet</i> ™ QL <i>Zecuity</i> ® QL <i>Zembrace</i> ™ <i>SymTouch</i> ™ QL <i>zolmitriptan</i> QL <i>zolmitriptan ODT</i> QL <i>Zomig</i> ® QL <i>Zomig-ZMT</i> ® QL
<b>Dopamine Receptor Agonists</b>	bromocriptine pramipexole ropinirole	<i>Mirapex</i> ® <i>Mirapex</i> ® ER <i>Neupro</i> ® <i>Parlodel</i> ® <i>pramipexole ER</i> <i>Requip</i> ® <i>Requip</i> ® XL <i>ropinirole ER</i>
<b>Narcolepsy Agents</b>	Provigil® CC, QL	<i>armodafinil</i> QL <i>modafinil</i> QL <i>Nuvigil</i> ® QL <i>Xyrem</i> ® QL

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy



#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Parkinson's Disease</b>	amantadine syrup, tablets, capsules benztropine carbidopa Comtan® levodopa/carbidopa levodopa/carbidopa CR levodopa/carbidopa ODT selegiline tablets trihexyphenidyl	Azilect® Duopa™ entacapone levodopa/carbidopa/entacaone Lodosyn® rasagiline Rytary™ selegiline capsules Sinemet® Sinemet® CR Stalevo® Tasmar® tolcapone Zelapar™
<b>Sedative Hypnotic Agents</b>	flurazepam <sup>QL</sup> temazepam 15 mg, 30 mg <sup>QL</sup> triazolam <sup>QL</sup> zolpidem <sup>QL</sup>	Ambien® <sup>QL</sup> Ambien CR® <sup>QL</sup> Belsomra® <sup>QL</sup> Doral® <sup>QL</sup> Edluar® <sup>CC, QL</sup> estazolam <sup>QL</sup> eszopiclone <sup>QL</sup> Halcion® <sup>QL</sup> Hetlioz® <sup>CC, QL</sup> Intermezzo® <sup>QL</sup> Lunesta™ <sup>QL</sup> Restoril® <sup>QL</sup> Rozerem® <sup>CC, QL</sup> temazepam 22.5 mg, 7.5 mg <sup>QL</sup> Sonata® <sup>QL</sup> zaleplon <sup>QL</sup> zolpidem ER <sup>QL</sup> Zolpimist™ <sup>QL</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### IV. CENTRAL NERVOUS SYSTEM

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Skeletal Muscle Relaxants</b>	baclofen <sup>QL</sup> chlorzoxazone <sup>QL</sup> cyclobenzaprine <sup>QL</sup> methocarbamol <sup>QL</sup> orphenadrine <sup>QL</sup> tizanidine tablets <sup>QL</sup>	Amrix <sup>® QL, MD</sup> carisoprodol <sup>QL, MD</sup> carisoprodol compound <sup>QL, MD</sup> cyclobenzaprine ER <sup>QL, MD</sup> Dantrium <sup>® QL</sup> dantrolene <sup>QL, CC</sup> Fexmid <sup>® QL, MD</sup> Lorzone <sup>® QL</sup> metaxalone <sup>QL</sup> Robaxin <sup>® QL</sup> Skelaxin <sup>® QL</sup> Soma <sup>® QL, MD</sup> tizanidine capsules <sup>QL</sup> Zanaflex <sup>® QL</sup>
<b>Tobacco Cessation</b>	bupropion SR <sup>QL</sup> Chantix <sup>® AE</sup> nicotine buccal/gum/lozenge <sup>QL</sup> nicotine transdermal system <sup>QL</sup> Nicotrol <sup>® Inhaler QL</sup> Nicotrol <sup>® NS QL</sup>	Commit <sup>® QL</sup> Nicoderm <sup>® QL</sup> Nicoderm CQ <sup>® QL</sup> Nicorelief <sup>® QL</sup> Nicorette <sup>® QL</sup> Nicotrol <sup>® Patch QL</sup> Zyban <sup>® QL</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Narcotic Agonist/ Antagonists</b>	butorphanol NS	<i>pentazocine/APAP</i> <i>pentazocine/naloxone</i>
<b>Narcotics: Short-Acting</b>	butalbital/APAP/caffeine <sup>CC</sup> codeine/APAP <sup>MD</sup> dihydrocodeine bitartrate/APAP/caffeine hydrocodone/APAP <sup>MD</sup> hydrocodone/ibuprofen hydromorphone liquid, tablets meperidine morphine IR oxycodone oxycodone/APAP (2.5/325, 5/325, 7.5/325, 10/325 mg) <sup>MD</sup> tramadol	<i>All branded short-acting narcotics and narcotic combinations</i> <i>butalbital/APAP/caffeine/codeine <sup>CC</sup></i> <i>butalbital compound/codeine <sup>CC</sup></i> <i>codeine</i> <i>Demerol<sup>®</sup></i> <i>dihydrocodeine bitartrate/ASA/caffeine</i> <i>Dilaudid<sup>®</sup></i> <i>Hycet<sup>®</sup></i> <i>hydromorphone suppositories</i> <i>Ibudone<sup>™</sup></i> <i>levorphanol</i> <i>Norco<sup>®</sup></i> <i>Nucynta<sup>™</sup></i> <i>Opana<sup>®</sup></i> <i>Oxaydo<sup>®</sup></i> <i>oxycodone/APAP (5/300, 7.5/300, 10/300 mg)</i> <i>oxycodone/ASA <sup>MD</sup></i> <i>oxycodone/ibuprofen</i> <i>oxymorphone IR</i> <i>Primlev<sup>®</sup></i> <i>Synalgos DC<sup>®</sup></i> <i>tramadol/APAP</i> <i>Ultracet<sup>®</sup></i> <i>Ultram<sup>®</sup></i> <i>Vanatol<sup>™</sup> LQ <sup>CC</sup></i> <i>Xartemis<sup>™</sup> XR</i> <i>Zamicet<sup>™</sup></i>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## V. ANALGESICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Narcotics: Long-Acting</b>	fentanyl transdermal 12, 25, 50, 75, 100 mcg <sup>CC, QL</sup> Kadian <sup>®</sup> <sup>QL</sup> morphine sulfate SA (generic MS Contin <sup>®</sup> ) <sup>QL</sup>	Belbuca <sup>™</sup> <sup>QL</sup> buprenorphine patch <sup>CC, QL</sup> Butrans <sup>™</sup> <sup>CC, QL</sup> ConZip <sup>™</sup> <sup>QL</sup> Duragesic <sup>®</sup> <sup>CC, QL</sup> Embeda <sup>™</sup> <sup>QL</sup> Exalgo <sup>™</sup> <sup>QL</sup> fentanyl transdermal 37.5, 62.5, 87.5 mcg <sup>CC, QL</sup> hydromorphone ER <sup>QL</sup> Hysingla <sup>™</sup> ER <sup>QL</sup> Ionsys <sup>®</sup> <sup>CC, QL</sup> morphine sulfate SA (generic Kadian <sup>®</sup> , Avinza <sup>™</sup> ) <sup>QL</sup> MS Contin <sup>®</sup> <sup>QL</sup> Nucynta <sup>®</sup> ER <sup>CC, QL</sup> oxycodone ER/SR <sup>QL</sup> OxyContin <sup>®</sup> <sup>QL</sup> oxymorphone ER <sup>QL</sup> tramadol ER <sup>QL</sup> Ultram <sup>®</sup> ER <sup>QL</sup> Xtampza <sup>™</sup> ER <sup>QL</sup> Zohydro ER <sup>™</sup> <sup>CC, QL</sup>
<b>Narcotics: Fentanyl Buccal Products</b>	N/A	Abstral <sup>®</sup> <sup>CC, QL</sup> Actiq <sup>®</sup> <sup>CC, QL</sup> fentanyl citrate lollipop <sup>CC, QL</sup> Fentora <sup>®</sup> <sup>CC, QL</sup> Lazanda <sup>®</sup> <sup>CC, QL</sup> Subsys <sup>®</sup> <sup>CC</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

**V. ANALGESICS**

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Non-Steroidal Anti-Inflammatory Drugs</b>	celecoxib <sup>QL</sup> diclofenac sodium DR tablets flurbiprofen ibuprofen indomethacin ketoprofen ketorolac tromethamine <sup>QL</sup> meloxicam tablets naproxen tablets piroxicam sulindac	Anaprox <sup>®</sup> DS Celebrex <sup>®</sup> <sup>QL</sup> Daypro <sup>®</sup> DermacinRX Lexitral PharmaPak <sup>®</sup> diclofenac/misoprostol diclofenac potassium diclofenac sodium ER diclofenac topical gel, solution diflunisal Duexis <sup>®</sup> <sup>CC</sup> EC-Naprosyn <sup>®</sup> etodolac etodolac SR Feldene <sup>®</sup> fenoprofen Flector <sup>®</sup> <sup>CC</sup> Indocin <sup>®</sup> indomethacin ER ketoprofen ER meclofenamate mefenamic acid meloxicam suspension Mobic <sup>®</sup> nabumetone Nalfon <sup>®</sup> Naprelan <sup>®</sup> EC Naprosyn <sup>®</sup> naproxen CR naproxen EC naproxen suspension oxaprozin Pennsaid <sup>®</sup> <sup>CC</sup> Pennsaid <sup>®</sup> Pump <sup>CC</sup> Ponstel <sup>®</sup> Sprix <sup>™</sup> <sup>CC</sup> Tivorbex <sup>®</sup> tolmetin Vimovo <sup>™</sup> <sup>CC, QL</sup> Vivlodex <sup>™</sup> <sup>QL</sup> Voltaren <sup>®</sup> Gel <sup>CC</sup> Vopac MDS Zipsor <sup>™</sup>

AE = Age Edits    CC = Clinical Criteria    MD = Medications with Maximum Duration    QL = Quantity Limits    ST = Step Therapy

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics: Cephalosporins 1<sup>st</sup> Generation</b>	cefadroxil capsules cephalexin	<i>cefadroxil tablets, suspension</i> <i>Keflex®</i>
<b>Antibiotics: Cephalosporins 2<sup>nd</sup> Generation</b>	cefuroxime axetil	<i>cefaclor</i> <i>cefaclor CD</i> <i>cefprozil</i> <i>Ceftin®</i>
<b>Antibiotics: Cephalosporins 3<sup>rd</sup> Generation</b>	cefdinir cefepodoxime tablet Suprax® suspension	<i>cefditoren pivoxil</i> <i>cefixime suspension</i> <i>cefepodoxime suspension</i> <i>ceftibuten</i> <i>Spectracef®</i> <i>Suprax® capsules, chewable tablets, tablets</i>
<b>Antibiotics: GI</b>	Alinia® tablets metronidazole tablets paromomycin vancomycin Xifaxan® <sup>CC, QL</sup>	<i>Alinia® suspension</i> <i>Difucid®</i> <i>Flagyl®</i> <i>metronidazole capsules</i> <i>neomycin</i> <i>Tindamax®</i> <i>tinidazole</i> <i>Vancocin®</i>
<b>Antibiotics: Ketolides</b>	Ketek® <sup>CC, QL, MD</sup>	<i>N/A</i>
<b>Antibiotics: Macrolides</b>	azithromycin clarithromycin erythromycin base capsules DR erythromycin ethylsuccinate 200mg suspension	<i>clarithromycin ER</i> <i>E.E.S. 200 suspension</i> <i>E.E.S 400 tablets</i> <i>EryPed</i> <i>Ery-tab</i> <i>erythromycin base tablets</i> <i>PCE®</i> <i>Zithromax®</i> <i>Zmax®</i>
<b>Antibiotics: Oxazolidinones</b>	linezolid tablets <sup>CC, QL, MD</sup>	<i>linezolid suspension</i> <sup>QL, MD</sup> <i>Sivextro™</i> <sup>QL</sup> <i>Zyvox®</i> <sup>QL, MD</sup>
<b>Antibiotics: Penicillins</b>	amoxicillin amoxicillin/clavulanate tablets, suspension ampicillin dicloxacillin penicillin V	<i>amoxicillin ER</i> <i>amoxicillin/clavulanate chewable tablets</i> <i>amoxicillin/clavulanate ER</i> <i>Augmentin®</i> <i>Augmentin XR®</i> <i>Moxatag™</i>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antibiotics: Quinolones</b>	ciprofloxacin tablets levofloxacin tablets	<i>Avelox</i> <sup>®</sup> <i>ciprofloxacin ER</i> <i>ciprofloxacin suspension</i> <i>Cipro</i> <sup>®</sup> <i>Cipro XR</i> <sup>®</sup> <i>Levaquin</i> <sup>®</sup> <i>levofloxacin solution</i> <i>moxifloxacin</i> <i>Noroxin</i> <sup>®</sup> <i>ofloxacin</i>
<b>Antibiotics: Tetracyclines</b>	demeclocycline doxycycline hyclate doxycycline monohydrate 50 mg, 75 mg, 100 mg capsules, tablets, suspension minocycline capsules	<i>Adoxa</i> <sup>®</sup> <i>Doryx</i> <sup>®</sup> <i>doxycycline hyclate DR capsules</i> <i>doxycycline hyclate DR tablets</i> <i>doxycycline IR-DR</i> <i>doxycycline monohydrate 150 mg capsules, pack</i> <i>Minocin</i> <sup>®</sup> <i>minocycline tablets</i> <i>minocycline ER</i> <i>Morgidox</i> <sup>®</sup> <i>Oracea</i> <sup>™</sup> <i>Solodyn</i> <sup>®</sup> <i>tetracycline</i> <i>Vibramycin</i> <sup>®</sup> <i>Ximino</i> <sup>™</sup>
<b>Antibiotics: Vaginal</b>	Cleocin <sup>®</sup> Ovules metronidazole vaginal 0.75% gel	<i>Cleoncin</i> <sup>®</sup> cream <i>clindamycin vaginal 2% cream</i> <i>Clindesse</i> <sup>®</sup> <i>MetroGel Vaginal</i> <sup>®</sup> <i>Nuvessa</i> <sup>®</sup> <i>Vandazole</i> <sup>®</sup>
<b>Antifungals: Oral</b>	clotrimazole fluconazole flucytosine griseofulvin microsize griseofulvin suspension griseofulvin ultramicrosize Noxafil <sup>®</sup> nystatin suspension, tablet terbinafine	<i>Ancobon</i> <sup>®</sup> <i>Cresemba</i> <sup>®</sup> <i>Diflucan</i> <sup>®</sup> <i>Gris-PEG</i> <sup>®</sup> <i>itraconazole</i> <sup>CC</sup> <i>ketoconazole</i> <i>Lamisil</i> <sup>®</sup> <i>nystatin powder</i> <i>Onmel</i> <sup>™</sup> <i>Oravig</i> <sup>™</sup> <i>Sporanox</i> <sup>®</sup> <i>Vfend</i> <sup>®</sup> <i>voriconazole</i>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## VI. ANTI-INFECTIVES

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Antivirals: Herpes</b>	acyclovir capsules, tablets famciclovir valacyclovir Zovirax® suspension	<i>acyclovir suspension</i> <i>Sitavig®</i> <i>Valtrex®</i> <i>Zovirax® capsules, tablets</i>
<b>Antivirals: Flu</b>	Relenza® rimantadine Tamiflu® QL	<i>Flumadine®</i> <i>oseltamivir QL</i>
<b>Anti-Infective: Sulfonamides, Folate Antagonist</b>	Sulfatrim® suspension trimethoprim trimethoprim/sulfamethoxazole tablets	<i>Bactrim®</i> <i>Bactrim DS®</i> <i>sulfadiazine</i> <i>trimethoprim/sulfamethoxazole suspension</i>
<b>Anti-Infectives: Hepatitis B</b>	Baraclude™ Epivir-HBV® Hepsera®	<i>adefovir</i> <i>entecavir</i> <i>lamivudine HBV</i> <i>Vemlidy® CC, QL</i>
<b>Hepatitis C: Direct-Acting Antiviral Agents</b>	Mavyret™ CC, QL Vosevi™ CC, QL	<i>Daklinza™ CC, QL</i> <i>Eplusa® CC, QL</i> <i>Harvoni® CC, QL</i> <i>Olysio™ CC, QL</i> <i>Sovaldi™ CC, QL</i> <i>Technivie™ CC, QL</i> <i>Viekira Pak® and Viekira XR™ CC, QL</i> <i>Zepatier™ CC, QL</i>
<b>Hepatitis C: Interferons</b>	PEGASYS® ProClick CC, QL PEGASYS® syringe CC, QL	<i>Infergen® CC, QL</i> <i>PEGASYS® vial CC, QL</i> <i>PEGIntron™ CC, QL</i>
<b>Hepatitis C: Ribavirins</b>	ribavirin CC	<i>Copegus™ CC</i> <i>Moderiba™ CC</i> <i>Rebetol® CC</i> <i>Ribasphere™ CC</i> <i>Ribasphere RibaPak™ CC</i> <i>ribavirin dosepack CC</i>



## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Diabetes: Injectable Insulins</b>	Humalog® Vial Humalog® Mix Vial Humulin® N Vial Humulin® R Vial Humulin® R 500 Vial Humulin® 70/30 Vial Lantus® Vial Lantus® Solostar Pen Levemir® Vial/Pen Novolog® Vial/Pen/Cartridge Novolog® Mix Vial/Pen	Afrezza® Apidra™ Vial/Pen Basaglar® Humalog® KwikPen Humalog® Mix KwikPen Humulin® Pen Humulin® 70/30 Pen Novolin® Vial Novolin® 70/30 Vial Toujeo® Tresiba®
<b>Diabetes: Amylin Analogue</b>	N/A	Symlin® ST
<b>Diabetes: DPP-4 Inhibitors</b>	Janumet™ ST, QL Janumet XR™ ST, QL Januvia™ ST, QL Jentadueto™ ST, QL Tradjenta™ ST, QL	Glyxambi® QL Kazano® QL Kombiglyze™ XR QL Nesina® QL Onglyza™ QL Oseni® QL
<b>Diabetes: GLP-1 Receptor Agonists</b>	Byetta™ ST Bydureon® ST	Adlyxin™ QL Soliqua™ QL Tanzeum™ Trulicity™ Victoza® Xultophy® QL
<b>Diabetes: Alpha-Glucosidase Inhibitors</b>	acarbose Glyset®	miglitol Precose®
<b>Diabetes: Metformins</b>	glyburide/metformin metformin metformin ER (generic for Glucophage XR®)	Fortamet™ glipizide/metformin Glucophage® Glucophage XR® Glumetza™ metformin ER (generic Fortamet™, generic Glumetza®) Riomet™
<b>Diabetes: Meglitinides</b>	repaglinide Starlix®	nateglinide Prandin®
<b>Diabetes: Sulfonylureas</b>	glimepiride glipizide glipizide extended-release glyburide glyburide micronized	Amaryl® chlorpropamide Glucotrol® Glucotrol XL® Glynase PresTab® tolazamide tolbutamide

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Diabetes: Thiazolidinediones</b>	pioglitazone <sup>QL</sup>	Actos <sup>® QL</sup> ACTOplus Met <sup>® QL</sup> ActoPlus Met <sup>® XR QL</sup> Avandia <sup>® QL</sup> DuetAct <sup>™ QL</sup> pioglitazone/glimepiride <sup>QL</sup> pioglitazone/metformin <sup>QL</sup>
<b>Diabetes: SGLT2 Inhibitors</b>	Invokana <sup>® ST</sup> Invokamet <sup>™ ST</sup>	Farxiga <sup>™</sup> Invokamet <sup>® XR QL</sup> Jardiance <sup>®</sup> Synjardy <sup>®</sup> Xigduo <sup>™ XR</sup>
<b>Growth Hormones</b>	Genotropin <sup>® CC</sup> Norditropin <sup>® CC</sup> Norditropin Flexpro <sup>® CC</sup>	Humatrope <sup>® CC</sup> Nutropin AQ NuSpin <sup>® CC</sup> Omnitrope <sup>® CC</sup> Saizen <sup>® CC</sup> Serostim <sup>® CC</sup> Zomacton <sup>® CC</sup> Zorbtive <sup>® CC</sup>
<b>Bone Resorption Suppression and Related Agents</b>	alendronate tablets <sup>QL</sup> Fortical <sup>®</sup> (product discontinued 9/30/2017) raloxifene	Actonel <sup>® QL</sup> alendronate solution <sup>QL</sup> Atelvia <sup>™ QL</sup> Binosto <sup>® QL</sup> Boniva <sup>® QL</sup> calcitonin-salmon etidronate Evista <sup>®</sup> Forteo <sup>™ QL</sup> Fosamax <sup>® QL</sup> Fosamax Plus D <sup>™ QL</sup> ibandronate <sup>QL</sup> Miacalcin <sup>®</sup> Prolia <sup>™</sup> Reclast <sup>® QL</sup> risedronate <sup>QL</sup> zoledronic acid <sup>QL</sup>
<b>Progestins for Cachexia</b>	megestrol acetate 40 mg/mL, tablets	Megace ES <sup>®</sup> megestrol acetate 625 mg/5 mL
<b>Pancreatic Enzymes</b>	Creon <sup>®</sup> Zenpep <sup>®</sup>	Pancreaze <sup>™</sup> Pertzye <sup>™</sup> Viokace <sup>™</sup>

AE = Age Edits    CC = Clinical Criteria    MD = Medications with Maximum Duration    QL = Quantity Limits    ST = Step Therapy

## VII. ENDOCRINE AND METABOLIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Androgenic Agents</b>	Androderm® Androgel®	Axiron® Fortesta® Natesto™ Testim® testosterone gel Vogelxo®
<b>Oral Steroids</b>	cortisone budesonide EC dexamethasone solution, tablets hydrocortisone methylprednisolone dose pack, tablets prednisolone solution prednisolone sodium phosphate prednisone dose pack, tablets, solution	Celestone® Cortef® dexamethasone elixir dexamethasone intensol DexPak® Entocort EC® Medrol® methylprednisolone 8 mg, 16 mg tablets Millipred® Orapred ODT® AE prednisone intensol prednisolone sodium phosphate ODT Rayos® Veripred 20®

## VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Immunomodulators</b>	Enbrel® CC QL Humira® CC, QL	Actemra® CC, QL Cimzia® CC, QL Cosentyx® CC, QL Entyvio™ CC, QL Kineret® CC, QL Orencia® CC, QL Otezla® CC, QL Simponi™ CC, QL Stelara™ CC, QL Taltz® CC, QL Xeljanz™ CC, QL
<b>Topical Immunomodulators</b>	Elidel®	Protopic® tacrolimus

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## VIII. IMMUNOLOGIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Multiple Sclerosis Agents</b>	Avonex <sup>®</sup> QL Avonex Administration Pack <sup>®</sup> QL Betaseron <sup>®</sup> QL Copaxone <sup>®</sup> 20 mg QL Gilenya <sup>™</sup> CC, QL Rebif <sup>®</sup> QL	Ampyra <sup>™</sup> QL, CC Aubagio <sup>®</sup> QL Copaxone <sup>®</sup> 40 mg QL Extavia <sup>®</sup> QL glatiramer acetate QL Glatopa <sup>™</sup> QL Plegridy <sup>®</sup> QL Tecfidera <sup>™</sup> QL Zinbryta <sup>™</sup> QL
<b>Immunosuppressants</b>	azathioprine CellCept <sup>®</sup> suspension cyclosporine cyclosporine modified Gengraf <sup>®</sup> mycophenolate mofetil capsules, tablets Myfortic <sup>®</sup> sirolimus tacrolimus	Astagraf XL <sup>™</sup> Azasan <sup>®</sup> CellCept <sup>®</sup> capsules, tablets Envarsus <sup>®</sup> XR Imuran <sup>®</sup> mycophenolate mofetil suspension mycophenolic acid Neoral <sup>®</sup> Prograf <sup>®</sup> Rapamune <sup>®</sup> Sandimmune <sup>®</sup> Zortress <sup>®</sup>

## IX. BLOOD MODIFIERS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Erythropoiesis Stimulating Proteins</b>	Aranesp <sup>®</sup> CC Epogen <sup>®</sup> CC Procrit <sup>®</sup> CC	Mircera <sup>®</sup>
<b>Thrombopoiesis Stimulating Proteins</b>	Neumega <sup>®</sup> CC Promacta <sup>®</sup> CC	Nplate <sup>™</sup> CC
<b>Antihyperuricemics</b>	allopurinol probenecid probenecid/colchicine	colchicine CC Colcrys <sup>®</sup> CC Mitigare <sup>®</sup> CC Uloric <sup>®</sup> CC Zurampic <sup>®</sup> QL Zyloprim <sup>®</sup>
<b>Phosphate Binders</b>	calcium acetate Fosrenol <sup>®</sup> chewable tablets MagneBind <sup>®</sup> 400 RX Phoslyra <sup>™</sup> Renagel <sup>®</sup> Renvela <sup>™</sup> tablets	Auryxia <sup>™</sup> Eliphos <sup>™</sup> Fosrenol <sup>®</sup> powder packets lanthanum carbonate PhosLo <sup>®</sup> sevelamer Renvela <sup>™</sup> powder packets Velphoro <sup>®</sup>

AE = Age Edits    CC = Clinical Criteria    MD = Medications with Maximum Duration    QL = Quantity Limits    ST = Step Therapy

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Ophthalmic Antivirals</b>	trifluridine	<i>Viroptic</i> <sup>®</sup> <i>Vitrasert</i> <sup>®</sup> intraocular implant <i>Zirgan</i> <sup>®</sup>
<b>Ophthalmic Antifungals</b>	Natacyn <sup>®</sup>	N/A
<b>Ophthalmic Quinolones</b>	ciprofloxacin ophthalmic solution Moxeza <sup>™</sup> ofloxacin Vigamox <sup>™</sup>	<i>Besivance</i> <sup>™</sup> <i>Ciloxan</i> <sup>®</sup> <i>gatifloxacin</i> <i>levofloxacin 0.5%</i> <i>moxifloxacin (generic Vigamox<sup>™</sup>)</i> <i>Ocuflax</i> <sup>®</sup> <i>Quixin</i> <sup>®</sup> <i>Zymaxid</i> <sup>™</sup>
<b>Ophthalmic Macrolides</b>	erythromycin 0.5% ointment	<i>AzaSite</i> <sup>™</sup> <i>Ilotycin</i> <sup>®</sup>
<b>Ophthalmic Antibiotics, Non-Quinolones</b>	bacitracin bacitracin/polymyxin B gentamicin solution/ointment neomycin/polymyxin B/gramicidin polymyxin B/trimethoprim sulfacetamide solution tobramycin solution	<i>Bleph</i> <sup>®-10</sup> <i>Garamycin</i> <sup>®</sup> <i>Neocidin</i> <sup>®</sup> <i>neomycin/polymyxin B/bacitracin</i> <i>Neosporin</i> <sup>®</sup> <i>Polytrim</i> <sup>®</sup> <i>sulfacetamide ointment</i> <i>Tobrex</i> <sup>®</sup>
<b>Ophthalmic Antibiotic-Steroid Combinations</b>	Blephamide <sup>®</sup> dexamethasone/neomycin sulfate/polymyxin B sulfate hydrocortisone/bacitracin zinc/neomycin sulfate/polymyxin B sulfates Tobradex <sup>®</sup>	<i>Blephamide</i> <sup>®</sup> S.O.P. <i>dexamethasone/tobramycin</i> <i>hydrocortisone/neomycin sulfate/polymyxin B sulfate</i> <i>Maxitrol</i> <sup>®</sup> <i>Pred-G</i> <sup>®</sup> <i>Pred-G</i> <sup>®</sup> S.O.P. <i>prednisolone sodium phosphate / sulfacetamide sodium</i> <i>Tobradex</i> <sup>®</sup> ST <i>Zylet</i> <sup>™</sup>
<b>Ophthalmic Antihistamines</b>	Pataday <sup>™</sup> Pazeo <sup>™</sup>	<i>azelastine</i> <i>Bepreve</i> <sup>™</sup> <i>Elestat</i> <sup>™</sup> <i>Emadine</i> <sup>®</sup> <i>epinastine</i> <i>Lastacaft</i> <sup>™</sup> <i>olopatadine</i> <i>Optivar</i> <sup>®</sup> <i>Patanol</i> <sup>®</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Ophthalmic Beta Blockers</b>	levobunolol timolol maleate	<i>Betagan</i> <sup>®</sup> <i>betaxolol</i> <i>Betimol</i> <sup>®</sup> <i>Betoptic S</i> <sup>®</sup> <i>carteolol</i> <i>Istalol</i> <sup>®</sup> <i>metipranolol</i> <i>Optipranolol</i> <sup>®</sup> <i>timolol maleate once daily (generic Istalol</i> <sup>®</sup> ) <i>Timoptic</i> <sup>®</sup> <i>Timoptic XE</i> <sup>®</sup>
<b>Ophthalmic Carbonic Anhydrase Inhibitors</b>	Azopt <sup>®</sup> dorzolamide	<i>Trusopt</i> <sup>®</sup>
<b>Ophthalmic Combinations for Glaucoma</b>	Combigan <sup>™</sup> dorzolamide/timolol Simbrinza <sup>™</sup>	<i>Cosopt</i> <sup>®</sup> <i>Cosopt PF</i> <sup>®</sup>
<b>Ophthalmic Vasoconstrictors</b>	naphazoline phenylephrine	<i>Altafrin</i> <sup>®</sup> <i>Mydfrin</i> <sup>®</sup> <i>Neofrin</i> <sup>®</sup>
<b>Ophthalmic Mast Cell Stabilizers</b>	cromolyn sodium	<i>Alocril</i> <sup>®</sup> <i>Alomide</i> <sup>®</sup>
<b>Ophthalmic Mydriatics &amp; Mydriatic Combinations</b>	atropine sulfate cyclopentolate tropicamide	<i>Cyclogyl</i> <sup>®</sup> <i>Cyclomydril</i> <sup>®</sup> <i>Homatropaire</i> <sup>®</sup> <i>homatropine</i> <i>Isopto Atropine</i> <sup>®</sup> <i>Isopto Homatropine</i> <sup>®</sup> <i>Isopto Hyoscine</i> <sup>®</sup> <i>Mydriacyl</i> <sup>®</sup> <i>Paremyd</i> <sup>®</sup>
<b>Ophthalmic NSAIDs</b>	diclofenac flurbiprofen ketorolac	<i>Acular</i> <sup>®</sup> <i>Acular LS</i> <sup>®</sup> <i>Acuvail</i> <sup>®</sup> <i>bromfenac</i> <i>BromSite</i> <sup>™</sup> <i>Ilevro</i> <sup>™</sup> <i>Nevanac</i> <sup>™</sup> <i>Ocufen</i> <sup>®</sup> <i>Prolensa</i> <sup>™</sup> <i>Voltaren</i> <sup>®</sup>

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

## X. OPHTHALMICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Ophthalmic Prostaglandin Agonists</b>	latanoprost <sup>QL</sup>	<i>bimatoprost</i> <sup>QL</sup> <i>Lumigan</i> ® <sup>QL</sup> <i>Rescula</i> ® <sup>QL</sup> <i>Travatan Z</i> ® <sup>QL</sup> <i>travoprost</i> <sup>QL</sup> <i>Xalatan</i> ® <sup>QL</sup> <i>Zioptan</i> ® <sup>QL</sup>
<b>Ophthalmic Anti-Inflammatory Steroids</b>	dexamethasone sodium phosphate Durezol™ fluorometholone prednisolone acetate prednisolone sodium phosphate	<i>Alrex</i> ® <i>Flarex</i> ® <i>FML</i> ® <i>FML Forte</i> ® <i>FML S.O.P.</i> ® <i>Lotemax</i> ™ <i>Maxidex</i> ® <i>Omnipred</i> ™ <i>Ozurdex</i> ™ <i>Pred Forte</i> ® <i>Pred Mild</i> ® <i>Retisert</i> ™ <i>Triesence</i> ® <i>Vexol</i> ®
<b>Ophthalmic Glaucoma Direct Acting Miotics</b>	N/A	<i>Isopto Carpine</i> ® <i>pilocarpine</i> <i>Pilopine HS</i> ® 4%
<b>Ophthalmic Sympathomimetics</b>	Alphagan P® 0.15% brimonidine 0.2%	<i>Alphagan P</i> ® 0.1% <i>apraclonidine</i> <i>brimonidine 0.15%</i> <i>lopidine</i> ®
<b>Ophthalmic Immunomodulator</b>	Restasis® <sup>ST</sup>	<i>Xiidra</i> ™ <sup>QL</sup>

## XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Otic Antibiotics</b>	CiproDex® Otic ciprofloxacin 0.2% hydrocortisone 1%/neomycin sulfate 5 mg/polymyxin B 10,000 units solution, suspension	<i>Cipro HC</i> ® Otic <i>Coly-mycin</i> ® S <i>Floxin</i> ™ <i>ofloxacin 0.3% solution</i> <i>Otovel</i> ™

AE = Age Edits

CC = Clinical Criteria

MD = Medications with Maximum Duration

QL = Quantity Limits

ST = Step Therapy

## XI. OTICS

Drug Class	Preferred Agents	Non-Preferred Agents
Otic Anti-Infectives, Anesthetics and Anti-Inflammatories	acetic acid	acetic acid/hydrocortisone acetic acid in aluminum acetate Auralgan® Aurodex® Auroguard® Borofair® chloroxylenol/pramoxine/hydrocortisone Dermotic® Domeboro® fluocinolone 0.01% oil Neotic® Otic Care® Oto-End 10® Otozin™ Pinnacaine® Pramoxine HC® Trioxin® Vosol® HC

## XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
Alpha Blockers for BPH	alfuzosin ER doxazosin tamsulosin terazosin	Cardura® Cardura XL® Flomax® Rapaflo™ Uroxatral®
5-Alpha Reductase (5AR) Inhibitors	finasteride <sup>CC</sup>	Avodart® dutasteride Jalyn® Proscar®

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy



## XII. RENAL AND GENITOURINARY

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Bladder Relaxants</b>	oxybutynin <sup>QL</sup> Toviaz™ <sup>QL</sup> VESicare® <sup>QL</sup>	<i>darifenacin ER</i> <sup>QL</sup> <i>Detrol</i> ® <sup>QL</sup> <i>Detrol</i> ® LA <sup>QL</sup> <i>Ditropan</i> ® XL <sup>QL</sup> <i>Enablex</i> ® <sup>QL</sup> <i>flavoxate</i> <sup>QL</sup> <i>Gelnique</i> ™ CC, <sup>QL</sup> <i>Myrbetriq</i> ™ <sup>QL</sup> <i>oxybutynin ER</i> <sup>QL</sup> <i>Oxytrol</i> ® <sup>QL</sup> <i>tolterodine</i> <sup>QL</sup> <i>tolterodine ER</i> <sup>QL</sup> <i>tropium</i> <sup>QL</sup> <i>tropium ER</i> <sup>QL</sup>

## XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Topical Antiviral Agents</b>	Zovirax® cream Zovirax® ointment	<i>acyclovir ointment</i> <i>Denavir</i> ® <i>Xerese</i> ™
<b>Topical Antibiotic Agents</b>	bacitracin ointment bacitracin zinc ointment Bactroban® Cream gentamicin 0.1% cream, ointment mupirocin ointment	<i>Bactroban</i> ® ointment <i>Centany</i> ® <i>DermacinRx Surgical PharmaPak</i> ® <i>mupirocin cream</i> <i>Triple Antibiotic</i> ®
<b>Topical Antiparasitic Agents</b>	Natroba® permethrin 5% cream	<i>Elimite</i> ™ <i>Eurax</i> ® <i>lindane</i> <i>malathion</i> <i>Ovide</i> ® <i>Sklice</i> ® <i>spinosad</i> <i>Ulesfia</i> ®

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
Topical Acne Agents	BenzaClin® clindamycin solution, gel, lotion Differin® cream, gel Duac® erythromycin solution, gel Retin-A® cream, gel	Acanya™ Aczone™ adapalene cream, gel adapalene/benzoyl peroxide Atralin™ Avar™ Avar E™ Avar E LS™ Avar LS™ Avita® Benzamycin® BenzePro™ benzoyl peroxide cleanser, kit, microspheres, gel, foam, medicated pad, towlette BP 10-1® BPO® BPO-5® BPO-10® BP Wash™ Brevoxyl® Cleocin-T® Clindacin PAC™ Clindagel® clindamycin foam, medicated swab clindamycin/benzoyl peroxide DermaPak Plus Kit Differin® lotion Effaclar Duo® Epiduo™ Epiduo Forte™ erythromycin medicated swab erythromycin/benzoyl peroxide Fabior® Inova™ Inova™ 4/1 Inova™ 8/2 Klaron® Neucac® Pacnex® Panoxyl® Persa-Gel® PR benzoyl peroxide OC8® Onexton™ Ovace® Ovace Plus® Retin-A Micro® Rosula® sodium sulfacetamide 10% CLNSG sodium sulfacetamide/sulfur 10-4% pad sodium sulfacetamide/sulfur cleanser sodium sulfacetamide/sulfur/urea

AE = Age Edits    CC = Clinical Criteria    MD = Medications with Maximum Duration    QL = Quantity Limits    ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Topical Acne Agents</b> <i>(continued)</i>	(see previous page)	SSS 10-5® sulfacetamide cleanser sulfacetamide/urea Sumadan™ Sumadan™ XLT Sumaxin® Tazorac® tazarotene Tretin-X™ tretinoin tretinoin (generic Atralin™) tretinoin microsphere Vanoxide-HC® Ziana™
<b>Oral Acne Agents</b>	Amnesteem® isotretinoin	Absorica™
<b>Topical Rosacea Agents</b>	MetroCream® MetroGel® MetroLotion®	Azelex® Finacea® metronidazole cream, gel, lotion Mirvaso® Noritate® Rosadan® Kit Soolantra®
<b>Topical Antifungal Agents</b>	clotrimazole cream, solution clotrimazole/betamethasone econazole ketoconazole cream, shampoo nystatin cream, ointment, powder nystatin/triamcinolone cream, ointment	Ciclodan® cream, kit, solution ciclopirox Ertazczo® Exelderm® Extina® Jublia® CC Kerydin™ CC ketoconazole foam Ketodan™ Loprox® Lotrimin® Lotrisone® Luzu® Mentax® naftifine Naftin® Nizoral Shampoo® Nyamyc® Nystop® Oxistat® oxiconazole Penlac® Therazole Pak™ QL Vusion® CC

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Topical Steroids</b>	betamethasone dipropionate cream, lotion betamethasone valerate cream, ointment clobetasol propionate cream, gel, ointment, solution Clobex® shampoo desonide fluocinolone acetonide cream, ointment, solution fluocinonide cream, gel, solution fluocinonide emollient fluticasone propionate cream, ointment halobetasol propionate hydrocortisone cream, gel, lotion, ointment hydrocortisone valerate mometasone furoate cream, ointment, solution triamcinolone acetonide cream, lotion, ointment	<i>alclometasone dipropionate</i> <i>Aqua Glycolic</i> ® <i>Aqua Glycolic HC</i> ® <i>amcinonide</i> <i>ApexiCon</i> ®/ <i>ApexiCon E</i> ® <i>Balneol</i> ® <i>betamethasone dipropionate gel, ointment</i> <i>betamethasone dipropionate augmented</i> <i>betamethasone valerate foam, lotion</i> <i>Capex</i> ® Shampoo <i>clobetasol emollient</i> <i>clobetasol propionate foam, lotion, shampoo,</i> <i>spray</i> <i>Clobex</i> ® Lotion, spray <i>clocortolone</i> <i>Clodan</i> ® <i>Cloderm</i> ® <i>Cordran</i> ® Tape <i>Cutivate</i> ® <i>Derma-Smoothe/FS</i> ® <i>DermacinRx</i> ® Silapak <i>DermacinRx</i> ® Silazone PharmPak <i>Dermatop</i> ® <i>Desonate</i> ® <i>desoximetasone</i> <i>diflorasone diacetate</i> <i>Diprolene</i> ® <i>Diprolene AF</i> ® <i>Elocon</i> ® <i>flurandrenolide</i> <i>fluocinolone acetonide oil</i> <i>fluocinonide ointment</i> <i>fluticasone propionate lotion</i> <i>Halog</i> ® <i>hydrocortisone-aloe</i> <i>hydrocortisone butyrate</i> <i>hydrocortisone butyrate/emollient</i> <i>hydrocortisone-urea</i> <i>Kenalog</i> ® <i>Locoid</i> ® <i>Locoid Lipocream</i> ® <i>Luxiq</i> ® <i>Micort-HC</i> ® <i>Olux</i> ®/ <i>Olux-E</i> ® <i>Pandel</i> ® <i>prednicarbate</i> <i>Psorcon</i> ® <i>Sernivo</i> ™ <i>Silazone-II</i> ™ <i>Synalar</i> ® <i>Synalar</i> ® TS <i>Temovate</i> ® <i>Texacort</i> ®

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

### XIII. DERMATOLOGICS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Topical Steroids</b> <i>(continued)</i>	(see previous page)	Topicort® triamcinolone acetonide spray Trianex® Ultravate® Ultravate® X Vanos™
<b>Topical Psoriasis Agents</b>	calcipotriene salicylic acid 6% gel, shampoo urea cream	Bensal HP® BP® 50% calcipotriene/betamethasone Calcitrene™ calcitriol ointment Cem-Urea® Dovonex® Enstilar® MD Keralyt® Podocon-25® podofilox salicylic acid 3%, 6% cream, lotion salicylic acid 26% liquid salicylic acid 27.5% combo pkg, kit, liquid, lotion salicylic acid 28.5% Salex® combo pkg, kit, shampoo Sorilux™ Taclonex® ointment, suspension Taclonex® Scalp Tazorac® Umecta® Uramaxin® urea emulsion, foam, gel, kit, lotion, nail film suspension, suspension Vectical™
<b>Oral Psoriasis Agents</b>	Oxsoralen-Ultra® Soriatane®	acitretin methoxsalen

### XIV. ANTINEOPLASTIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Oral Oncology Agents, Breast</b>	anastrozole exemestane Ibrance® QL letrozole tamoxifen citrate Tykerb® QL Xeloda®	Arimidex® Aromasin® capacetabine cyclophosphamide Fareston® Faslodex® Femara®

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy

#### XIV. ANTINEOPLASTIC AGENTS

Drug Class	Preferred Agents	Non-Preferred Agents
<b>Oral Oncology, Hematologic Cancer</b>	Alkeran® Gleevec® QL hydroxyurea Imbruvica™ CC, QL Jakafi™ CC, QL Leukeran® mercaptopurine Purixan® Sprycel® QL Zolinza® QL Zydelig® CC, QL	Bosulif® QL Farydak® QL Hydrea® Iclusig™ QL imatinib QL Leustatin® melphalan Ninlaro™ Purinethol® Tasigna® QL Venclexta® QL
<b>Oral Oncology, Lung Cancer</b>	Iressa® QL Tarceva® QL Xalkori® CC, QL	Alecensa® QL Gilotrif™ CC, QL Tagrisso™ QL Zykadia™ QL
<b>Oral Oncology, Other</b>	Cometriq™ QL temozolomide	Caprelsa® QL Lonsurf® Lynparza™ QL Rubraca™ CC, QL Stivarga® CC, QL Temodar®
<b>Oral Oncology, Prostate Cancer</b>	bicalutamide QL flutamide QL Xtandi® QL Zytiga® QL	Casodex® QL Eulexin® QL Nilandron® QL nilutamide QL
<b>Oral Oncology, Renal Cell Carcinoma</b>	Afinitor® tablets QL Cabometyx™ CC, QL Nexavar® QL Sutent® QL Votrient® QL	Afinitor Disperz® QL Inlyta® CC, QL Lenvima™ QL
<b>Oral Oncology, Skin Cancer</b>	Erivedge™ CC, QL Mekinist™ CC, QL Tafinlar® CC, QL	Cotellic™ QL Odomzo® QL Zelboraf™ QL

AE = Age Edits

CC = Clinical  
Criteria

MD = Medications with  
Maximum Duration

QL = Quantity  
Limits

ST = Step Therapy